*PD1. INTRO 1	*PD1. INTRO 2
Earlier you mentioned having attacks of fear or panic when all of a sudden you felt very frightened, anxious, or uneasy. Think of a bad attack like that. During that attack, which of the following problems did you have?	Earlier you mentioned having attacks when all of a sudden you had several problems like being short of breath, your heart pounding or feeling dizzy, and being afraid you would die or go crazy. Think of a bad attack like that. During that attack, which of the following problems did you have?

SKIP TO	• *PD2 AFTER <u>FOUR</u> "YES" RESPONSES	YES (1)	NO (5)	DK (8)	RF (9)
*PD1a.	Did your heart pound or race? (KEY PHRASE: heart racing)	1	5	8	9
*PD1b.	Were you short of breath? (KEY PHRASE: being short of breath)	1	5	8	9
*PD1c.	Did you have nausea or discomfort in your stomach? (KEY PHRASE: having nausea)	1	5	8	9
*PD1d.	Did you feel dizzy or faint? (KEY PHRASE: feeling dizzy)	1	5	8	9
*PD1e.	Did you sweat? (KEY PHRASE: sweating)	1	5	8	9
*PD1f.	Did you tremble or shake? (KEY PHRASE: trembling)	1	5	8	9
*PD1g.	Did you have a dry mouth? (KEY PHRASE: having a dry mouth)	1	5	8	9
*PD1h.	Did you feel like you were choking? (KEY PHRASE: choking)	1	5	8	9
*PD1i.	Did you have pain or discomfort in your chest? (KEY PHRASE: having discomfort in your chest)	1	5	8	9
*PD1j.	Were you afraid that you might lose control of yourself or go crazy? (KEY PHRASE: fearing that you might lose control of yourself)	1	5	8	9
*PD1k.	Did you feel that you were "not really there", like you were watching a movie of yourself? (KEY PHRASE: feeling unreal)	1 GO TO *PD1m	5	8	9
*PD11.	Did you feel that things around you were unreal or like a dream? (KEY PHRASE: feeling that things around you were unreal)	1	5	8	9
*PD1m.	Were you afraid that you might pass out? (KEY PHRASE: fearing that you might pass out)	1	5	8	9
*PD1n.	Were you afraid that you might die? (KEY PHRASE: fearing that you might die)	1	5	8	9
*PD1o.	Did you have hot flushes or chills? (KEY PHRASE: having hot flushes)	1	5	8	9
*PD1p.	Did you have numbness or tingling sensations? (KEY PHRASE: having numbness)	1	5	8	9

*PD2. INTERVIEWER CHECKPOINT: (SEE *PD1 SERIES)

*PD3. During your attacks did the problems like (PARENTHETICAL PHRASE OF FIRST THREE YES RESPONSES IN *PD1 SERIES) begin suddenly and reach their peak within ten minutes after the attacks began?

(IF NEC: Did they begin within ten minutes after the start of the attack?)

YES1
(IF VOL) SOMETIMES3
NO
DON'T KNOW8 GO TO *PD66
REFUSED

*PD4. About how many of these sudden attacks have you had in your entire lifetime?

NUMBER OF ATTACKS

IF R REPORTS MORE THAN 900	900
IF R REPORTS "MORE THAN I CAN REMEMBER"	995
DON'T KNOW	998
REFUSED	999

*PD5. INTERVIEWER CHECKPOINT: (SEE *PD4)

* PD4 EQUALS '1'1	
ALL OTHERS2	GO TO *PD9

*PD6. When did the attack occur – in the past month, two to six months ago, seven to twelve months ago, or more than twelve months ago?

PAST MONTH1	GO TO *PD8
TWO TO SIX MONTHS	GO TO *PD8
SEVEN TO TWELVE MONTHS	GO TO *PD8
MORE THAN TWELVE MONTHS4	
DON'T KNOW	
REFUSED9	

*PD7. Can you remember your exact age when the attack occurred?

YES 1	
NO5	GO TO *PD7b
DON'T KNOW 8	GO TO *PD7b
REFUSED9	GO TO *PD7b

*PD7a. (IF NEC: How old were you?)

YEARS OLD	GO TO *PD8

DON'T KNOW	998	GO TO *PD8
REFUSED	999	GO TO *PD8

*PD7b. <u>About</u> how old were you?

IF "ALL MY LIFE" OR "AS LONG AS I CAN REMEMBER," PROBE: Was it before you first started school?

IF NOT YES, PROBE: Was it before you were a teenager?

_____ YEARS OLD

BEFORE STARTED SCHOOL	4
BEFORE TEENAGER	12
NOT BEFORE TEENAGER	13
WHOLE LIFE OR DON'T KNOW	998
REFUSED	999

***PD8.** Attacks of this sort can occur in three different situations. The first are when the attacks occur unexpectedly "out of the blue." The second are when a person has an unreasonably strong fear. For example, some people have a terrible fear of bugs or of heights or of being in a crowd. The third are when a person is in real danger, like a car accident or a bank robbery.

Which of these three describes your attack – did it occur unexpectedly "out of the blue," in a situation that you strongly fear, or in a situation of real danger?

IF R THOUGHT THERE WAS REAL DANGER EVEN THOUGH IT TURNED OUT NOT TO BE DANGEROUS, CODE "REAL DANGER."

OUT OF THE BLUE	1
STRONG FEAR	2
REAL DANGER	3
DON'T KNOW	8
REFUSED	9

GO TO *PD66

*PD9. Can you remember your exact age the very first time you had one of these attacks?

YES1	
NO	GO TO *PD9b
DON'T KNOW8	GO TO *PD9b
REFUSED9	GO TO *PD9b

*PD9a. (IF NEC: How old were you?)

_____ YEARS OLD GO TO *PD10

DON'T KNOW	998	GO TO *PD10
REFUSED	999	GO TO *PD10

*PD9b. <u>About</u> how old were you?

IF "ALL MY LIFE" OR "AS LONG AS I CAN REMEMBER," PROBE: Was it before you first started school?

IF NOT YES, PROBE: Was it before you were a teenager?

_____ YEARS OLD

BEFORE STARTED SCHOOL	4
BEFORE TEENAGER	12
NOT BEFORE TEENAGER	13
WHOLE LIFE OR DON'T KNOW	
REFUSED	999

*PD10. Did you have one of these attacks at any time in the past 12 months?

GO TO *PD10d
GO TO *PD10d
GO TO *PD11

*PD10a. How recently – in the past month, between two and six months ago, or more than six months ago?

PAST MONTH	1
BETWEEN TWO AND SIX MONTHS AGO	2
MORE THAN SIX MONTHS AGO	3
DON'T KNOW	8
REFUSED	9

*PD10b. How many weeks in the past 12 months did you have at least one attack?

_____ NUMBER

DON'T KNOW98 REFUSED99 *PD10c. And how many attacks in all did you have in the past 12 months?

NUMBER GO TO *PD11

DON'T KNOW	.98	GO TO *PD11
REFUSED	.99	GO TO *PD11

*PD10d. How old were you the last time you had one of these attacks?

_____YEARS OLD

*PD11. What is the largest number of attacks you ever had in any single year of your life?

_____ NUMBER OF ATTACKS

DON'T KNOW998 REFUSED999

*PD12. About how many separate years in your life did you have at least one attack?

_____YEARS

DON'T KNOW998 REFUSED999

*PD13. After having one of these attacks, did you ever have any of the following experiences:	YES (1)	NO (5)	DK (8)	RF (9)
*PD13a. A month or more when you often worried that you might have another attack?	1 GO TO *PD14	5	8	9
*PD13b. A month or more when you worried that something terrible might happen because of the attacks, like having a car accident, having a heart attack, or losing control?	1 GO TO *PD14	5	8	9
*PD13c. A month or more when you changed your everyday activities because of the attacks?	1 GO TO *PD14	5	8	9
PD13d. A month or more when you avoided certain situations because of fear about having another attack?	1 GO TO *PD14	5	8	9

*PD14. INTERVIEWER CHECKPOINT: (SEE *PD13a-d)

*PD15. How old were you the <u>first</u> time you had a month when you either often worried, changed your everyday activities, or avoided certain situations because of the attacks?

YEARS OLD

*PD16. Did you have a month of worry or change in activity like that in the past 12 months?

YES1	
NO 5	GO TO *PD16e
DON'T KNOW8	GO TO *PD16e
REFUSED9	GO TO *PD16e

*PD16a. How recently – in the past month, between two and six months ago, or more than six months ago?

PAST MONTH	. 1
BETWEEN TWO AND SIX MONTHS	. 2
MORE THAN SIX MONTHS	. 3
DON'T KNOW	. 8
REFUSED	. 9

*PD16b. How many months of worry or change in activity did you have in the past 12 months?

NUMBER OF MONTHS

*PD16c. During the time in the past 12 months when your worry about having another attack was most frequent and severe, did you worry nearly all the time, most of the time, often, sometimes, or only rarely?

NEARLY ALL THE TIME	1
MOST OF THE TIME	2
OFTEN	3
SOMETIMES	4
ONLY RARELY	5
DON'T KNOW	8
REFUSED	9

*PD16d. And how severe was the worry during this time -- mild, moderate, severe, or so severe that you were unable to carry out important tasks?

MILD	1
MODERATE	2
SEVERE	3
SO SEVERE	4
DON'T KNOW	8
REFUSED	9

GO TO *PD17

***PD16e.** About how old were you the <u>last</u> time you had a month like this when you worried about having another attack?

YEARS OLD

DON'T KNOW998 REFUSED......999

***PD17.** Attacks of this sort can occur in three different situations. The first is when the attacks occur unexpectedly "out of the blue." The second is when a person has an unreasonably strong fear. For example, some people have a terrible fear of bugs or of heights or of being in a crowd. The third is when a person is in real danger, like a car accident or a bank robbery.

The next question is about how many of your attacks occurred in each of these three kinds of situations. Did you ever have an attack that occurred unexpectedly "out of the blue?"

YES1	
NO5	GO TO *PD18
DON'T KNOW	GO TO *PD18
REFUSED9	GO TO *PD18

*PD17a. About how many attacks in your lifetime occurred unexpectedly "out of the blue?"

_____ NUMBER OF ATTACKS

IF R REPORTS MORE THAN 900	900
IF R REPORTS "MORE THAN I CAN REMEMBER"	995
DON'T KNOW	998
REFUSED	999

***PD18.** About how many attacks in your lifetime occurred in situations where you were not in real danger, but where you had an unreasonably strong fear of the situations?

_____ NUMBER OF ATTACKS

IF R REPORTS MORE THAN 900	900
IF R REPORTS "MORE THAN I CAN REMEMBER"	995
DON'T KNOW	998
REFUSED	999

*PD19. About how many attacks in your lifetime occurred in situations where you were in real danger?

IF R THOUGHT THERE WAS REAL DANGER EVEN THOUGH IT TURNED OUT NOT TO BE DANGEROUS CODE "REAL DANGER."

_____ NUMBER OF ATTACKS

IF R REPORTS MORE THAN 900	. 900
IF R REPORTS "MORE THAN I CAN REMEMBER"	. 995
DON'T KNOW	. 998
REFUSED	. 999

*PD20. INTERVIEWER CHECKPOINT: (SEE *PD17)

***PD17** EQUALS '1'1 ALL OTHERS......2 **GO TO *PD66**

*PD20a.INTERVIEWER CHECKPOINT: (SEE *PD18 - *PD19)

*PD18 EQUALS '0' AND *PD19 EQUALS '0'	GO TO *PD22
ALL OTHERS	

*PD21. How old were you (when you had the attack/the <u>first time</u> you had an attack) "out of the blue" for no obvious reason?

IF "ALL MY LIFE" OR "AS LONG AS I CAN REMEMBER," PROBE: Was it before you first started school?

IF NOT YES, PROBE: Was it before you were a teenager?

_____YEARS OLD

BEFORE STARTED SCHOOL	4
BEFORE TEENAGER	12
NOT BEFORE TEENAGER	13
WHOLE LIFE OR DON'T KNOW	
REFUSED	

*PD22. How much did (this/these) unexpected "out of the blue" attack(s) or worry about having another attack ever interfere with either your work, your social life, or your personal relationships – not at all, a little, some, a lot, or extremely?

NOT AT ALL	1
A LITTLE	2
SOME	3
A LOT	4
EXTREMELY	5
DON'T KNOW	8
REFUSED	9

*PD23. INTERVIEWER CHECKPOINT: (SEE *PD17a)

*PD24. Did this unexpected "out of the blue" attack occur while you were asleep?

YES	. 1
NO	
DON'T KNOW	. 8
REFUSED	. 9

GO TO *PD66

*PD24a. How many of your unexpected "out of the blue" attacks occurred while you were asleep?

NUMBER

DON'T KNOW98 REFUSED......99

*PD25a. Attacks of this sort sometimes occur as a result of physical causes such as physical illness or injury or the use of medication, drugs, or alcohol. Do you think any of your attacks <u>ever</u> occurred as the result of such physical causes?

YES1	
NO5	GO TO *PD33
DON'T KNOW	GO TO *PD33
REFUSED9	GO TO *PD33

*PD25b. Do you think all of your attacks were the result of physical causes?

YES1	
NO5	GO TO *PD33
DON'T KNOW	GO TO *PD33
REFUSED9	GO TO *PD33

*PD25c. Briefly, what were the physical causes?

***PD33.** INTERVIEWER CHECKPOINT: (SEE ***PD20a**)

***PD20a** EQUALS '1'1 ALL OTHERS......2 **GO TO *PD35**

*PD34. INTERVIEWER CHECKPOINT: (SEE *PD10)

 *PD10 EQUALS '1'
 GO TO *PD40

 ALL OTHERS
 GO TO *PD39

*PD35. INTERVIEWER CHECKPOINT: (SEE *PD10)

*PD10 EQUALS '1'1 ALL OTHERS......2 GO TO *PD39

*PD36. How many unexpected "out of the blue" attacks did you have in the past 12 months?

NUMBER OF ATTACKS

DON'T KNOW......998 REFUSED......999

*PD37. INTERVIEWER CHECKPOINT: (SEE *PD36)

*PD36 EQUALS "0"1

*PD36 EQUALS "1"......2 GO TO *PD38

*PD37a. How old were you the last time you had an unexpected "out of the blue" attack?

_YEARS OLD GO TO *PD39

 DON'T KNOW
 98
 GO TO *PD39

 REFUSED
 99
 GO TO *PD39

*PD37b. About how many weeks in the past 12 months did you have at least one of these attacks?

_____NUMBER

DON'T KNOW98 REFUSED99

*PD38. How recently - in the past month, between two and six months ago, or more than six months ago?

PAST MONTH	1
BETWEEN TWO AND SIX MONTHS	2
MORE THAN SIX MONTHS	3
DON'T KNOW	8
REFUSED	9

GO TO *PD40

*PD39. INTERVIEWER CHECKPOINT: (SEE *PD16)

*PD16 EQUALS '1'1	GO TO *PD41
ALL OTHERS2	GO TO *PD50

*PD40. When you had an attack in the past 12 months, how much emotional distress did it cause you during the attack itself -- none, mild, moderate, severe, or so severe that you were unable to concentrate and had to stop what you were doing?

NONE	1
MILD	2
MODERATE	3
SEVERE	4
SO SEVERE	5
DON'T KNOW	8
REFUSED	9

***PD41.** Sometimes people with attacks get upset by physical sensations that remind them of the attacks. Examples include being out of breath after physical exercise, feeling speeded up after drinking coffee or caffeinated beverages, feeling out of control after using alcohol or drugs, and feeling tingly while watching a scary motion picture or television show. In the past 12 months, did you ever get upset by any physical sensations that reminded you of your attacks?

YES1	
NO5	GO TO *PD44
DON'T KNOW8	GO TO *PD44
REFUSED9	GO TO *PD44

*PD41a. How strong was your discomfort with any physical sensations like these in the past 12 months – mild, moderate, severe, or so severe that you became very worried that these sensations might cause you to have another attack?

MILD	1
MODERATE	2
SEVERE	3
SO SEVERE	4
DON'T KNOW	8
REFUSED	9

*PD42. How often did you avoid situations or activities that might cause these physical sensations in the past 12 months - all the time, most of the time, sometimes, rarely, or never?

ALL THE TIME	l
MOST OF THE TIME	2
SOMETIMES	3
RARELY	GO TO *PD44
NEVER	5 GO TO *PD44
DON'T KNOW	GO TO *PD44
REFUSED	GO TO *PD44

*PD43. How much did avoidance of these situations interfere with either your work, your social life, or your personal relationships over the past 12 months -- not at all, a little, some, a lot, or extremely?

NOT AT ALL	1
A LITTLE	2
SOME	3
A LOT	4
EXTREMELY	5
DON'T KNOW	8
REFUSED	9

No Interference		Mild		I	Moderat	e	Ś	Severe		Very Severe Interference	
0	1	2	3	4	5	6	7	8	9	10	

***PD44.** (RB, PG 64) Think about the month or longer in the past 12 when your attack(s) or worry about the attacks (was/were) most severe. Using the 0 to 10 scale on page 64 of your booklet, where 0 means <u>no</u> interference and 10 means very <u>severe</u> interference, what number describes how much the attack(s) or worry about the attacks interfered with each of the following activities during that time?

(IF NEC: How much did the attacks interfere with (ACTIVITY) during that time?) (IF NEC: You can use any number between 0 and 10 to answer.)

NUMBER (0-10)

*PD44a.	Your home management, like cleaning, shopping, and taking care of the (house/ apa	artment)?	
		DOES NOT APPLY	97
		DON'T KNOW	98
		REFUSED	99
*PD44b.	Your ability to work?		
		DOES NOT APPLY	97
		DON'T KNOW	98
		REFUSED	99
*PD44c.	Your ability to form and maintain <u>close</u> relationships with other people?		
	1 1 1	DOES NOT APPLY	97
		DON'T KNOW	
		REFUSED	99
*PD44d.	Your social life?		
		DOES NOT APPLY DON'T KNOW REFUSED	98

*PD45. INTERVIEWER CHECKPOINT: (SEE *PD44a - *PD44d)

ALL RESPONSES EQUAL '0' OR '97'1	GO TO *PD50
ALL OTHERS	

*PD46. About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your attacks or because of worry about the attacks?

(IF NEC: You can use any number between 0 and 365 to answer)

NUMBER OF DAYS

DON'T KNOW 998 REFUSED 999

*PD50. Did you ever in your life talk to a medical doctor or other professional about your attacks? (By professional we mean psychologists, counselors, spiritual advisors, herbalists, acupuncturists, and other healing professionals.)

YES1	
NO5	GO TO *PD65.1
DON'T KNOW8	GO TO *PD65.1
REFUSED9	GO TO *PD65.1

*PD50a. How old were you the first time (you talked to a professional about your attacks)?

YEARS OLD

DON'T KNOW998

***PD62.** Did you ever get treatment for your attacks that you considered helpful or effective?

YES 1	
NO5	GO TO *PD62c
DON'T KNOW 8	GO TO *PD62c
REFUSED9	GO TO *PD62c

*PD62a. How old were you the first time (you got helpful treatment for your attacks)?

YEARS OLD

DON'T KNOW998

How many professionals did you ever talk to about your attacks, up to and including the first *PD62b. time you got helpful treatment?

_ NUMBER OF PROFESSIONALS

GO TO *PD64

DON'T KNOW	.98	GO TO *PD64
REFUSED	.99	GO TO *PD64

*PD62c. How many professionals did you ever talk to about your attacks?

NUMBER OF PROFESSIONALS

DON'T KNOW98 *PD64. Did you receive professional treatment for your attacks at any time in the past 12 months?

YES	1
NO	
DON'T KNOW	8
REFUSED	9

*PD65. Were you ever hospitalized overnight for your attacks?

YES1	
NO5	GO TO *PD65.1
DON'T KNOW	GO TO *PD65.1
REFUSED9	GO TO *PD65.1

*PD65a. How old were you the first time (you were hospitalized overnight because of your attacks)?

_____YEARS OLD

DON'T KNOW......998 REFUSED......999

*PD65.1. How many of your close relatives – including your biological parents, brothers and sisters, and children – ever had attacks of this sort?

_____ NUMBER

*PD66. INTERVIEWER CHECKPOINT (SEE *SC26, *SC26a, *SC26b, *SC28, *SC29.4, *SC30.4): FOLLOW SKIP FOR FIRST ENDORSED ITEM.

*SC28 EQUALS '1'1	GO TO *SP1, NEXT SECTION
* SC29.4 EQUALS '1'2	GO TO *SO1
*SC30.4 EQUALS '1'	GO TO *AG1
*SC26 EQUALS '1'	GO TO *G1 INTRO 1
*SC26a EQUALS '1'	GO TO *G1 INTRO 2
*SC26b EQUALS '1'	GO TO *G1 INTRO 3
ALL OTHERS	GO TO *IED1