WMH	The (name of your survey) is carried out in conjunction with the World
Must be on all papers	Health Organization World Mental Health (WMH) Survey Initiative which
	is supported by the National Institute of Mental Health (NIMH; R01
	MH070884), the John D. and Catherine T. MacArthur Foundation, the
	Pfizer Foundation, the US Public Health Service (R13-MH066849, R01-
	MH069864, and R01 DA016558), the Fogarty International Center
	(FIRCA R03-TW006481), the Pan American Health Organization, Eli
	Lilly and Company, Ortho-McNeil Pharmaceutical, GlaxoSmithKline, and
	Bristol-Myers Squibb. We thank the staff of the WMH Data Collection and
	Data Analysis Coordination Centres for assistance with instrumentation,
	fieldwork, and consultation on data analysis. None of the funders had any
	role in the design, analysis, interpretation of results, or preparation of this
	paper. A complete list of all within-country and cross-national WMH
	publications can be found at <u>http://www.hcp.med.harvard.edu/wmh/</u> .
MDE specific	The (name of your survey) is carried out in conjunction with the World
-	Health Organization World Mental Health (WMH) Survey Initiative. We
	thank the WMH staff for assistance with instrumentation, fieldwork, and
	data analysis. These activities were supported by the United States
	National Institute of Mental Health (R01MH070884), the John D. and
	Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public
	Health Service (R13-MH066849, R01-MH069864, and R01 DA016558),
	the Fogarty International Center (FIRCA R03-TW006481), the Pan
	American Health Organization, the Eli Lilly & Company Foundation,
	Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Sanofi Aventis and
	Bristol-Myers Squibb. A complete list of WMH publications can be found
	at http://www.hcp.med.harvard.edu/wmh/.
Suicide specific	The (name of your survey) is carried out in conjunction with the World
	Health Organization World Mental Health (WMH) Survey Initiative. We
	thank the WMH staff for assistance with instrumentation, fieldwork, and
	data analysis. These activities were supported by the United States
	National Institute of Mental Health (R01MH070884, MH077883), the
	John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation,
	the US Public Health Service (R13-MH066849, R01-MH069864, and R01
	DA016558), the Fogarty International Center (FIRCA R03-TW006481),
	the Pan American Health Organization, the Eli Lilly & Company
	Foundation, Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, and
	Bristol-Myers Squibb. A complete list of WMH publications can be found
	at http://www.hcp.med.harvard.edu/wmh/.

Social disadvantages and	The (name of your survey) is carried out in conjunction with the World
Global burden specific	Health Organization World Mental Health (WMH) Survey Initiative. We
*	thank the WMH staff for assistance with instrumentation, fieldwork, and
	data analysis. These activities were supported by the United States
	National Institute of Mental Health (R01MH070884), NIMH - Mental
	Health Burden Study: Contract number HHSN271200700030C, the John
	D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the US
	Public Health Service (R13-MH066849, R01-MH069864, and R01
	DA016558), the Fogarty International Center (FIRCA R03-TW006481),
	the Pan American Health Organization, the Eli Lilly & Company
	Foundation, Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline,
	Bristol-Myers Squibb, and Shire. A complete list of WMH publications
	can be found at <u>http://www.hcp.med.harvard.edu/wmh/</u> .
Drug dependence specific	The (name of your survey) is carried out in conjunction with the World
	Health Organization World Mental Health (WMH) Survey Initiative. We
	thank the WMH staff for assistance with instrumentation, fieldwork, and
	data analysis. These activities were supported by the United States
	National Institute of Mental Health (R01MH070884), the John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public
	Health Service (R13-MH066849, R01-MH069864, and R01 DA016558),
	the Fogarty International Center (FIRCA R03-TW006481), the Pan
	American Health Organization, the Eli Lilly & Company Foundation,
	Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Bristol-Myers
	Squibb, and Shire. This manuscript has been supported by a National
	Institutes of Health (NIH) National
	Institute on Drug Abuse R01 research grant award (DA016558),
	NIH/NIDA K05 Senior Scientist Award (DA015799), T32 fellowship
	award (DA021129). A complete list of WMH publications can be found at
	http://www.hcp.med.harvard.edu/wmh/
Substance use specific	The (name of your survey) is carried out in conjunction with the World
	Health Organization World Mental Health (WMH) Survey Initiative. We
	thank the WMH staff for assistance with instrumentation, fieldwork, and
	data analysis. These activities were supported by the United States
	National Institute of Mental Health (R01MH070884), the John D. and
	Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public
	Health Service (R13-MH066849, R01-MH069864, and R01 DA016558),
	the Fogarty International Center (FIRCA R03-TW006481), the Pan
	American Health Organization, the Eli Lilly & Company Foundation,
	Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Bristol-Myers Squibb, and Shire. This work was supported by an Australian National
	Health and Medical Research Council (NHMRC) project grant
	(#1081984). LD is supported by an NHMRC Principal Research
	Fellowship (#1041472). The National Drug and Alcohol Research Centre
	at UNSW Australia is supported by funding from the Australian
	Government under the Substance Misuse Prevention and Service
	Improvements Grant Fund. A complete list of WMH publications can be
	found at http://www.hcp.med.harvard.edu/wmh/.
Trauma & PTSD	The (name of your survey) is carried out in conjunction with the World
	Health Organization World Mental Health (WMH) Survey Initiative which
	is supported by the National Institute of Mental Health (NIMH; R01

	MH070884 and R01 MH093612-01), the John D. and Catherine T.
	MacArthur Foundation, the Pfizer Foundation, the US Public Health
	Service (R13-MH066849, R01-MH069864, and R01 DA016558), the
	Fogarty International Center (FIRCA R03-TW006481), the Pan American
	Health Organization, Eli Lilly and Company, Ortho-McNeil
	Pharmaceutical, GlaxoSmithKline, and Bristol-Myers Squibb. We thank
	the staff of the WMH Data Collection and Data Analysis Coordination
	Centres for assistance with instrumentation, fieldwork, and consultation on
	data analysis. None of the funders had any role in the design, analysis,
	interpretation of results, or preparation of this paper. A complete list of all
	within-country and cross-national WMH publications can be found at
A 1'	http://www.hcp.med.harvard.edu/wmh/
Australia	The 2007 Australian National Survey of Mental Health and Wellbeing was
	funded by the Australian Government Department of Health and Ageing.
Argentina	The Argentina survey Estudio Argentino de Epidemiología en Salud
	Mental (EASM) was supported by a grant from the Argentinian Ministry
	of Health (Ministerio de Salud de la Nación).
Brazil	The São Paulo Megacity Mental Health Survey is supported by the State of
	São Paulo Research Foundation (FAPESP) Thematic Project Grant
	03/00204-3.
Bulgaria	The Bulgarian Epidemiological Study of common mental disorders
	EPIBUL is supported by the Ministry of Health and the National Center
	for Public Health Protection.
Colombia	The Colombian National Study of Mental Health (NSMH) is supported by
	the Ministry of Social Protection.
Colombia – Medellin	The Mental Health Study Medellín – Colombia was carried out and
	supported jointly by the Center for Excellence on Research in Mental
	Health (CES University) and the Secretary of Health of Medellín.
ESEMeD	The ESEMeD project is funded by the European Commission (Contracts
	QLG5-1999-01042; SANCO 2004123, and EAHC 20081308), the
	Piedmont Region (Italy)), Fondo de Investigación Sanitaria, Instituto de
	Salud Carlos III, Spain (FIS 00/0028), Ministerio de Ciencia y Tecnología,
	Spain (SAF 2000-158-CE), Departament de Salut, Generalitat de
	Catalunya, Spain, Instituto de Salud Carlos III (CIBER CB06/02/0046,
	RETICS RD06/0011 REM-TAP), and other local agencies and by an
-	unrestricted educational grant from GlaxoSmithKline.
Iraq	Implementation of the Iraq Mental Health Survey (IMHS) and data entry
	were carried out by the staff of the Iraqi MOH and MOP with direct
	support from the Iraqi IMHS team with funding from both the Japanese
	and European Funds through United Nations Development Group Iraq
~ .	Trust Fund (UNDG ITF).
Israel	The Israel National Health Survey is funded by the Ministry of Health with
	support from the Israel National Institute for Health Policy and Health
	Services Research and the National Insurance Institute of Israel.
Japan	The World Mental Health Japan (WMHJ) Survey is supported by the Grant
	for Research on Psychiatric and Neurological Diseases and Mental Health
	(H13-SHOGAI-023, H14-TOKUBETSU-026, H16-KOKORO-013) from
	the Japan Ministry of Health, Labour and Welfare.
T 1	
Lebanon	The Lebanese National Mental Health Survey (L.E.B.A.N.O.N.) is supported by the Lebanese Ministry of Public Health, the WHO

	(Laboron) Notional Institute of Hastikh / Easants Internetional Cont. (D02)
	(Lebanon), National Institute of Health / Fogarty International Center (R03
	TW006481-01), Sheikh Hamdan Bin Rashid Al Maktoum Award for
	Medical Sciences, anonymous private donations to IDRAAC, Lebanon,
	and unrestricted grants from AstraZeneca, Eli Lilly, GlaxoSmithKline,
	Hikma Pharmaceuticals, Janssen Cilag, Lundbeck, Novartis, and Servier.
Mexico	The Mexican National Comorbidity Survey (MNCS) is supported by The
	National Institute of Psychiatry Ramon de la Fuente (INPRFMDIES 4280)
	and by the National Council on Science and Technology (CONACyT-
	G30544- H), with supplemental support from the PanAmerican Health
	Organization (PAHO).
	(Include for C.Benjet if 1) paper reports on adolescent follow-up study
	and or 2) journal requires reporting of funding in previous 5 years.)
	Corina Benjet has received funding from the (Mexican) National Council of
	Science and Technology (grant CB-2010-01-155221) (date: Jan. 2012 to
	July 2015)
New Zealand	Te Rau Hinengaro: The New Zealand Mental Health Survey (NZMHS) is
	supported by the New Zealand Ministry of Health, Alcohol Advisory
	Council, and the Health Research Council.
Nigeria	The Nigerian Survey of Mental Health and Wellbeing (NSMHW) is
C	supported by the WHO (Geneva), the WHO (Nigeria), and the Federal
	Ministry of Health, Abuja, Nigeria.
Northern Ireland	The Northern Ireland Study of Mental Health was funded by the Health &
	Social Care Research & Development Division of the Public Health
	Agency.
People's Republic of China	The Chinese World Mental Health Survey Initiative is supported by the
1 1	Pfizer Foundation. The Shenzhen Mental Health Survey is supported by
	the Shenzhen Bureau of Health and the Shenzhen Bureau of Science,
	Technology, and Information.
Peru	The Peruvian World Mental Health Study was funded by the National
	Institute of Health of the Ministry of Health of Peru.
Poland	The Polish project Epidemiology of Mental Health and Access to Care –
	EZOP Poland was carried out by the Institute of Psychiatry and Neurology
	in Warsaw in consortium with Department of Psychiatry - Medical
	University in Wroclaw and National Institute of Public Health-National
	Institute of Hygiene in Warsaw and in partnership with Psykiatrist Institut
	Vinderen – Universitet, Oslo. The project was funded by the Norwegian
	Financial Mechanism and the European Economic Area Mechanism as
	well as Polish Ministry of Health. No support from pharmaceutical
	industry neither other commercial sources was received.
Portugal	The Portuguese Mental Health Study was carried out by the Department of
Tonugai	Mental Health, Faculty of Medical Sciences, NOVA University of Lisbon,
	with collaboration of the Portuguese Catholic University, and was funded
	by Champalimaud Foundation, Gulbenkian Foundation, Foundation for
	Science and Technology (FCT) and Ministry of Health.
Romania	The Romania WMH study projects "Policies in Mental Health Area" and
Komama	"National Study regarding Mental Health and Services Use" were carried
	out by National School of Public Health & Health Services Management
	(former National Institute for Research & Development in Health, present
	National School of Public Health Management & Professional
	Development, Bucharest), with technical support of Metro Media
	201010pilloni, Buenarosi, mai cominear support or motio moula

	Transilvania, the National Institute of Statistics – National Centre for
	Training in Statistics, SC. Cheyenne Services SRL, Statistics Netherlands
	and were funded by Ministry of Public Health (former Ministry of Health)
	with supplemental support of Eli Lilly Romania SRL.
South Africa	The South Africa Stress and Health Study (SASH) is supported by the US
	National Institute of Mental Health (R01-MH059575) and National
	Institute of Drug Abuse with supplemental funding from the South African
	Department of Health and the University of Michigan. IF DAN STEIN IS
	A COAUTHOR, ADD THE FOLLOWING TO THE
	ACKNOWLEDGEMENTS SECTION: "Dr. Stein is supported by the
	Medical Research Council of South Africa (MRC)"
Spain – Murcia	The Psychiatric Enquiry to General Population in Southeast Spain –
-	Murcia (PEGASUS-Murcia) Project has been financed by the Regional
	Health Authorities of Murcia (Servicio Murciano de Salud and Consejería
	de Sanidad y Política Social) and Fundación para la Formación e
	Investigación Sanitarias (FFIS) of Murcia.
Ukraine	The Ukraine Comorbid Mental Disorders during Periods of Social
	Disruption (CMDPSD) study is funded by the US National Institute of
	Mental Health (RO1-MH61905).
United States	The US National Comorbidity Survey Replication (NCS-R) is supported
	by the National Institute of Mental Health (NIMH; U01-MH60220) with
	supplemental support from the National Institute of Drug Abuse (NIDA),
	the Substance Abuse and Mental Health Services Administration
	(SAMHSA), the Robert Wood Johnson Foundation (RWJF; Grant
	044708), and the John W. Alden Trust.

The World Health Organization World Mental Health (WMH) Survey Initiative is supported by the National Institute of Mental Health (NIMH; R01 MH070884), the John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public Health Service (R13-MH066849, R01-MH069864, and R01 DA016558), the Fogarty International Center (FIRCA R03-TW006481), the Pan American Health Organization, Eli Lilly and Company, Ortho-McNeil Pharmaceutical, GlaxoSmithKline, and Bristol-Myers Squibb. We thank the staff of the WMH Data Collection and Data Analysis Coordination Centres for assistance with instrumentation, fieldwork, and consultation on data analysis. The work of the MSU-based authors (LD, HC, JCA) in preparing this report was additionally supported by the National Institute on Drug Abuse (K05DA015799; R01DA016558), while the work of LD was funded by an Australian NHMRC Senior Research Fellowship. None of the funders had any role in the design, analysis, interpretation of results, or preparation of this paper. This report was prepared under the auspices of the World Health Organization ICD-11 Chapter 5 (Mental and Behavioural Disorders) epidemiology working group, which is co-chaired by Chatterji and Kessler. The views and opinions expressed in this report are those of the authors and should not be construed to represent the views of the sponsoring organizations, agencies, or governments.

The 2007 Australian National Survey of Mental Health and Wellbeing is funded by the Australian Government Department of Health and Ageing. The Argentina survey -- Estudio Argentino de Epidemiología en Salud Mental (EASM) -- was supported by a grant from the Argentinian Ministry of Health (Ministerio de Salud de la Nación). The São Paulo Megacity Mental Health Survey is supported by the State of São Paulo Research Foundation (FAPESP) Thematic Project Grant 03/00204-3. The Bulgarian Epidemiological Study of common mental disorders EPIBUL is supported by the Ministry of Health and the National Center for Public Health Protection. The Chinese World Mental Health Survey Initiative is supported by the Pfizer Foundation. The Shenzhen Mental Health Survey is supported by the Shenzhen Bureau of Health and the Shenzhen Bureau of Science, Technology, and Information. The Colombian National Study of Mental Health (NSMH) is supported by the Ministry of Social Protection. The Mental Health Study Medellín – Colombia was carried out and supported jointly by the Center for Excellence on Research in Mental Health (CES University) and the Secretary of Health of Medellín. The ESEMeD project is funded by the European Commission (Contracts QLG5-1999-01042; SANCO 2004123, and EAHC 20081308), (the Piedmont Region (Italy)), Fondo de Investigación Sanitaria, Instituto de Salud Carlos III, Spain (FIS 00/0028), Ministerio de Ciencia y Tecnología, Spain (SAF 2000-158-CE), Departament de Salut, Generalitat de Catalunya, Spain, Instituto de Salud Carlos III (CIBER CB06/02/0046, RETICS RD06/0011 REM-TAP), and other local agencies and by an unrestricted educational grant from GlaxoSmithKline. Implementation of the Iraq Mental Health Survey (IMHS) and data entry were carried out by the staff of the Iraqi MOH and MOP with direct support from the Iraqi IMHS team with funding from both the Japanese and European Funds through United Nations Development Group Iraq Trust Fund (UNDG ITF). The Israel National Health Survey is funded by the Ministry of Health with support from the Israel National Institute for Health Policy and Health Services Research and the National Insurance Institute of Israel. The World Mental Health Japan (WMHJ) Survey is supported by the Grant for Research on Psychiatric and Neurological Diseases and Mental Health (H13-SHOGAI-023, H14-TOKUBETSU-026, H16-KOKORO-013) from the Japan Ministry of Health, Labour and Welfare. The Lebanese National Mental Health Survey (L.E.B.A.N.O.N.) is supported by the Lebanese Ministry of Public Health, the WHO (Lebanon), National Institute of Health / Fogarty International Center (R03 TW006481-01), Sheikh Hamdan Bin Rashid Al Maktoum Award for Medical Sciences, anonymous private donations to IDRAAC, Lebanon, and unrestricted grants from AstraZeneca, Eli Lilly, GlaxoSmithKline, Hikma Pharmaceuticals, Janssen Cilag, Lundbeck, Novartis, and Servier. The Mexican National Comorbidity Survey (MNCS) is supported by The National Institute of Psychiatry Ramon de la Fuente (INPRFMDIES 4280) and by the National Council on Science and Technology (CONACyT-G30544- H), with supplemental support from the PanAmerican Health Organization (PAHO) (Include for C.Benjet if 1) paper reports on adolescent follow-up study and or 2) journal requires reporting of funding in previous 5 years. Corina Benjet has received funding from the (Mexican) National Council of Science and Technology (grant CB-2010-01-155221) (date: Jan. 2012 to July 2015). Te Rau Hinengaro: The New Zealand Mental Health Survey (NZMHS) is supported by the New Zealand Ministry of Health, Alcohol Advisory Council, and the Health Research Council. The Nigerian Survey of Mental Health and Wellbeing (NSMHW) is supported by the WHO (Geneva), the WHO (Nigeria), and the Federal Ministry of Health, Abuja, Nigeria. The Northern Ireland Study of Mental Health was funded by the Health & Social Care Research & Development Division of the Public Health Agency. The Peruvian World Mental Health Study was funded by the National Institute of Health of the Ministry of Health of Peru. The Polish project Epidemiology of Mental Health and Access to Care – EZOP Poland was carried out by the Institute of Psychiatry and Neurology in Warsaw in consortium with Department of Psychiatry - Medical University in Wroclaw and National Institute of Public Health-National Institute of Hygiene in Warsaw and in partnership with Psykiatrist Institut Vinderen – Universitet, Oslo. The project was funded by the Norwegian Financial Mechanism and the European Economic Area Mechanism as well as Polish Ministry of Health. No support from pharmaceutical industry neither other commercial sources was received. The Portuguese Mental Health Study was carried out by the Department of Mental Health, Faculty of Medical Sciences, NOVA University of Lisbon, with collaboration of the Portuguese Catholic University, and was funded by Champalimaud Foundation, Gulbenkian Foundation, Foundation for Science and Technology (FCT) and Ministry of Health. The Romania WMH study projects "Policies in Mental Health Area" and "National Study regarding Mental Health and Services Use" were carried out by National School of Public Health & Health Services Management (former National Institute for Research & Development in Health), with technical support of Metro Media Transilvania, the National Institute of Statistics-National Centre for Training in Statistics, SC. Cheyenne Services SRL, Statistics Netherlands and were funded by Ministry of Public Health (former Ministry of Health) with supplemental support of Eli Lilly Romania SRL. The South Africa Stress and Health Study (SASH) is supported by the US National Institute of Mental Health (R01-MH059575) and National Institute of Drug Abuse with supplemental funding from the South African Department of Health and the University of Michigan. IF DAN STEIN IS A COAUTHOR, ADD THE FOLLOWING TO THE ACKNOWLEDGEMENTS SECTION: "Dr. Stein is supported by the Medical Research Council of South Africa (MRC)"The Psychiatric Enquiry to General Population in Southeast Spain – Murcia (PEGASUS-Murcia)

Funding acknowledgements - 2014

Project has been financed by the Regional Health Authorities of Murcia (Servicio Murciano de Salud and Consejería de Sanidad y Política Social) and Fundación para la Formación e Investigación Sanitarias (FFIS) of Murcia. The Ukraine Comorbid Mental Disorders during Periods of Social Disruption (CMDPSD) study is funded by the US National Institute of Mental Health (RO1-MH61905). The US National Comorbidity Survey Replication (NCS-R) is supported by the National Institute of Mental Health (NIMH; U01-MH60220) with supplemental support from the National Institute of Drug Abuse (NIDA), the Substance Abuse and Mental Health Services Administration (SAMHSA), the Robert Wood Johnson Foundation (RWJF; Grant 044708), and the John W. Alden Trust.

A complete list of all within-country and cross-national WMH publications can be found at http://www.hcp.med.harvard.edu/wmh/.