Appendix Table 4. The Effects of Temporally Primary Agoraphobia in Predicting First Onset of Major Depressive Episodes, Separately by Country

	Current		Past		
	Current	Number of Years	Past	Years Since	χ^2
	OR (95% CI)	OR (95% CI)	OR (95% CI)	OR (95% CI)	
Brazil	25.2* (4.3-149.4)	0.7 (0.4-1.2)	3.9 (0.2-77.1)	0.8 (0.5-1.5)	18.4**
Canada	37.7* (21.2-66.9)	0.8* (0.7-0.9)	2.6 (0.7-10.2)	1.0 (0.8-1.2)	220.9**
Chile	5.9* (2.7-13.1)	0.9 (0.8-1.0)	0.2* (0.0-0.8)	1.3 (1.0-1.8)	68.1**
Czech Republic	3.3 (0.2-47.7)	1.1 (0.8-1.6)	56.3* (12.1-262.0)	0.7* (0.6-0.9)	319.8**
Germany	11.7* (4.3-31.5)	0.7* (0.5-0.9)		0.0* (0.0-0.1)	6,010.9**
Japan					
Mexico	43.0* (12.6-147.1)	0.8 (0.6-1.0)		0.9 (0.7-1.3)	85.8**
Netherlands	26.5* (17.4-40.5)	0.8* (0.7-0.8)	1.1 (0.2-7.1)	1.0 (0.7-1.3)	256.4**
Turkey	47.3* (24.0-93.0)	0.8* (0.7-0.9)		0.1* (0.0-0.1)	5,396.6**
U.S.	12.3* (7.5-20.5)	0.9* (0.8-0.9)	3.5 (0.9-14.6)	0.8 (0.6-1.1)	203.3**

^{*} Significant at the .05 level, two-sided test

^{**} Significant at the .05 level