

Appendix Table 1. Multivariate associations (odds ratios) between childhood adversities (CA) and the persistence of DSM-IV/CIDI mood disorders by age at interview based on a simple interactive model (n=10,915)¹

	Ages 18-29		Ages 30-44		Ages 45-59		Ages 60+	
	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)
I. Maladaptive family functioning								
Parent Mental Illness	2.4	(1.3-4.2)	1.3	(0.9-1.9)	1.2	(0.9-1.7)	2.0	(1.2-3.3)
Parent Substance	0.9	(0.5-1.8)	1.4	(0.8-2.3)	1.0	(0.7-1.7)	0.9	(0.5-1.5)
Parent Criminal	1.0	(0.6-2.0)	1.0	(0.6-1.6)	0.8	(0.4-1.3)	4.7	(1.7-12.6)
Family Violence	1.2	(0.6-2.3)	1.9	(1.3-2.9)	1.8	(1.2-2.7)	0.9	(0.5-1.7)
Physical Abuse	1.1	(0.4-3.0)	2.4	(1.6-3.5)	2.0	(1.2-3.1)	2.4	(1.5-4.1)
Sexual Abuse	1.4	(0.9-2.1)	1.4	(0.9-2.2)	1.6	(1.0-2.5)	1.6	(0.8-3.2)
Neglect	2.2	(0.9-5.4)	1.3	(0.8-2.3)	1.6	(1.0-2.8)	0.5	(0.2-1.4)
χ^2_7 (p-value)	12.5 (.090)		34.2 (<.001)*		21.1 (.004)*		19.0 (.008)*	
χ^2_6 (p-value)	10.6 (.100)		19.8 (.003)*		19.3 (.004)*		10.3 (.110)	
II. Other childhood adversities								
Parent Died	1.3	(0.7-2.2)	1.1	(0.7-1.8)	1.2	(0.8-1.8)	1.4	(0.6-3.2)
Parent Divorce	1.2	(0.8-1.7)	1.1	(0.8-1.5)	0.9	(0.6-1.4)	0.6	(0.4-1.1)
Other Parent Loss	1.1	(0.6-1.8)	1.0	(0.5-1.7)	1.0	(0.6-1.7)	1.0	(0.4-2.5)
Serious physical Illness	0.7	(0.4-1.3)	0.8	(0.4-1.6)	1.5	(1.0-2.3)	0.7	(0.4-1.3)
Family economic Adversity	1.0	(0.6-1.5)	1.0	(0.6-1.7)	1.2	(0.7-2.2)	0.5	(0.1-2.1)
χ^2_5 (p-value)	3.5 (.630)		1.7 (.890)		4.2 (.520)		8.6 (.130)	
χ^2_{12} (p-value)	17.0 (.150)		44.6 (<.001)*		36.6 (<.001)*		30.0 (.003)*	
χ^2_{11} (p-value)	23.6 (.010)*		30.1 (.002)*		25.9 (.007)*		19.0 (.061)	
III. Number of maladaptive family functioning CAs								
0-1								
2	0.5	(0.2-1.3)	0.8	(0.4-1.4)	0.4	(0.2-0.8)	0.4	(0.2-0.9)
3	0.5	(0.1-1.9)	0.3	(0.1-0.8)	0.3	(0.1-0.9)	0.3	(0.1-0.9)
4	0.4	(0.1-2.7)	0.4	(0.1-1.2)	0.6	(0.2-1.8)	0.5	(0.1-2.4)
5	0.1	(0.0-1.4)	0.2	(0.0-0.8)	0.1	(0.0-0.5)	1.1	(0.1-20.0)
6	0.3	(0.0-6.9)	0.1	(0.0-0.9)	0.2	(0.0-1.8)	0.7	(0.1-7.2)
7	0.0	(0.0-0.0)	0.1	(0.0-2.1)	0.0	(0.0-0.0)	-	-
χ^2_6 (p-value)	276.0 (<.001)*		13.3 (.040)*		150.1 (<.001)*		9.5 (.090)	
IV. Number of other CAs								
0-1								
2	0.8	(0.4-1.8)	1.0	(0.6-1.7)	0.6	(0.3-1.2)	1.8	(0.8-3.9)
3	2.5	(0.6-10.4)	1.6	(0.6-4.2)	0.9	(0.4-2.1)	1.6	(0.5-5.5)
4+	0.0	(0.0-0.0)	0.0	(0.0-0.0)	2.0	(0.6-6.6)	-	-
χ^2_3 (p-value)	558.1 (<.001)*		85.5 (<.001)*		6.3 (.100)		4.5 (.110)	
χ^2_{21} (p-value)	87.0 (<.001)*		97.9 (<.001)*		96.2 (<.001)*		69.9 (<.001)*	

*Significant at the .05 level, two-sided test.

¹Models controlling for person-year, race, sex, diagnosis category, age of disorder onset, time since disorder onset, type of adversity, # of Maladaptive Family Adversities, and # of Other adversities.

Appendix Table 2. Multivariate associations (odds ratios) between childhood adversities (CA) and the persistence of DSM-IV/CIDI anxiety disorders by age at interview based on a simple interactive model (n=10,915)¹

	Ages 18-29		Ages 30-44		Ages 45-59		Ages 60+	
	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)
I. Maladaptive family functioning								
Parent Mental Illness	1.0	(0.7-1.2)	1.2	(1.0-1.5)	1.2	(0.9-1.6)	1.2	(0.7-2.1)
Parent Substance	0.9	(0.6-1.3)	1.3	(0.9-1.7)	1.0	(0.7-1.2)	1.4	(0.8-2.5)
Parent Criminal	0.8	(0.5-1.4)	1.2	(0.9-1.7)	0.9	(0.6-1.3)	0.6	(0.2-1.6)
Family Violence	1.0	(0.7-1.5)	1.4	(0.9-2.0)	0.9	(0.6-1.4)	0.4	(0.1-1.2)
Physical Abuse	1.0	(0.7-1.4)	1.4	(1.0-1.9)	1.2	(0.9-1.5)	0.9	(0.5-1.7)
Sexual Abuse	0.9	(0.6-1.3)	1.7	(1.2-2.4)	1.2	(0.9-1.8)	0.5	(0.3-1.0)
Neglect	1.1	(0.5-2.2)	1.9	(1.2-3.0)	1.2	(0.9-1.7)	0.9	(0.5-1.7)
χ^2_7 (p-value)	3.5 (.840)		27.9 (<.001)*		9.3 (.230)		10.2 (.180)	
χ^2_6 (p-value)	1.5 (.960)		9.8 (.130)		10.0 (.120)		9.6 (.140)	
II. Other childhood adversities								
Parent Died	1.0	(0.7-1.4)	0.9	(0.6-1.3)	1.1	(0.8-1.4)	1.1	(0.7-1.8)
Parent Divorce	1.0	(0.7-1.4)	1.0	(0.8-1.3)	1.3	(1.0-1.8)	0.7	(0.4-1.2)
Other Parent Loss	0.8	(0.5-1.3)	0.7	(0.5-1.1)	1.5	(1.0-2.3)	0.7	(0.4-1.2)
Serious physical Illness	0.7	(0.4-1.1)	0.9	(0.5-1.5)	1.2	(0.8-1.6)	0.8	(0.6-1.2)
Family economic Adversity	1.1	(0.7-1.8)	1.0	(0.8-1.4)	1.0	(0.6-1.6)	1.1	(0.6-1.8)
χ^2_5 (p-value)	4.8 (.440)		7.6 (.180)		9.6 (.090)		6.1 (.300)	
χ^2_{12} (p-value)	12.9 (.380)		78.1 (<.001)*		40.8 (<.001)*		17.6 (.130)	
χ^2_{11} (p-value)	9.5 (.580)		20.3 (.040)*		25.8 (.008)*		18.5 (.070)	
III. Number of maladaptive family functioning CAs								
0-1								
2	0.6	(0.4-1.1)	0.8	(0.5-1.0)	1.0	(0.6-1.4)	2.6	(0.9-7.1)
3	1.0	(0.5-2.0)	0.7	(0.4-1.3)	0.9	(0.5-1.6)	2.1	(0.5-9.8)
4	1.1	(0.4-3.0)	0.4	(0.2-0.9)	1.2	(0.5-3.2)	2.2	(0.2-19.4)
5	1.7	(0.4-7.4)	0.3	(0.1-1.0)	0.6	(0.2-1.9)	13.6	(0.9-209.2)
6	2.3	(0.4-11.9)	0.2	(0.0-0.6)	0.9	(0.2-4.0)	2.8	(0.2-53.0)
7	0.7	(0.1-5.7)	0.2	(0.0-1.1)	1.8	(0.4-7.4)	-	-
χ^2_6 (p-value)	12.3 (.055)		12.0 (.063)		8.9 (.18)		$\chi^2_5=15.9$ (.007)*	
IV. Number of other CAs								
0-1								
2	1.3	(0.8-2.2)	1.1	(0.7-1.8)	0.8	(0.5-1.1)	1.3	(0.7-2.5)
3	4.7	(2.0-11.0)	1.0	(0.4-2.4)	0.5	(0.2-1.0)	11.1	(3.0-41.0)
4+	1.5	(0.4-5.6)			1.9	(0.7-5.1)	-	-
χ^2_3 (p-value)	13.3 (.004)*		0.5 (.76)		14.9 (.002)*		13.2 (<.001)*	
χ^2_{21} (p-value)	119.1 (<.001)*		211.2 (<.001)*		339.8 (<.001)*		492.7 (<.001)*	

*Significant at the .05 level, two-sided test.

¹Models controlling for person-year, race, sex, diagnosis category, age of disorder onset, time since disorder onset, type of adversity, # of Maladaptive Family Adversities, and # of Other adversities.

Appendix Table 3. Multivariate associations (odds ratios) between childhood adversities (CA) and the persistence of DSM-IV/CIDI substance disorders by age at interview based on a simple interactive model (n=10,915)¹

	Ages 18-29		Ages 30-44		Ages 45-59		Ages 60+	
	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)
I. Maladaptive family functioning								
Parent Mental Illness	1.7	(1.0-3.0)	1.0	(0.7-1.3)	1.2	(0.8-1.8)	0.5	(0.2-1.1)
Parent Substance	1.5	(0.7-3.1)	1.2	(0.8-1.8)	2.2	(1.6-3.2)	3.0	(0.8-11.7)
Parent Criminal	1.0	(0.5-2.2)	1.1	(0.8-1.7)	1.0	(0.6-1.6)	1.5	(0.6-4.0)
Family Violence	1.6	(0.9-3.0)	1.2	(0.9-1.6)	1.4	(1.0-2.0)	1.6	(0.5-4.9)
Physical Abuse	0.9	(0.4-2.0)	1.4	(1.0-1.9)	1.3	(0.8-2.1)	2.8	(1.3-6.0)
Sexual Abuse	1.6	(0.9-3.1)	1.0	(0.7-1.5)	1.8	(1.1-3.2)	5.8	(1.2-29.0)
Neglect	1.1	(0.5-2.6)	1.3	(0.7-2.2)	0.8	(0.6-1.0)	0.6	(0.4-1.1)
χ^2_7 (p-value)	16.1 (.020)*		13.7 (.056)		39.4 (<.001)*		42.8 (<.001)*	
χ^2_6 (p-value)	7.2 (.300)		10.6 (.100)		37.4 (<.001)*		84.4 (<.001)*	
II. Other childhood adversities								
Parent Died	1.0	(0.7-1.6)	1.2	(0.8-1.9)	0.7	(0.4-1.1)	0.3	(0.2-0.5)
Parent Divorce	0.9	(0.6-1.3)	1.0	(0.8-1.3)	0.8	(0.4-1.3)	0.8	(0.3-2.0)
Other Parent Loss	0.9	(0.4-1.8)	0.8	(0.6-1.2)	0.9	(0.5-1.6)	0.0	(0.0-0.2)
Serious physical Illness	0.9	(0.3-2.6)	1.1	(0.7-1.6)	0.6	(0.4-1.1)	2.0	(0.9-4.8)
Family economic Adversity	1.0	(0.5-1.9)	0.8	(0.6-1.1)	0.9	(0.5-1.8)	2.5	(0.9-7.1)
χ^2_5 (p-value)	1.4 (.920)		6.7 (.250)		6.2 (.280)		41.4 (<.001)*	
χ^2_{12} (p-value)	20.2 (.060)		20.0 (.07)		66.0 (<.001)*		122.9 (<.001)*	
χ^2_{11} (p-value)	21.1 (.030)*		12.8 (.30)		69.9 (<.001)*		210.3 (<.001)*	
III. Number of maladaptive family functioning CAs								
0-1								
2	0.8	(0.4-1.6)	1.1	(0.7-1.8)	0.8	(0.4-1.3)	0.6	(0.1-2.5)
3	0.6	(0.2-1.7)	0.9	(0.4-2.1)	0.6	(0.3-1.2)	0.4	(0.0-4.6)
4	0.4	(0.1-1.8)	0.7	(0.2-1.9)	0.4	(0.2-1.1)	0.1	(0.0-0.8)
5	0.5	(0.0-5.2)	0.6	(0.1-2.4)	0.5	(0.2-1.5)	0.2	(0.0-3.9)
6	0.2	(0.0-2.5)	0.4	(0.1-2.1)	0.1	(0.0-0.8)	0.4	(0.0-36.1)
7	0.0	(0.0-0.0)	0.4	(0.1-2.1)	0.1	(0.0-0.8)	-	-
χ^2_6 (p-value)	88.0 (<.001)*		6.5 (.370)		8.1 (.230)		$\chi^2_5=12.3$ (.030)*	
IV. Number of other CAs								
0-1								
2	1.4	(0.6-3.2)	1.3	(0.8-1.9)	1.8	(0.8-3.9)	4.7	(1.0-22.1)
3	1.0	(0.2-4.4)	1.5	(0.8-2.8)	1.6	(0.5-5.5)	9.8	(0.2-412.4)
4+	1.5	(0.2-11.6)	-	-	-	-	-	-
χ^2_2 (p-value)	0.7 (.860)		1.6 (.450)		3.1 (.210)		3.9 (.140)	
χ^2_{21} (p-value)	73.5 (<.001)*		52.7 (<.001)*		175.9 (<.001)*		4836.4 (<.001)*	

*Significant at the .05 level, two-sided test.

¹Models controlling for person-year, race, sex, diagnosis category, age of disorder onset, time since disorder onset, type of adversity, # of Maladaptive Family Adversities, and # of Other adversities.

Appendix Table 4. Multivariate associations (odds ratios) between childhood adversities (CA) and the persistence of DSM-IV/CIDI externalizing disorders by age at interview based on a simple interactive model (n=10,915)¹

	Ages 18-29		Ages 30-44		Ages 45-59 ²		Ages 60+ ³	
	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)	Point Estimate	(95% CI)
I. Maladaptive family functioning								
Parent Mental Illness	1.2	(0.7-2.0)	1.3	(1.0-1.6)				
Parent Substance	0.9	(0.5-1.5)	1.1	(0.7-1.6)				
Parent Criminal	0.9	(0.6-1.5)	0.9	(0.4-1.7)				
Family Violence	1.0	(0.6-1.6)	1.3	(0.9-1.8)				
Physical Abuse	1.0	(0.6-1.5)	1.2	(0.8-1.7)				
Sexual Abuse	1.0	(0.7-1.7)	1.2	(0.9-1.8)				
Neglect	0.7	(0.4-1.2)	1.4	(1.0-2.0)				
χ^2_7 (p-value)	4.5 (.720)		12.7 (.080)		n/a		n/a	
χ^2_6 (p-value)	7.4 (.290)		6.6 (.360)					
II. Other childhood adversities								
Parent Died	0.8	(0.5-1.2)	1.0	(0.7-1.5)				
Parent Divorce	1.3	(0.9-1.9)	1.0	(0.8-1.2)				
Other Parent Loss	1.2	(0.8-1.8)	0.8	(0.6-1.2)				
Serious physical Illness	1.6	(0.9-2.8)	1.2	(0.8-1.7)				
Family economic Adversity	1.3	(0.9-1.8)	0.8	(0.5-1.2)				
χ^2_5 (p-value)	27.0 (<.001)*		4.1 (.540)		n/a		n/a	
χ^2_{12} (p-value)	46.3 (<.001)*		19.7 (.070)		n/a		n/a	
χ^2_{11} (p-value)	45.1 (<.001)*		21.5 (.029)*		n/a		n/a	
III. Number of maladaptive family functioning CAs								
0-1								
2	1.2	(0.7-2.2)	0.9	(0.6-1.6)				
3	1.6	(0.6-4.2)	1.0	(0.5-2.4)				
4	1.2	(0.3-4.1)	0.8	(0.3-2.3)				
5	3.2	(0.5-19.4)	1.0	(0.2-4.1)				
6	2.0	(0.2-18.1)	0.7	(0.1-4.0)				
7	3.3	(0.2-43.0)	1.0	(0.1-9.9)				
χ^2_6 (p-value)	5.3 (.510)		3.5 (.740)		n/a		n/a	
IV. Number of other CAs								
0-1								
2	0.8	(0.5-1.4)	1.2	(0.7-1.9)				
3	0.6	(0.3-1.2)	1.3	(0.7-2.6)				
4+	0.9	(0.2-3.9)						

χ^2_3 (p-value)	2.7 (.440)	$\chi^2_2=0.6$ (.760)	n/a	n/a
χ^2_{21} (p-value)	234.9 (<.001)*	78.6 (<.001)*	n/a	n/a

*Significant at the .05 level, two-sided test.

¹Models controlling for person-year, race, sex, diagnosis category, age of disorder onset, time since disorder onset, type of adversity, # of Maladaptive Family Adversities, and # of Other adversities.

²⁻³Disruptive behavior disorders are restricted to those <= 44 years of age at interview

The following tables correspond to PSY09-0165 (Childhood adversities and adult psychopathology in the National Comorbidity Survey Replication (NCS-R) II: Associations with persistence of DSM-IV disorders):

Appendix table 5. Weighted prevalence of childhood adversities among respondents with and without persistent disorders

	Any Persistence		No Persistence	
	Mean	SE	Mean	SE
I. Maladaptive family functioning				
Parent Mental Illness	22.6	(1.1)	19.7	(1.2)
Parent Substance	18.3	(0.9)	17.3	(1.1)
Parent Criminal	14.2	(0.9)	12.3	(1.2)
Family Violence	29.1	(1.3)	25.8	(1.3)
Physical Abuse	21.1	(1.0)	18.9	(0.8)
Sexual Abuse	14.4	(0.9)	11.7	(0.9)
Neglect	14.8	(0.9)	13.8	(0.9)
II. Other childhood adversities				
Parent Died	9.8	(0.5)	9.8	(0.7)
Parent Divorce	23.1	(1.3)	18.7	(1.0)
Other Parent Loss	12.0	(0.8)	11.7	(0.9)
Serious physical Illness	9.1	(0.8)	9.2	(1.2)
Family economic Adversity	15.9	(1.1)	13.5	(1.3)
III. Number of maladaptive family functioning CAs				
0	28.4	(0.9)	31.3	(1.0)
1	23.2	(1.0)	25.2	(1.2)
2	16.0	(0.9)	15.8	(1.0)
3	10.2	(0.8)	9.7	(0.9)
4	7.8	(0.6)	6.2	(0.7)
5	6.7	(0.7)	4.8	(0.5)
6	3.4	(0.5)	3.2	(0.6)
7+	4.3	(0.7)	3.8	(0.5)
(n)	9301.0		62482.0	

Appendix Table 6. Weighted prevalence of childhood adversities among respondents with persistent mood, anxiety, substance use, and disruptive behavior disorders

	Persistence of Any Diagnosis		Persistent Mood		Persistent Anxiety		Persistent Substance		Persistent Disruptive Behavior*	
	Mean	SE	Mean	SE	Mean	SE	Mean	SE	Mean	SE
I. Maladaptive family functioning										
Parent Mental Illness	22.6	(1.1)	24.3	(1.3)	22.5	(1.4)	20.9	(1.3)	24.0	(2.3)
Parent Substance	18.3	(0.9)	17.7	(1.1)	16.7	(0.9)	21.2	(1.6)	19.7	(1.8)
Parent Criminal	14.2	(0.9)	11.9	(1.0)	12.7	(0.8)	15.5	(1.4)	19.3	(1.6)
Family Violence	29.1	(1.3)	27.4	(1.3)	27.4	(1.1)	29.1	(2.0)	34.6	(2.8)
Physical Abuse	21.1	(1.0)	20.3	(1.5)	20.1	(1.2)	20.7	(1.3)	24.4	(1.5)
Sexual Abuse	14.4	(0.9)	17.3	(1.1)	16.4	(1.0)	9.9	(1.3)	12.5	(1.5)
Neglect	14.8	(0.9)	14.8	(1.0)	14.7	(1.1)	14.9	(1.3)	15.3	(1.5)
II. Other childhood adversities										
Parent Died	9.8	(0.5)	9.5	(0.7)	10.5	(0.6)	9.1	(1.1)	9.0	(1.0)
Parent Divorce	23.1	(1.3)	20.6	(1.7)	20.6	(1.4)	24.6	(1.7)	30.4	(2.0)
Other Parent Loss	12.0	(0.8)	9.9	(1.0)	10.6	(0.7)	13.6	(1.2)	15.6	(1.8)
Serious physical Illness	9.1	(0.8)	8.4	(0.9)	9.6	(0.8)	7.5	(1.2)	10.2	(1.4)
Family economic Adversity	15.9	(1.1)	14.4	(0.8)	15.3	(1.1)	15.3	(1.8)	19.8	(1.6)
III. Number of maladaptive family functioning CAs										
0	44.0	(1.2)	43.1	(1.4)	46.0	(1.1)	44.1	(1.9)	40.0	(2.7)
1	21.9	(1.1)	22.9	(1.4)	20.6	(0.9)	23.2	(1.9)	21.8	(1.8)
2	12.3	(0.6)	12.6	(1.0)	12.4	(0.7)	11.3	(1.0)	12.7	(1.1)
3	9.4	(0.7)	8.9	(0.9)	9.0	(0.7)	9.3	(1.0)	11.5	(1.5)
4	5.7	(0.7)	6.3	(0.7)	5.4	(0.7)	5.2	(1.0)	6.2	(1.1)
5	4.0	(0.6)	4.2	(0.7)	3.8	(0.7)	4.5	(1.0)	4.1	(0.7)
6	2.1	(0.4)	1.6	(0.4)	2.1	(0.4)	2.1	(0.4)	2.7	(0.7)
7	0.6	(0.2)	0.4	(0.2)	0.7	(0.3)	0.4	(0.1)	0.9	(0.4)
IV. Number of other CAs										
0	52.0	(1.6)	55.5	(1.8)	53.5	(1.4)	52.4	(2.4)	44.3	(2.5)
1	30.6	(1.2)	30.5	(1.7)	30.5	(1.1)	29.8	(1.8)	31.9	(2.0)
2	13.3	(1.0)	10.2	(1.1)	30.5	(1.1)	13.4	(1.8)	18.6	(2.1)
3	3.8	(0.4)	3.6	(0.5)	3.2	(0.4)	4.0	(0.5)	4.9	(0.8)
4+	0.3	(0.1)	0.3	(0.1)	0.4	(0.2)	0.3	(0.2)	0.3	(0.1)
(n)	9301.0		1744.0		3985.0		1927.0		1491.0	

*Restricted to age at interview <= 44

Appendix table 7. Weighted prevalence of childhood adversities among respondents without persistent mood, anxiety, substance use, and disruptive behavior disorders

	Any Diagnosis		No Persistent Mood		No Persistent Anxiety		No Persistent Substance		No Persistent Disruptive Behavior*	
	Mean	SE	Mean	SE	Mean	SE	Mean	SE	Mean	SE
I. Maladaptive family functioning										
Parent Mental Illness	19.7	(1.2)	20.0	(1.1)	20.0	(1.1)	20.1	(1.1)	22.7	(1.4)
Parent Substance	17.3	(1.1)	17.4	(1.1)	17.4	(1.1)	17.3	(1.1)	18.5	(1.5)
Parent Criminal	12.3	(1.2)	12.6	(1.1)	12.6	(1.2)	12.5	(1.1)	15.4	(1.4)
Family Violence	25.8	(1.3)	26.2	(1.2)	26.2	(1.3)	26.1	(1.2)	29.3	(2.1)
Physical Abuse	18.9	(0.8)	19.2	(0.8)	19.1	(0.8)	19.1	(0.8)	21.7	(1.2)
Sexual Abuse	11.7	(0.9)	11.9	(0.8)	11.8	(0.8)	12.1	(0.8)	12.7	(1.6)
Neglect	13.8	(0.9)	13.9	(0.9)	13.9	(0.9)	13.9	(0.9)	13.7	(1.4)
II. Other childhood adversities										
Parent Died	9.8	(0.7)	9.8	(0.7)	9.8	(0.7)	9.8	(0.7)	8.4	(0.9)
Parent Divorce	18.7	(1.0)	19.2	(1.1)	19.2	(1.1)	19.1	(1.0)	25.4	(1.7)
Other Parent Loss	11.7	(0.9)	11.8	(0.9)	11.8	(0.9)	11.7	(0.9)	13.4	(1.2)
Serious physical Illness	9.2	(1.2)	9.2	(1.1)	9.1	(1.2)	9.2	(1.1)	8.1	(1.1)
Family economic Adversity	13.5	(1.3)	13.8	(1.2)	13.7	(1.2)	13.8	(1.2)	16.8	(1.5)
III. Number of maladaptive family functioning CAs										
0	48.0	(1.3)	47.6	(1.2)	47.6	(1.2)	47.6	(1.2)	44.2	(1.9)
1	22.8	(1.4)	22.7	(1.3)	22.8	(1.4)	22.7	(1.3)	22.9	(1.6)
2	10.6	(0.8)	10.8	(0.8)	10.8	(0.8)	10.8	(0.8)	11.5	(0.8)
3	7.4	(0.6)	7.6	(0.6)	7.6	(0.6)	7.6	(0.6)	8.3	(0.9)
4	5.1	(0.8)	5.2	(0.8)	5.2	(0.8)	5.2	(0.8)	6.2	(1.0)
5	3.5	(0.7)	3.6	(0.7)	3.6	(0.7)	3.6	(0.7)	3.4	(0.8)
6	2.1	(0.4)	2.1	(0.4)	2.1	(0.4)	2.1	(0.4)	2.9	(0.6)
7	0.4	(0.1)	0.4	(0.1)	0.4	(0.1)	0.4	(0.1)	0.5	(0.2)
IV. Number of other CAs										
0	55.3	(2.2)	54.9	(2.1)	55.0	(2.2)	54.9	(2.1)	51.0	(2.4)
1	29.7	(1.7)	29.8	(1.6)	29.8	(1.7)	29.8	(1.6)	30.3	(1.6)
2	11.9	(0.9)	12.1	(0.9)	12.0	(0.9)	12.0	(0.8)	14.6	(1.5)
3	3.0	(0.3)	3.1	(0.3)	3.1	(0.3)	3.0	(0.3)	3.9	(0.5)
4+	0.1	(0.1)	0.2	(0.1)	0.1	(0.1)	0.2	(0.1)	0.2	(0.1)
(n)	62482.0		70039.0		67798.0		69856.0		37421.0	

*Restricted to age at interview <= 44

Appendix table 8. Weighted prevalence of childhood adversities among respondents with persistent disorders by age at interview

Any Diagnosis	Persistence Ages 18-29		Persistence Ages 30-44		Persistence Ages 45-59		Persistence Ages 60+	
	Mean	SE	Mean	SE	Mean	SE	Mean	SE
I. Maladaptive family functioning								
Parent Mental Illness	22.3	(2.2)	25.4	(1.9)	22.3	(1.8)	12.4	(2.0)
Parent Substance	16.6	(2.0)	20.5	(1.8)	19.0	(1.7)	12.2	(2.2)
Parent Criminal	20.2	(2.1)	14.8	(1.7)	10.1	(1.4)	5.1	(1.5)
Family Violence	29.4	(3.0)	33.8	(2.1)	24.7	(1.6)	20.5	(2.8)
Physical Abuse	16.2	(1.5)	26.3	(1.7)	19.6	(1.8)	17.9	(2.6)
Sexual Abuse	13.8	(1.7)	15.1	(1.8)	15.6	(1.4)	9.1	(2.3)
Neglect	11.2	(1.3)	17.8	(1.8)	15.2	(1.6)	12.4	(2.3)
II. Other childhood adversities								
Parent Died	8.4	(1.2)	9.5	(1.1)	9.3	(1.3)	17.6	(2.2)
Parent Divorce	32.6	(2.3)	25.2	(1.7)	13.6	(1.9)	11.6	(2.3)
Other Parent Loss	13.1	(2.0)	12.5	(1.2)	11.2	(1.3)	8.6	(1.8)
Serious physical Illness	10.9	(1.6)	6.5	(1.0)	10.9	(1.3)	9.2	(1.7)
Family economic Adversity	21.6	(1.8)	16.0	(1.8)	11.2	(1.9)	11.6	(2.0)
III. Number of maladaptive family functioning CAs								
0	44.2	(2.5)	39.1	(1.9)	47.7	(1.9)	53.9	(3.0)
1	20.3	(1.9)	23.8	(1.6)	20.4	(1.9)	22.7	(3.0)
2	14.4	(1.4)	11.9	(1.0)	10.5	(1.7)	12.4	(1.9)
3	11.2	(1.5)	9.3	(1.2)	9.4	(1.2)	4.6	(0.8)
4	4.7	(1.1)	6.8	(1.2)	5.4	(0.9)	4.7	(1.7)
5	3.5	(1.1)	4.4	(1.1)	5.2	(1.2)	0.6	(0.4)
6	1.3	(0.5)	3.7	(0.9)	1.1	(0.6)	1.1	(0.8)
7	0.4	(0.2)	1.0	(0.5)	0.4	(0.3)	0.0	(0.0)
IV. Number of other CAs								
0	42.8	(2.4)	52.6	(1.6)	58.9	(2.4)	58.2	(2.9)
1	34.8	(2.2)	29.0	(1.6)	29.3	(1.9)	27.8	(2.6)
2	16.5	(1.7)	14.6	(1.8)	8.9	(1.5)	11.1	(2.0)
3	5.1	(1.1)	3.8	(0.6)	2.5	(0.6)	2.8	(1.3)
4+	0.9	(0.3)	0.0	(0.0)	0.4	(0.3)	0.0	(0.0)
	(n)	2507.0	3634.0		2332.0		828.0	

Appendix table 9. Weighted prevalence of childhood adversities among respondents without persistent disorders by age at interview

Any Diagnosis	No Persistence 18-29		No Persistence 30-44		No Persistence 45-59		No Persistence 60+	
	Mean	SE	Mean	SE	Mean	SE	Mean	SE
I. Maladaptive family functioning								
Parent Mental Illness	20.6	(2.9)	23.0	(1.7)	20.6	(2.5)	10.0	(2.3)
Parent Substance	15.4	(2.3)	19.3	(1.6)	19.0	(2.0)	10.4	(1.8)
Parent Criminal	19.5	(2.8)	14.1	(1.8)	12.1	(2.2)	3.9	(1.2)
Family Violence	27.2	(3.6)	29.6	(2.4)	23.4	(2.0)	20.5	(3.4)
Physical Abuse	16.6	(2.4)	23.2	(1.7)	16.3	(1.9)	15.4	(2.8)
Sexual Abuse	12.2	(1.8)	12.5	(1.9)	11.1	(1.6)	10.6	(3.7)
Neglect	10.0	(2.0)	14.6	(1.6)	15.1	(2.3)	12.0	(2.1)
II. Other childhood adversities								
Parent Died	9.8	(2.0)	7.9	(1.0)	10.2	(1.5)	13.5	(2.1)
Parent Divorce	32.3	(2.7)	23.1	(1.8)	12.4	(1.8)	11.2	(1.9)
Other Parent Loss	13.0	(2.8)	13.8	(1.6)	10.9	(1.6)	7.7	(2.1)
Serious physical Illness	10.3	(1.9)	7.6	(1.2)	9.3	(1.7)	12.1	(3.3)
Family economic Adversity	19.9	(2.6)	15.7	(1.9)	10.7	(1.7)	9.2	(2.2)
III. Number of maladaptive family functioning CAs								
0	43.8	(2.8)	44.8	(2.5)	51.5	(2.2)	52.2	(5.7)
1	23.0	(2.8)	23.0	(2.1)	19.3	(2.3)	28.8	(6.9)
2	14.7	(1.6)	10.3	(1.0)	10.1	(1.7)	9.7	(1.7)
3	9.9	(1.7)	7.7	(1.1)	7.9	(1.3)	4.1	(1.3)
4	5.2	(1.3)	6.6	(1.2)	3.9	(1.1)	3.9	(1.2)
5	2.5	(0.7)	3.6	(1.1)	5.4	(1.7)	0.6	(0.4)
6	0.8	(0.3)	3.6	(0.8)	1.5	(0.7)	0.6	(0.6)
7	0.2	(0.1)	0.6	(0.3)	0.4	(0.3)	0.0	(0.0)
IV. Number of other CAs								
0	42.6	(3.4)	53.5	(2.8)	59.8	(2.6)	59.6	(4.2)
1	35.5	(3.0)	28.7	(1.9)	29.5	(2.0)	28.7	(4.8)
2	16.7	(1.5)	14.1	(1.8)	8.2	(1.4)	10.3	(2.6)
3	4.2	(1.2)	3.7	(0.6)	2.4	(0.7)	1.4	(0.8)
4+	0.9	(0.6)	0.0	(0.0)	0.1	(0.1)	0.0	(0.0)
	(n)	7042.0	25728.0		19143.0		10569.0	