

- S2. De første 10 spørgsmål handlede om følelser, som kan have været til stede i løbet af de sidste 30 dage.
 Samlet set, har disse følelser så været mere hyppigt til stede i de sidste 30 dage i forhold til, hvad der er normalt for dig, omtrent det samme som normalt; eller mindre hyppigt end normalt? (Hvis du aldrig har haft nogle af disse følelser, skal du sætte en ring om svarmulighed ”4”).



De næste spørgsmål handler om, hvordan disse følelser kan have påvirket dig i de sidste 30 dage. Du behøver ikke besvare spørgsmålene, hvis du til **alle** de 10 første spørgsmål, om disse følelser, har svaret ”På intet tidspunkt”.

- S3. Hvor mange dage ud af de sidste 30, har du været fuldstændigt ude af stand til at arbejde eller udføre dine normale gøremål pga. disse følelser?

_____ (Antal dage)

- S4. **Udover dagene du har talt op i S3**, i hvor mange af de resterende dage har du, i 30 dages perioden, så pga. af disse følelser, kun været i stand til at udføre halvdelen eller mindre af, hvad du normalt er i stand til at udføre?

_____ (Antal dage)

- S5. I løbet af de sidste 30 dage, hvor mange gange har du været til læge eller anden sundhedsfaglig person angående disse følelser?

_____ (Antal gange)

- | | Hele tiden | Det meste af tiden | Noget af tiden | Lidt af tiden | På intet tidspunkt |
|--|------------|--------------------|----------------|---------------|--------------------|
| S6. I løbet af de sidste 30 dage, hvor ofte har fysiske helbredsproblemer været hovedårsagen til disse følelser? | 1 | 2 | 3 | 4 | 5 |

Tak for din besvarelse.

World Health Organization 2006 All rights reserved. Based on the Composite International Diagnostic Interview © 2001 World Health Organization. All rights reserved. Used with permission. Requests for permission to reproduce or translate —whether for sale or for noncommercial distribution—should be addressed to Professor Ronald Kessler, PhD, Department of Health Care Policy, Harvard Medical School, (fax: +011 617-432-3588; email: ronkadm@hcp.med.harvard.edu).

Translation of this document was performed on behalf of the World Health Organization Composite International Diagnostic Interview Advisory Committee by Sidse Arnfred, MD, PhD, DMSc, graduate students Benjamin Mikkelsen and Camilla Thelin, all Mental Health Region Zealand, Slagelse and Faculty of Health Copenhagen University, Denmark and Louise Turgut, MD, Sct. Hans Mental Hospital, Denmark. Members of the expert translation panel : Bente Henriksen, MSc. Mental Health Center Ballerup, Denmark, Lis Raabaek Olsen, MD, PhD, Child & Adolescent Psychiatry, Glostrup, Denmark and Jens Knud Larsen, MD, DMSc., emeritus.