

2012

- Barrett, B., & Young, M. S. (2012). Past-Year Acute Behavioral Health Care Utilization Among Individuals With Mental Health Disorders: Results From the 2008 National Survey on Drug Use and Health. *Journal of Dual Diagnosis, 8*(1), 19-27.
- Cappadocia, M. C., Weiss, J. A., & Pepler, D. (2012). Bullying Experiences Among Children and Youth with Autism Spectrum Disorders. *Journal of Autism and Developmental Disorders, 42*(2), 266-277.
- Chan, C. S., Rhodes, J. E., & Perez, J. E. (2012). A Prospective Study of Religiousness and Psychological Distress Among Female Survivors of Hurricanes Katrina and Rita. *American Journal of Community Psychology, 49*(1-2), 168-181.
- Chen, J. (2012). SEEKING HELP FOR PSYCHOLOGICAL DISTRESS IN URBAN CHINA. *Journal of Community Psychology, 40*(3), 318-340.
- Cook, J. A., Steigman, P., Pickett, S., Diehl, S., Fox, A., Shipley, P., et al. (2012). Randomized controlled trial of peer-led recovery education using Building Recovery of Individual Dreams and Goals through Education and Support (BRIDGES). *Schizophrenia Research, 136*(1-3), 36-42.
- Courtney, R. J., Paul, C. L., Sanson-Fisher, R. W., Macrae, F. A., Carey, M. L., Attia, J., et al. (2012). Colorectal cancer risk assessment and screening recommendation: a community survey of healthcare providers' practice from a patient perspective. *Bmc Family Practice, 13*.
- Cunningham, J., & Paradies, Y. C. (2012). Socio-demographic factors and psychological distress in Indigenous and non-Indigenous Australian adults aged 18-64 years: analysis of national survey data. *Bmc Public Health, 12*.
- Cvetkovski, S., Reavley, N. J., & Jorm, A. F. (2012). The prevalence and correlates of psychological distress in Australian tertiary students compared to their community peers. *Australian and New Zealand Journal of Psychiatry, 46*(5), 457-467.
- Dominick, C. H., Blyth, F. M., & Nicholas, M. K. (2012). Unpacking the burden: Understanding the relationships between chronic pain and comorbidity in the general population. *Pain, 153*(2), 293-304.
- Egede, L. E., & Dismuke, C. E. (2012). Serious Psychological Distress and Diabetes: A Review of the Literature. *Current Psychiatry Reports, 14*(1), 15-22.
- Francis, J., Wood, L. J., Knuiman, M., & Giles-Corti, B. (2012). Quality or quantity? Exploring the relationship between Public Open Space attributes and mental health in Perth, Western Australia. *Social Science & Medicine, 74*(10), 1570-1577.
- Gibbons, S. W., Hickling, E. J., Barnett, S. D., Herbig-Wall, P. L., & Watts, D. D. (2012). Gender Differences in Response to Deployment Among Military Healthcare Providers in Afghanistan and Iraq. *Journal of Womens Health, 21*(5), 496-504.
- Hamdan, S., Melhem, N., Orbach, I., Farbstein, I., El-Haib, M., Apter, A., et al. (2012). Protective Factors and Suicidality in Members of Arab Kindred. *Crisis-the Journal of Crisis Intervention and Suicide Prevention, 33*(2), 80-86.
- Harris, R., Cormack, D., Tobias, M., Yeh, L. C., Talamaivao, N., Minster, J., et al. (2012). The pervasive effects of racism: Experiences of racial discrimination in New Zealand over time and associations with multiple health domains. *Social Science & Medicine, 74*(3), 408-415.
- Hester, R., Nandam, L. S., O'Connell, R. G., Wagner, J., Strudwick, M., Nathan, P. J., et al. (2012). Neurochemical Enhancement of Conscious Error Awareness. *Journal of Neuroscience, 32*(8), 2619-2627.
- Hoffman, G. J., Lee, J., & Mendez-Luck, C. A. (2012). Health Behaviors Among Baby Boomer Informal Caregivers. *Gerontologist, 52*(2), 219-230.

- Huang, B., Xu, S. B., Xiong, J., Huang, G. Y., Zhang, M., & Wang, W. (2012). Psychological factors are closely associated with the Bell's palsy: A case-control study. *Journal of Huazhong University of Science and Technology-Medical Sciences*, 32(2), 272-279.
- Huang, M. J., Li, J. H., Liff, J. M., Cohen, D. E., & Cone, J. (2012). Self-Reported Skin Rash or Irritation Symptoms Among World Trade Center Health Registry Participants. *Journal of Occupational and Environmental Medicine*, 54(4), 451-458.
- Lorian, C. N., Titov, N., & Grisham, J. R. (2012). Changes in risk-taking over the course of an internet-delivered cognitive behavioral therapy treatment for generalized anxiety disorder. *Journal of Anxiety Disorders*, 26(1), 140-149.
- Matsuoka, Y., Nishi, D., Nakaya, N., Sone, T., Noguchi, H., Hamazaki, K., et al. (2012). Concern over radiation exposure and psychological distress among rescue workers following the Great East Japan Earthquake. *Bmc Public Health*, 12.
- Morgan, A. J., Jorm, A. F., & Mackinnon, A. J. (2012). Email-based promotion of self-help for subthreshold depression: Mood Memos randomised controlled trial. *British Journal of Psychiatry*, 200(5), 412-418.
- O'Connor, S. S., Beebe, T. J., Lineberry, T. W., Jobes, D. A., & Conrad, A. K. (2012). The association between the Kessler 10 and suicidality: a cross-sectional analysis. *Comprehensive Psychiatry*, 53(1), 48-53.
- Ondersma, S. J., Svikis, D. S., Lam, P. K., Connors-Burge, V. S., Ledgerwood, D. M., & Hopper, J. A. (2012). A Randomized Trial of Computer-Delivered Brief Intervention and Low-Intensity Contingency Management for Smoking During Pregnancy. *Nicotine & Tobacco Research*, 14(3), 351-360.
- Peltzer, K., Pengpid, S., & Skaal, L. (2012). Prevalence of psychological distress and associated factors in urban hospital outpatients in South Africa. *South African Journal of Psychiatry*, 18(1), 10-15.
- Roos, A., Lochner, C., Kidd, M., van Honk, J., Vythilingum, B., & Stein, D. J. (2012). Selective attention to fearful faces during pregnancy. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 37(1), 76-80.
- Rothman, E. F., Decker, M. R., Miller, E., Reed, E., Raj, A., & Silverman, J. G. (2012). Multi-person Sex among a Sample of Adolescent Female Urban Health Clinic Patients. *Journal of Urban Health-Bulletin of the New York Academy of Medicine*, 89(1), 129-137.
- Scott-Parker, B., Watson, B., King, M. J., & Hyde, M. K. (2012). The influence of sensitivity to reward and punishment, propensity for sensation seeking, depression, and anxiety on the risky behaviour of novice drivers: A path model. *British Journal of Psychology*, 103, 248-267.
- Shin, J. K., Chiu, Y. L., Choi, S., Cho, S., & Bang, H. (2012). Serious psychological distress, health risk behaviors, and diabetes care among adults with type 2 diabetes: The California Health Interview Survey 2007. *Diabetes Research and Clinical Practice*, 95(3), 406-414.
- Simpson, K. R. S., Meadows, G. N., Frances, A. J., & Patten, S. B. (2012). Is Mental Health in the Canadian Population Changing Over Time? *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie*, 57(5), 324-331.
- Stone, G. S., Henderson, A. K., Davis, S. I., Lewin, M., Shimizu, I., Krishnamurthy, R., et al. (2012). Lessons from the 2006 Louisiana Health and Population Survey. *Disasters*, 36(2), 270-290.
- Taylor, A. W., Chittleborough, C., Gill, T. K., Winefield, H., Baum, F., Hiller, J. E., et al. (2012). Relationship of social factors including trust, control over life decisions, problems with transport and safety, to psychological distress in the community. *Social Psychiatry and Psychiatric Epidemiology*, 47(3), 465-473.
- Tomata, Y., Kakizaki, M., Nakaya, N., Tsuboya, T., Sone, T., Kuriyama, S., et al. (2012). Green tea consumption and the risk of incident functional disability in elderly Japanese: the Ohsaki Cohort 2006 Study. *American Journal of Clinical Nutrition*, 95(3), 732-739.

- Turner, A., Hambridge, J., White, J., Carter, G., Clover, K., Nelson, L., et al. (2012). Depression Screening in Stroke A Comparison of Alternative Measures With the Structured Diagnostic Interview for the Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (Major Depressive Episode) as Criterion Standard. *Stroke*, *43*(4), 1000-1005.
- Walker, J. G., Batterham, P. J., Mackinnon, A. J., Jorm, A. F., Hickie, I., Fenech, M., et al. (2012). Oral folic acid and vitamin B-12 supplementation to prevent cognitive decline in community-dwelling older adults with depressive symptoms-the Beyond Ageing Project: a randomized controlled trial. *American Journal of Clinical Nutrition*, *95*(1), 194-203.
- Weir, H., Stewart, D. M., & Morris, R. G. (2012). Problematic alcohol consumption by police officers and other protective service employees: A comparative analysis. *Journal of Criminal Justice*, *40*(1), 72-82.
- Wright, K. M., Cabrera, O. A., Eckford, R. D., Adler, A. B., & Bliese, P. D. (2012). The Impact of Predeployment Functional Impairment on Mental Health After Combat. *Psychological Trauma-Theory Research Practice and Policy*, *4*(3), 260-269.
- Zizi, F., Pandey, A., Murray-Bachmann, R., Vincent, M., McFarlane, S., Ogedegbe, G., et al. (2012). Race/Ethnicity, Sleep Duration, and Diabetes Mellitus: Analysis of the National Health Interview Survey. *American Journal of Medicine*, *125*(2), 162-167.

2011

- Andersen, L. S., Grimsrud, A., Myer, L., Williams, D. R., Stein, D. J., & Seedat, S. (2011). The psychometric properties of the K10 and K6 scales in screening for mood and anxiety disorders in the South African Stress and Health study. *International Journal of Methods in Psychiatric Research*, *20*(4), 215-223.
- Andresen, R., Oades, L., & Caputi, P. (2011). Comment on "Do clinical outcome measures assess consumer-defined recovery?" Reply. *Psychiatry Research*, *186*(2-3), 470-470.
- Atri, A., Matorin, A., & Ruiz, P. (2011). Integration of International Medical Graduates in U.S. Psychiatry: The Role of Acculturation and Social Support. *Academic Psychiatry*, *35*(1), 21-26.
- August, K. J., Nguyen, H., Quyen, N. M., & Sorkin, D. H. (2011). Language Concordance and Patient-Physician Communication Regarding Mental Health Needs. *Journal of the American Geriatrics Society*, *59*(12), 2356-2362.
- Bird, B. S., Schweitzer, R. D., & Strassberg, D. S. (2011). The Prevalence and Correlates of Postcoital Dysphoria in Women. *International Journal of Sexual Health*, *23*(1), 14-25.
- Bossarte, R. M., He, H., Claassen, C. A., Knox, K., & Tu, X. (2011). Development and validation of a 6-day standard for the identification of frequent mental distress. *Social Psychiatry and Psychiatric Epidemiology*, *46*(5), 403-411.
- Brinkman, W. B., Hartl, J., Rawe, L. M., Sucharew, H., Britto, M. T., & Epstein, J. N. (2011). Physicians' Shared Decision-Making Behaviors in Attention-Deficit/Hyperactivity Disorder Care. *Archives of Pediatrics & Adolescent Medicine*, *165*(11), 1013-1019.
- Caron, J., & Liu, A. H. (2011). Factors Associated with Psychological Distress in the Canadian Population: A Comparison of Low-Income and Non Low-Income Sub-Groups. *Community Mental Health Journal*, *47*(3), 318-330.
- Carra, G., Sciarini, P., Segagni-Lusignani, G., Clerici, M., Montomoli, C., & Kessler, R. C. (2011). Do they actually work across borders? Evaluation of two measures of psychological distress as screening instruments in a non Anglo-Saxon country. *European Psychiatry*, *26*(2), 122-127.
- Carter, K. N., Krus, K., Blakely, T., & Collings, S. (2011). The association of food security with psychological distress in New Zealand and any gender differences. *Social Science & Medicine*, *72*(9), 1463-1471.

- Catts, S. V., Frost, A. D. J., O'Toole, B. I., Carr, V. J., Lewin, T., Neil, A. L., et al. (2011). Clinical indicators for routine use in the evaluation of early psychosis intervention: development, training support and inter-rater reliability. *Australian and New Zealand Journal of Psychiatry*, *45*(1), 63-75.
- Chae, D. H., Lincoln, K. D., & Jackson, J. S. (2011). Discrimination, Attribution, and Racial Group Identification: Implications for Psychological Distress Among Black Americans in the National Survey of American Life (2001-2003). *American Journal of Orthopsychiatry*, *81*(4), 498-506.
- Chen, J. (2011). Internal migration and health: Re-examining the healthy migrant phenomenon in China. *Social Science & Medicine*, *72*(8), 1294-1301.
- Choi, N. G., & DiNitto, D. M. (2011). Drinking, smoking, and psychological distress in middle and late Life. *Aging & Mental Health*, *15*(6), 720-731.
- Choi, N. G., & DiNitto, D. M. (2011). Psychological Distress, Binge/Heavy Drinking, and Gender Differences among Older Adults. *American Journal on Addictions*, *20*(5), 420-428.
- Christensen, H., Aiken, A., Batterham, P. J., Walker, J., Mackinnon, A. J., Fenech, M., et al. (2011). No clear potentiation of antidepressant medication effects by folic acid + vitamin B-12 in a large community sample. *Journal of Affective Disorders*, *130*(1-2), 37-45.
- Cooklin, A. R., Canterford, L., Strazdins, L., & Nicholson, J. M. (2011). Employment conditions and maternal postpartum mental health: results from the Longitudinal Study of Australian Children. *Archives of Womens Mental Health*, *14*(3), 217-225.
- de Beurs, E., den Hollander-Gijsman, M. E., van Rood, Y. R., van der Wee, N. J. A., Giltay, E. J., van Noorden, M. S., et al. (2011). Routine Outcome Monitoring in the Netherlands: Practical Experiences with a Web-Based Strategy for the Assessment of Treatment Outcome in Clinical Practice. *Clinical Psychology & Psychotherapy*, *18*(1), 1-12.
- Dhingra, S. S., Zack, M. M., Strine, T. W., Druss, B. G., Berry, J. T., & Balluz, L. S. (2011). Psychological Distress Severity of Adults Reporting Receipt of Treatment for Mental Health Problems in the BRFSS. *Psychiatric Services*, *62*(4), 396-403.
- DiNitto, D. M., & Choi, N. G. (2011). Marijuana use among older adults in the USA: user characteristics, patterns of use, and implications for intervention. *International Psychogeriatrics*, *23*(5), 732-741.
- Donald, M., Ware, R. S., Ozolins, I. Z., Begum, N., Crowther, R., & Bain, C. (2011). The role of patient activation in frequent attendance at primary care: A population-based study of people with chronic disease. *Patient Education and Counseling*, *83*(2), 217-221.
- Dowera, J., Donald, M., Begum, N., Vlack, S., & Ozolins, I. (2011). Patterns and determinants of influenza and pneumococcal immunisation among adults with chronic disease living in Queensland, Australia. *Vaccine*, *29*(16), 3031-3037.
- Edwards, B., Gray, M., Wise, S., Hayes, A., Katz, I., Muir, K., et al. (2011). Early impacts of Communities for Children on children and families: findings from a quasi-experimental cohort study. *Journal of Epidemiology and Community Health*, *65*(10), 909-914.
- Emerson, E., Einfeld, S., & Stancliffe, R. J. (2011). Predictors of the persistence of conduct difficulties in children with cognitive delay. *Journal of Child Psychology and Psychiatry*, *52*(11), 1184-1194.
- Fagnano, M., Bayer, A. L., Isensee, C. A., Hernandez, T., & Halterman, J. S. (2011). Nocturnal Asthma Symptoms and Poor Sleep Quality Among Urban School Children with Asthma. *Academic pediatrics*, *11*(6), 493-499.
- Fernandes, M. C., Srinivasan, K., Stein, A. L., Menezes, G., Sumithra, R. S., & Ramchandani, P. G. (2011). Assessing prenatal depression in the rural developing world: a comparison of two screening measures. *Archives of Womens Mental Health*, *14*(3), 209-216.
- Fleury, M. J., Grenier, G., Bamvita, J. M., Perreault, M., & Jean, C. (2011). Typology of adults diagnosed with mental disorders based on socio-demographics and clinical and service use characteristics. *Bmc Psychiatry*, *11*.

- Garfield, R. L., Zuvekas, S. H., Lave, J. R., & Donohue, J. M. (2011). The Impact of National Health Care Reform on Adults With Severe Mental Disorders. *American Journal of Psychiatry*, *168*(5), 486-494.
- Garrido, M. M., Kane, R. L., Kaas, M., & Kane, R. A. (2011). Use of Mental Health Care by Community-Dwelling Older Adults. *Journal of the American Geriatrics Society*, *59*(1), 50-56.
- Halterman, J. S., Szilagyi, P. G., Fisher, S. G., Fagnano, M., Tremblay, P., Conn, K. M., et al. (2011). Randomized Controlled Trial to Improve Care for Urban Children With Asthma Results of the School-Based Asthma Therapy Trial. *Archives of Pediatrics & Adolescent Medicine*, *165*(3), 262-268.
- Han, B., Gfroerer, J. C., Colpe, L. J., Barker, P. R., & Colliver, J. D. (2011). Serious Psychological Distress and Mental Health Service Use Among Community-Dwelling Older U.S. Adults. *Psychiatric Services*, *62*(3), 291-298.
- Hatch, P. H., Winefield, H. R., Christie, B. A., & Lievaart, J. J. (2011). Workplace stress, mental health, and burnout of veterinarians in Australia. *Australian Veterinary Journal*, *89*(11), 460-468.
- Herrera, A. P., Smith, M. L., Ory, M. G., Rodriguez, H. P., Warre, R., Thompson, W. K., et al. (2011). The Provision of Diabetes-Monitoring Exams to Older Latinos. *Journal of Aging and Health*, *23*(7), 1075-1100.
- Hickling, E. J., Gibbons, S., Barnett, S. D., & Watts, D. (2011). The psychological impact of deployment on OEF/OIF healthcare providers. *Journal of Traumatic Stress*, *24*(6), 726-734.
- Hides, L. M., Elkins, K. S., Scaffidi, A., Cotton, S. M., Carroll, S., & Lubman, D. I. (2011). Does the addition of integrated cognitive behaviour therapy and motivational interviewing improve the outcomes of standard care for young people with comorbid depression and substance misuse? *Medical Journal of Australia*, *195*(3), S31-S37.
- Holden, L., Scuffham, P. A., Hilton, M. F., Muspratt, A., Ng, S. K., & Whiteford, H. A. (2011). Patterns of multimorbidity in working Australians. *Population Health Metrics*, *9*.
- Holden, L., Scuffham, P. A., Hilton, M. F., Ware, R. S., Vecchio, N., & Whiteford, H. A. (2011). Health-related productivity losses increase when the health condition is co-morbid with psychological distress: findings from a large cross-sectional sample of working Australians. *Bmc Public Health*, *11*.
- Jamal, M., Van der Does, A. J. W., Penninx, B., & Cuijpers, P. (2011). Age at Smoking Onset and the Onset of Depression and Anxiety Disorders. *Nicotine & Tobacco Research*, *13*(9), 809-819.
- Katsuki, F., Takeuchi, H., Konishi, M., Sasaki, M., Murase, Y., Naito, A., et al. (2011). Pre-post changes in psychosocial functioning among relatives of patients with depressive disorders after Brief Multifamily Psychoeducation: A pilot study. *Bmc Psychiatry*, *11*.
- Kim, G., Worley, C. B., Allen, R. S., Vinson, L., Crowther, M. R., Parmelee, P., et al. (2011). Vulnerability of Older Latino and Asian Immigrants with Limited English Proficiency. *Journal of the American Geriatrics Society*, *59*(7), 1246-1252.
- Klein, B., Meyer, D., Austin, D. W., & Kyrios, M. (2011). Anxiety Online-A Virtual Clinic: Preliminary Outcomes Following Completion of Five Fully Automated Treatment Programs for Anxiety Disorders and Symptoms. *Journal of Medical Internet Research*, *13*(4).
- Krieger, N., Kaddour, A., Koenen, K., Kosheleva, A., Chen, J. T., Waterman, P. D., et al. (2011). Occupational, social, and relationship hazards and psychological distress among low-income workers: implications of the 'inverse hazard law'. *Journal of Epidemiology and Community Health*, *65*(3), 260-272.
- Krieger, N., Kosheleva, A., Waterman, P. D., Chen, J. T., & Koenen, K. (2011). Racial Discrimination, Psychological Distress, and Self-Rated Health Among US-Born and Foreign-Born Black Americans. *American Journal of Public Health*, *101*(9), 1704-1713.

- Langton, C. E., & Berger, L. M. (2011). Family Structure and Adolescent Physical Health, Behavior, and Emotional Well-Being. *Social Service Review, 85*(3), 323-357.
- Le Cook, B., & Alegria, M. (2011). Racial-Ethnic Disparities in Substance Abuse Treatment: The Role of Criminal History and Socioeconomic Status. *Psychiatric Services, 62*(11), 1273-1281.
- Le Cook, B., McGuire, T. G., Alegria, M., & Normand, S. L. (2011). Crowd-out and Exposure Effects of Physical Comorbidities on Mental Health Care Use: Implications for Racial-Ethnic Disparities in Access. *Health Services Research, 46*(4), 1259-1280.
- Lincoln, K. D., Taylor, R. J., Watkins, D. C., & Chatters, L. M. (2011). Correlates of Psychological Distress and Major Depressive Disorder Among African American Men. *Research on Social Work Practice, 21*(3), 278-288.
- Lipsky, S., & Caetano, R. (2011). INTIMATE PARTNER VIOLENCE PERPETRATION AMONG MEN AND EMERGENCY DEPARTMENT USE. *Journal of Emergency Medicine, 40*(6), 696-703.
- Lipsky, S., Caetano, R., & Roy-Byrne, P. (2011). Triple jeopardy: impact of partner violence perpetration, mental health and substance use on perceived unmet need for mental health care among men. *Social Psychiatry and Psychiatric Epidemiology, 46*(9), 843-852.
- Loeb, M., & Chen, L. H. (2011). Assessing injury-related movement difficulties: A method for analyzing the association between functional limitations and social participation. *Disability and Health Journal, 4*(2), 102-111.
- Louw, J., Peltzer, K., & Matseke, G. (2011). Prevalence of Alcohol Use and Associated Factors in Pregnant Antenatal Care Attendees in Mpumalanga, South Africa. *Journal of Psychology in Africa, 21*(4), 567-572.
- Lund, C., De Silva, M., Plagerson, S., Cooper, S., Chisholm, D., Das, J., et al. (2011). Global Mental Health 1 Poverty and mental disorders: breaking the cycle in low-income and middle-income countries. *Lancet, 378*(9801), 1502-1514.
- Maloney, E., Hutchinson, D., Burns, L., Mattick, R. P., & Black, E. (2011). Prevalence and Predictors of Alcohol Use in Pregnancy and Breastfeeding Among Australian Women. *Birth-Issues in Perinatal Care, 38*(1), 3-9.
- Manson, S. M., Jiang, L. H., Zhang, L. J., Beals, J., Acton, K. J., Roubideaux, Y., et al. (2011). Special Diabetes Program for Indians: Retention in Cardiovascular Risk Reduction. *Gerontologist, 51*, S21-S32.
- Matsumoto, T., Azekawa, T., Uchikado, H., Ozaki, S., Hasegawa, N., Takekawa, Y., et al. (2011). Comparative study of suicide risk in depressive disorder patients with and without problem drinking. *Psychiatry and Clinical Neurosciences, 65*(5), 529-532.
- Matsuoka, Y., Nishi, D., Nakaya, N., Sone, T., Hamazaki, K., Hamazaki, T., et al. (2011). Attenuating posttraumatic distress with omega-3 polyunsaturated fatty acids among disaster medical assistance team members after the Great East Japan Earthquake: The APOP randomized controlled trial. *Bmc Psychiatry, 11*.
- Mensah, F. K., & Kiernan, K. E. (2011). Maternal general health and children's cognitive development and behaviour in the early years: findings from the Millennium Cohort Study. *Child Care Health and Development, 37*(1), 44-54.
- Mitchell, A. J., Rao, S., & Vaze, A. (2011). Can general practitioners identify people with distress and mild depression? A meta-analysis of clinical accuracy. *Journal of Affective Disorders, 130*(1-2), 26-36.
- Mitchell, C. M., & Beals, J. (2011). The Utility of the Kessler Screening Scale for Psychological Distress (K6) in Two American Indian Communities. *Psychological Assessment, 23*(3), 752-761.
- Mojtabai, R. (2011). National Trends in Mental Health Disability, 1997-2009. *American Journal of Public Health, 101*(11), 2156-2163.

- Morgan, A. J., Jorm, A. F., & Mackinnon, A. J. (2011). Protocol for a randomised controlled trial investigating self-help email messages for sub-threshold depression: the Mood Memos study. *Trials*, *12*.
- Nguyen, L. T., Davis, R. B., Kaptchuk, T. J., & Phillips, R. S. (2011). Use of Complementary and Alternative Medicine and Self-Rated Health Status: Results from a National Survey. *Journal of General Internal Medicine*, *26*(4), 399-404.
- Novello, D. J., Stain, H. J., Lyle, D., & Kelly, B. J. (2011). Psychological distress of rural parents: Family influence and the role of isolation. *Australian Journal of Rural Health*, *19*(1), 27-31.
- Pastor, P. N., & Reuben, C. A. (2011). Maternal Reports of Child Health Status and Health Conditions: The Influence of Self-Reported Maternal Health Status. *Academic pediatrics*, *11*(4), 311-317.
- Peitzer, K., Shikwane, E., & Matseke, G. (2011). Psychological Distress and Associated Factors Among a Sample of Pregnant Women in South Africa. *Journal of Psychology in Africa*, *21*(3), 495-499.
- Pengpid, S., Peltzer, K., & Van der Heever, H. (2011). Prevalence of Alcohol Use and Associated Factors in Urban Hospital Outpatients in South Africa. *International Journal of Environmental Research and Public Health*, *8*(7), 2629-2639.
- Piek, E., van der Meer, K., Hoogendijk, W. J. G., Penninx, B., & Nolen, W. A. (2011). Most Antidepressant Use in Primary Care Is Justified; Results of the Netherlands Study of Depression and Anxiety. *Plos One*, *6*(3).
- Pirraglia, P. A., Hampton, J. M., Rosen, A. B., & Witt, W. P. (2011). Psychological Distress and Trends in Healthcare Expenditures and Outpatient Healthcare. *American Journal of Managed Care*, *17*(5), 319-328.
- Prins, M., Bosmans, J., Verhaak, P., van der Meer, K., van Tulder, M., van Marwijk, H., et al. (2011). The costs of guideline-concordant care and of care according to patients' needs in anxiety and depression. *Journal of Evaluation in Clinical Practice*, *17*(4), 537-546.
- Prins, M., Meadows, G., Bobevski, I., Graham, A., Verhaak, P., van der Meer, K., et al. (2011). Perceived need for mental health care and barriers to care in the Netherlands and Australia. *Social Psychiatry and Psychiatric Epidemiology*, *46*(10), 1033-1044.
- Prins, M. A., Verhaak, P. F. M., Hilbink-Smolders, M., Spreeuwenberg, P., Laurant, M. G. H., van der Meer, K., et al. (2011). Outcomes for depression and anxiety in primary care and details of treatment: a naturalistic longitudinal study. *Bmc Psychiatry*, *11*.
- Roos, A., Robertson, F., Lochner, C., Vythilingum, B., & Steina, D. J. (2011). Altered prefrontal cortical function during processing of fear-relevant stimuli in pregnancy. *Behavioural Brain Research*, *222*(1), 200-205.
- Sakurai, K., Nishi, A., Kondo, K., Yanagida, K., & Kawakami, N. (2011). Screening performance of K6/K10 and other screening instruments for mood and anxiety disorders in Japan. *Psychiatry and Clinical Neurosciences*, *65*(5), 434-441.
- Schneider, K., Richters, J., Butler, T., Yap, L., Richards, A., Grant, L., et al. (2011). Psychological distress and experience of sexual and physical assault among Australian prisoners. *Criminal Behaviour and Mental Health*, *21*(5), 333-349.
- Shear, M. K., McLaughlin, K. A., Ghesquiere, A., Gruber, M. J., Sampson, N. A., & Kessler, R. C. (2011). COMPLICATED GRIEF ASSOCIATED WITH HURRICANE KATRINA. *Depression and Anxiety*, *28*(8), 648-657.
- Shimazu, A., Demerouti, E., Bakker, A. B., Shimoda, K., & Kawakami, N. (2011). Workaholism and well-being among Japanese dual-earner couples: A spillover-crossover perspective. *Social Science & Medicine*, *73*(3), 399-409.
- Sorkin, D. H., Nguyen, H., & Quyen, N. M. (2011). Assessing the Mental Health Needs and Barriers to Care Among a Diverse Sample of Asian American Older Adults. *Journal of General Internal Medicine*, *26*(6), 595-602.

- Steinberg, M. B., Bover, M. T., Richardson, D. L., Schmelzer, A. C., Williams, J. M., & Foulds, J. (2011). Abstinence and psychological distress in co-morbid smokers using various pharmacotherapies. *Drug and Alcohol Dependence, 114*(1), 77-81.
- Stockings, E. A. L., Bowman, J. A., Wiggers, J., Baker, A. L., Terry, M., Clancy, R., et al. (2011). A randomised controlled trial linking mental health inpatients to community smoking cessation supports: A study protocol. *Bmc Public Health, 11*.
- Sunderland, M., Slade, T., Stewart, G., & Andrews, G. (2011). Estimating the prevalence of DSM-IV mental illness in the Australian general population using the Kessler Psychological Distress Scale. *Australian and New Zealand Journal of Psychiatry, 45*(10), 880-889.
- Sung, H. Y., Prochaska, J. J., Ong, M. K., Shi, Y. L., & Max, W. (2011). Cigarette Smoking and Serious Psychological Distress: A Population-Based Study of California Adults. *Nicotine & Tobacco Research, 13*(12), 1183-1192.
- Terrez, B. E. V., Salcedo, V. V., Estrada, C. R., Romero, J. P., & Sotres, J. C. (2011). Validity of the Kessler 10 (K-10) scale in detecting depression and anxiety disorders in the primary care services. Psychometric properties. *Salud Mental, 34*(4), 323-331.
- Torrey, W. C., & Drake, R. E. (2011). An Overview of Evidence-Based Mental Health. *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie, 56*(9), 511-513.
- Totsika, V., Hastings, R. P., Emerson, E., Berridge, D. M., & Lancaster, G. A. (2011). Behavior Problems at 5 Years of Age and Maternal Mental Health in Autism and Intellectual Disability. *Journal of Abnormal Child Psychology, 39*(8), 1137-1147.
- van der Deen, F. S., Carter, K. N., Wilson, N., & Collings, S. (2011). The association between failed quit attempts and increased levels of psychological distress in smokers in a large New Zealand cohort. *Bmc Public Health, 11*.
- van Ours, J. C., & Williams, J. (2011). CANNABIS USE AND MENTAL HEALTH PROBLEMS. *Journal of Applied Econometrics, 26*(7), 1137-1156.
- Vecchio, N., Scuffham, P. A., Hilton, M. F., & Whiteford, H. A. (2011). Work-related injury in the nursing profession: an investigation of modifiable factors. *Journal of Advanced Nursing, 67*(5), 1067-1078.
- Vigod, S. N., Kurdyak, P. A., Stewart, D. E., Gnam, W. H., & Goering, P. N. (2011). Depressive symptoms as a determinant of breast and cervical cancer screening in women: a population-based study in Ontario, Canada. *Archives of Womens Mental Health, 14*(2), 159-168.
- Violato, M., Petrou, S., Gray, R., & Redshaw, M. (2011). FAMILY INCOME AND CHILD COGNITIVE AND BEHAVIOURAL DEVELOPMENT IN THE UNITED KINGDOM: DOES MONEY MATTER? *Health Economics, 20*(10), 1201-1225.
- Weiss, J. A., & Lunsy, Y. (2011). The Brief Family Distress Scale: A Measure of Crisis in Caregivers of Individuals with Autism Spectrum Disorders. *Journal of Child and Family Studies, 20*(4), 521-528.
- Williams, J. M., Zimmermann, M. H., Steinberg, M. L., Gandhi, K. K., Delnevo, C., Steinberg, M. B., et al. (2011). A Comprehensive Model for Mental Health Tobacco Recovery in New Jersey. *Administration and Policy in Mental Health and Mental Health Services Research, 38*(5), 368-383.
- Winthorst, W. H., Post, W. J., Meesters, Y., Penninx, B., & Nolen, W. A. (2011). Seasonality in depressive and anxiety symptoms among primary care patients and in patients with depressive and anxiety disorders; results from the Netherlands Study of Depression and Anxiety. *Bmc Psychiatry, 11*.
- Yamauchi, C., & Leigh, A. (2011). Which children benefit from non-parental care? *Economics of Education Review, 30*(6), 1468-1490.

2010

- Aldworth, J., Colpe, L. J., Gfroerer, J. C., Novak, S. P., Chromy, J. R., Barker, P. R., et al. (2010). The National Survey on Drug Use and Health Mental Health Surveillance Study: calibration analysis. *International Journal of Methods in Psychiatric Research, 19*, 61-87.
- Andresen, R., Caputi, P., & Oades, L. G. (2010). Do clinical outcome measures assess consumer-defined recovery? *Psychiatry Research, 177*(3), 309-317.
- Arnaud, B., Malet, L., Teissedre, F., Izaute, M., Moustafa, F., Geneste, J., et al. (2010). Validity Study of Kessler's Psychological Distress Scales Conducted Among Patients Admitted to French Emergency Department for Alcohol Consumption-Related Disorders. *Alcoholism-Clinical and Experimental Research, 34*(7), 1235-1245.
- Back, S. E., Payne, R. L., Simpson, A. N., & Brady, K. T. (2010). Gender and prescription opioids: Findings from the National Survey on Drug Use and Health. *Addictive behaviors, 35*(11), 1001-1007.
- Barnes, A. J., Eisenberg, M. E., & Resnick, M. D. (2010). Suicide and Self-Injury Among Children and Youth With Chronic Health Conditions. *Pediatrics, 125*(5), 889-895.
- Berle, D., Starcevic, V., Milicevic, D., Moses, K., Hannan, A., Sammut, P., et al. (2010). The Factor Structure of the Kessler-10 Questionnaire in a Treatment-Seeking Sample. *Journal of Nervous and Mental Disease, 198*(9), 660-664.
- Browne, M. A. O., Wells, J. E., Scott, K. M., McGee, M. A., & New Zealand Mental Hlth Survey, R. (2010). The Kessler Psychological Distress Scale in Te Rau Hinengaro: the New Zealand Mental Health Survey. *Australian and New Zealand Journal of Psychiatry, 44*(4), 314-322.
- Caban-Martinez, A. J., Louie, G. H., Ward, M. M., & Tektonidou, M. G. (2010). Measures of psychological distress in patients with arthritis: comment on the article by Fuller-Thomson and Shaked. *Arthritis Care & Research, 62*(1), 140-141.
- Caron, J., & Liu, A. (2010). A descriptive study of the prevalence of psychological distress and mental disorders in the Canadian population: comparison between low-income and non-low-income populations. *Chronic Diseases in Canada, 30*(3), 84-94.
- Castaneda, A. E., Marttunen, M., Suvisaari, J., Perala, J., Saarni, S. I., Aalto-Setala, T., et al. (2010). The effect of psychiatric co-morbidity on cognitive functioning in a population-based sample of depressed young adults. *Psychological Medicine, 40*(1), 29-39.
- Chae, D. H., & Ayala, G. (2010). Sexual Orientation and Sexual Behavior among Latino and Asian Americans: Implications for Unfair Treatment and Psychological Distress. *Journal of Sex Research, 47*(5), 451-459.
- Chae, D. H., Krieger, N., Bennett, G. G., Lindsey, J. C., Stoddard, A. M., & Barbeau, E. M. (2010). IMPLICATIONS OF DISCRIMINATION BASED ON SEXUALITY, GENDER, AND RACE/ETHNICITY FOR PSYCHOLOGICAL DISTRESS AMONG WORKING-CLASS SEXUAL MINORITIES: THE UNITED FOR HEALTH STUDY, 2003-2004. *International Journal of Health Services, 40*(4), 589-608.
- Colpe, L. J., Barker, P. R., Karg, R. S., Batts, K. R., Morton, K. B., Gfroerer, J. C., et al. (2010). The National Survey on Drug Use and Health Mental Health Surveillance Study: calibration study design and field procedures. *International Journal of Methods in Psychiatric Research, 19*, 36-48.
- Craike, M. J., Coleman, D., & MacMahon, C. (2010). Direct and Buffering Effects of Physical Activity on Stress-Related Depression in Mothers of Infants. *Journal of Sport & Exercise Psychology, 32*(1), 23-38.
- Davern, M., McAlpine, D., Beebe, T. J., Ziegenfuss, J., Rockwood, T., & Call, K. T. (2010). Are Lower Response Rates Hazardous to Your Health Survey? An Analysis of Three State Telephone Health Surveys. *Health Services Research, 45*(5), 1324-1344.

- Di Lorenzo, R., Fiorini, F., & Santachiara, S. (2010). The Effectiveness of Long-Acting Injectable Risperidone in a Population of Psychiatric Out-Patients: 1-Year Naturalistic Study. *Psychopharmacology Bulletin*, 43(1), 39-52.
- Donker, T., Comijs, H., Cuijpers, P., Terluin, B., Nolen, W., Zitman, F., et al. (2010). The validity of the Dutch K10 and extended K10 screening scales for depressive and anxiety disorders. *Psychiatry Research*, 176(1), 45-50.
- Drapeau, A., Beaulieu-Prevost, D., Marchand, A., Boyer, R., Preville, M., & Kairouz, S. (2010). A life-course and time perspective on the construct validity of psychological distress in women and men. Measurement invariance of the K6 across gender. *Bmc Medical Research Methodology*, 10.
- Dziak, E., Janzen, B. L., & Muhajarine, N. (2010). Inequalities in the psychological well-being of employed, single and partnered mothers: the role of psychosocial work quality and work-family conflict. *International Journal for Equity in Health*, 9.
- Edlund, M. J., Harris, K. M., Koenig, H. G., Han, X. T., Sullivan, G., Mattox, R., et al. (2010). Religiosity and decreased risk of substance use disorders: is the effect mediated by social support or mental health status? *Social Psychiatry and Psychiatric Epidemiology*, 45(8), 827-836.
- Emerson, E., McCulloch, A., Graham, H., Blacher, J., Llwellyn, G. M., & Hatton, C. (2010). Socioeconomic Circumstances and Risk of Psychiatric Disorders Among Parents of Children With Early Cognitive Delay. *Ajidd-American Journal on Intellectual and Developmental Disabilities*, 115(1), 30-42.
- Farr, S. L., Bitsko, R. H., Hayes, D. K., & Dietz, P. M. (2010). Mental health and access to services among US women of reproductive age. *American Journal of Obstetrics and Gynecology*, 203(6).
- Furukawa, T. A. (2010). Assessment of mood: Guides for clinicians. *Journal of Psychosomatic Research*, 68(6), 581-589.
- Fushimi, M., Shimizu, T., Saito, S., Kudo, Y., Seki, M., & Murata, K. (2010). Prevalence of and risk factors for psychological distress among employees in Japan. *Public Health*, 124(12), 713-715.
- George, J., Kinner, S. A., Bruno, R., Degenhardt, L., & Dunn, M. (2010). Contextualising psychological distress among regular ecstasy users: The importance of sociodemographic factors and patterns of drug use. *Drug and Alcohol Review*, 29(3), 243-249.
- Green, J. G., Gruber, M. J., Sampson, N. A., Zaslavsky, A. M., & Kessler, R. C. (2010). Improving the K6 short scale to predict serious emotional disturbance in adolescents in the USA. *International Journal of Methods in Psychiatric Research*, 19, 23-35.
- Haggerty, J., Fortin, M., Beaulieu, M. D., Hudon, C., Loignon, C., Preville, M., et al. (2010). At the interface of community and healthcare systems: a longitudinal cohort study on evolving health and the impact of primary healthcare from the patient's perspective. *Bmc Health Services Research*, 10.
- Halterman, J. S., Borrelli, B., Conn, K. M., Tremblay, P., & Blaakman, S. (2010). Motivation to quit smoking among parents of urban children with asthma. *Patient Education and Counseling*, 79(2), 152-155.
- Harrison, L. J., & McLeod, S. (2010). Risk and Protective Factors Associated With Speech and Language Impairment in a Nationally Representative Sample of 4-to 5-Year-Old Children. *Journal of Speech Language and Hearing Research*, 53(2), 508-529.
- Hesse, M. (2010). Course of self-reported symptoms of attention deficit and hyperactivity in substance abusers during early treatment. *Addictive behaviors*, 35(5), 504-506.
- Hesse, M., & Moran, P. (2010). Screening for personality disorder with the Standardised Assessment of Personality: Abbreviated Scale (SAPAS): further evidence of concurrent validity. *Bmc Psychiatry*, 10.
- Hilton, M. F., Scheurer, R. W., Sheridan, J., Cleary, C. M., & Whiteford, H. A. (2010). Employee psychological distress and treated prevalence by indices of rurality. *Australian and New Zealand Journal of Public Health*, 34(5), 458-465.

- Hilton, M. F., Scuffham, P. A., Vecchio, N., & Whiteford, H. A. (2010). Using the interaction of mental health symptoms and treatment status to estimate lost employee productivity. *Australian and New Zealand Journal of Psychiatry*, *44*(2), 151-161.
- Hilton, M. F., & Whiteford, H. A. (2010). Associations between psychological distress, workplace accidents, workplace failures and workplace successes. *International Archives of Occupational and Environmental Health*, *83*(8), 923-933.
- Hilton, M. F., & Whiteford, H. A. (2010). Interacting with the public as a risk factor for employee psychological distress. *Bmc Public Health*, *10*, 1-7.
- Holden, L., Scuffham, P., Hilton, M., Vecchio, N., & Whiteford, H. (2010). Psychological distress is associated with a range of high-priority health conditions affecting working Australians. *Australian and New Zealand Journal of Public Health*, *34*(3), 304-310.
- Jones, G. C., Crews, J. E., & Danielson, M. L. (2010). Health Risk Profile for Older Adults with Blindness: An Application of the International Classification of Functioning, Disability, and Health Framework. *Ophthalmic Epidemiology*, *17*(6), 400-410.
- Jorm, A. F., Kitchener, B. A., Sawyer, M. G., Scales, H., & Cvetkovski, S. (2010). Mental health first aid training for high school teachers: a cluster randomized trial. *Bmc Psychiatry*, *10*.
- Kessler, R. C., Green, J. G., Gruber, M. J., Sampson, N. A., Bromet, E., Cuitan, M., et al. (2010). Screening for serious mental illness in the general population with the K6 screening scale: results from the WHO World Mental Health (WMH) survey initiative. *International Journal of Methods in Psychiatric Research*, *19*, 4-22.
- Kim, G., Chiriboga, D. A., Jang, Y., Lee, S., Huang, C. H., & Parmelee, P. (2010). Health Status of Older Asian Americans in California. *Journal of the American Geriatrics Society*, *58*(10), 2003-2008.
- Krieger, N., Carney, D., Lancaster, K., Waterman, P. D., Kosheleva, A., & Banaji, M. (2010). Combining Explicit and Implicit Measures of Racial Discrimination in Health Research. *American Journal of Public Health*, *100*(8), 1485-1492.
- Kubiak, S. P., Beeble, M. L., & Bybee, D. (2010). TESTING THE VALIDITY OF THE K6 IN DETECTING MAJOR DEPRESSION AND PTSD AMONG JAILED WOMEN. *Criminal Justice and Behavior*, *37*(1), 64-80.
- Kunst, M., Bogaerts, S., & Winkel, F. W. (2010). Domestic Violence and Mental Health in a Dutch Community Sample: The Adverse Role of Loneliness. *Journal of Community & Applied Social Psychology*, *20*(5), 419-425.
- Kuriyama, S., Nakaya, N., Ohmori-Matsuda, K., Shimazu, T., Kikuchi, N., Kakizaki, M., et al. (2010). The Ohsaki Cohort 2006 Study: Design of Study and Profile of Participants at Baseline. *Journal of Epidemiology*, *20*(3), 253-258.
- Leahy, C. M., Peterson, R. F., Wilson, I. G., Newbury, J. W., Tonkin, A. L., & Turnbull, D. (2010). Distress levels and self-reported treatment rates for medicine, law, psychology and mechanical engineering tertiary students: cross-sectional study. *Australian and New Zealand Journal of Psychiatry*, *44*(7), 608-615.
- Li, F., Green, J. G., Kessler, R. C., & Zaslavsky, A. M. (2010). Estimating prevalence of serious emotional disturbance in schools using a brief screening scale. *International Journal of Methods in Psychiatric Research*, *19*, 88-98.
- Lincoln, K. D., & Chae, D. H. (2010). Stress, Marital Satisfaction, and Psychological Distress Among African Americans. *Journal of Family Issues*, *31*(8), 1081-1105.
- Lowe, S. R., Chan, C. S., & Rhodes, J. E. (2010). Pre-Hurricane Perceived Social Support Protects Against Psychological Distress: A Longitudinal Analysis of Low-Income Mothers. *Journal of Consulting and Clinical Psychology*, *78*(4), 551-560.
- Lucas, M., Kirmayer, L. J., Dery, S., & Dewailly, E. (2010). Erythrocyte N-3 Is Inversely Correlated with Serious Psychological Distress among the Inuit: Data from the Nunavik Health Survey. *Journal of the American College of Nutrition*, *29*(3), 211-221.

- Magee, C. A., Caputi, P., Stefanic, N., & Iverson, D. C. (2010). Occupational Factors Associated With 4-Year Weight Gain in Australian Adults. *Journal of Occupational and Environmental Medicine*, 52(10), 977-981.
- Maloney, E., Hutchinson, D., Burns, L., & Mattick, R. (2010). Prevalence and patterns of problematic alcohol use among Australian parents. *Australian and New Zealand Journal of Public Health*, 34(5), 495-501.
- Manderscheid, R., Delvecchio, P., Marshall, C., Palpant, R. G., Bigham, J., Bornemann, T. H., et al. (2010). Attitudes Toward Mental Illness-35 States, District of Columbia, and Puerto Rico, 2007 (Reprinted from MMWR, vol 59, pg 619-625, 2010). *Jama-Journal of the American Medical Association*, 304(2), 149-152.
- McClave, A. K., Eily, L. R. M., Davis, S. P., & Dube, S. R. (2010). Smoking Characteristics of Adults With Selected Lifetime Mental Illnesses: Results From the 2007 National Health Interview Survey. *American Journal of Public Health*, 100(12), 2464-2472.
- McCusker, J., Roberge, D., Levesque, J. F., Ciampi, A., Vadeboncoeur, A., Larouche, D., et al. (2010). Emergency Department Visits and Primary Care Among Adults With Chronic Conditions. *Medical Care*, 48(11), 972-980.
- Mensah, F. K., & Kiernan, K. E. (2010). Parents' mental health and children's cognitive and social development. *Social Psychiatry and Psychiatric Epidemiology*, 45(11), 1023-1035.
- Mohanam, M., & Maselko, J. (2010). Quasi-experimental evidence on the causal effects of physical health on mental health. *International Journal of Epidemiology*, 39(2), 487-493.
- Mosier, K. E., Vasiliadis, H. M., Lepnurm, M., Puchala, C., Pekrul, C., & Tempier, R. (2010). Prevalence of mental disorders and service utilization in seniors: results from the Canadian community health survey cycle 1.2. *International Journal of Geriatric Psychiatry*, 25(10), 960-967.
- Novak, S. P., Colpe, L. J., Barker, P. R., & Gfroerer, J. C. (2010). Development of a brief mental health impairment scale using a nationally representative sample in the USA. *International Journal of Methods in Psychiatric Research*, 19, 49-60.
- O'Connor, D. W., & Parslow, R. A. (2010). Mental health scales and psychiatric diagnoses: Responses to GHQ-12, K-10 and CIDI across the lifespan. *Journal of Affective Disorders*, 121(3), 263-267.
- Oraka, E., King, M. E., & Callahan, D. B. (2010). Asthma and Serious Psychological Distress Prevalence and Risk Factors Among US Adults, 2001-2007. *Chest*, 137(3), 609-616.
- Padela, A. I., & Heisler, M. (2010). The Association of Perceived Abuse and Discrimination After September 11, 2001, With Psychological Distress, Level of Happiness, and Health Status Among Arab Americans. *American Journal of Public Health*, 100(2), 284-291.
- Pickett, S. A., Diehl, S., Steigman, P. J., Prater, J. D., Fox, A., & Cook, J. A. (2010). Early Outcomes and Lessons Learned from a Study of the Building Recovery of Individual Dreams and Goals through Education and Support (BRIDGES) Program in Tennessee. *Psychiatric Rehabilitation Journal*, 34(2), 96-103.
- Power, J. J., Perlesz, A., Schofield, M. J., Pitts, M. K., Brown, R., McNair, R., et al. (2010). Understanding resilience in same-sex parented families: the work, love, play study. *Bmc Public Health*, 10.
- Prins, M. A., Verhaak, P. F. M., Smolders, M., Laurant, M. G. H., van der Meer, K., Spreeuwenberg, P., et al. (2010). Patient Factors Associated with Guideline-concordant Treatment of Anxiety and Depression in Primary Care. *Journal of General Internal Medicine*, 25(7), 648-655.
- Rabin, C., & Politi, M. (2010). Need for Health Behavior Interventions for Young Adult Cancer Survivors. *American Journal of Health Behavior*, 34(1), 70-76.
- Rhodes, J., Chan, C., Paxson, C., Rouse, C. E., Waters, M., & Fussell, E. (2010). The Impact of Hurricane Katrina on the Mental and Physical Health of Low-Income Parents in New Orleans. *American Journal of Orthopsychiatry*, 80(2), 237-247.

- Ruhrmann, S., Schultze-Lutter, F., Salokangas, R. K. R., Heinimaa, M., Linszen, D., Dingemans, P., et al. (2010). Prediction of Psychosis in Adolescents and Young Adults at High Risk Results From the Prospective European Prediction of Psychosis Study. *Archives of General Psychiatry*, 67(3), 241-251.
- Sabin, M. A., Clemens, S. L., Saffery, R., McCallum, Z., Campbell, M. W., Kiess, W., et al. (2010). New directions in childhood obesity research: how a comprehensive biorepository will allow better prediction of outcomes. *Bmc Medical Research Methodology*, 10.
- Salz, T., Richman, A. R., & Brewer, N. T. (2010). Meta-analyses of the effect of false-positive mammograms on generic and specific psychosocial outcomes. *Psycho-Oncology*, 19(10), 1026-1034.
- Sanson, A. V., Hawkins, M. T., Misson, S., & Consortium, L. R. (2010). The Development and Validation of Australian Indices of Child Development-Part II: Validity Support. *Child Indicators Research*, 3(3), 293-312.
- Schindler, H. S. (2010). The Importance of Parenting and Financial Contributions in Promoting Fathers' Psychological Health. *Journal of Marriage and Family*, 72(2), 318-332.
- Shandley, K., Austin, D., Klein, B., & Kyrios, M. (2010). An evaluation of 'Reach Out Central': an online gaming program for supporting the mental health of young people. *Health Education Research*, 25(4), 563-574.
- Shimada, K., Shimazu, A., Bakker, A. B., Demerouti, E., & Kawakami, N. (2010). Work-family Spillover among Japanese Dual-earner Couples: A Large Community-based Study. *Journal of Occupational Health*, 52(6), 335-343.
- Stallman, H. M. (2010). Psychological distress in university students: A comparison with general population data. *Australian Psychologist*, 45(4), 249-257.
- Stallman, H. M., McDermott, B. M., Beckmann, M. M., Wilson, M. K., & Adam, K. (2010). Women who miscarry: The effectiveness and clinical utility of the Kessler 10 questionnaire in screening for ongoing psychological distress. *Australian & New Zealand Journal of Obstetrics & Gynaecology*, 50(1), 70-76.
- Stewart, G., Sara, G., Harris, M., Waghorn, G., Hall, A., Sivarajasingam, S., et al. (2010). A brief measure of vocational activity and community participation: development and reliability of the Activity and Participation Questionnaire. *Australian and New Zealand Journal of Psychiatry*, 44(3), 258-266.
- Sulaiman, N., Hamdan, A., Tamim, H., Mahmood, D. A., & Young, D. (2010). The prevalence and correlates of depression and anxiety in a sample of diabetic patients in Sharjah, United Arab Emirates. *Bmc Family Practice*, 11.
- Tobias, M., Kokaua, J., Gerritsen, S., & Templeton, R. (2010). The health of children in sole-parent families in New Zealand: results of a population-based cross-sectional survey. *Australian and New Zealand Journal of Public Health*, 34(3), 274-280.
- Trosclair, A., & Dube, S. R. (2010). Smoking among adults reporting lifetime depression, anxiety, anxiety with depression, and major depressive episode, United States, 2005-2006. *Addictive behaviors*, 35(5), 438-443.
- van Beljouw, I., Verhaak, P., Prins, M., Cuijpers, P., Penninx, B., & Bensing, J. (2010). Reasons and Determinants for Not Receiving Treatment for Common Mental Disorders. *Psychiatric Services*, 61(3), 250-257.
- van Beljouw, I. M. J., Verhaak, P. F. M., Cuijpers, P., van Marwijk, H. W. J., & Penninx, B. (2010). The course of untreated anxiety and depression, and determinants of poor one-year outcome: a one-year cohort study. *Bmc Psychiatry*, 10.

- Vythilingum, B., Geerts, L., Fincham, D., Roos, A., Faure, S., Jonkers, J., et al. (2010). Association between antenatal distress and uterine artery pulsatility index. *Archives of Womens Mental Health*, 13(4), 359-364.
- Wake, M., Canterford, L., Patton, G. C., Hesketh, K., Hardy, P., Williams, J., et al. (2010). Comorbidities of overweight/obesity experienced in adolescence: longitudinal study. *Archives of Disease in Childhood*, 95(3), 162-168.
- Walker, J. G., Mackinnon, A. J., Batterham, P., Jorm, A. F., Hickie, I., McCarthy, A., et al. (2010). Mental health literacy, folic acid and vitamin B-12, and physical activity for the prevention of depression in older adults: randomised controlled trial. *British Journal of Psychiatry*, 197(1), 45-54.
- Williams, S. L., Haskard-Zolnierek, K. B., Banta, J. E., Haviland, M. G., Dimatteo, M. R., Anderson, D. L., et al. (2010). SERIOUS PSYCHOLOGICAL DISTRESS AND DIABETES CARE AMONG CALIFORNIA ADULTS. *International Journal of Psychiatry in Medicine*, 40(3), 233-245.
- Wittchen, H. U. (2010). Screening for serious mental illness: methodological studies of the K6 screening scale. *International Journal of Methods in Psychiatric Research*, 19, 1-3.
- Yamauchi, C. (2010). Parental Investment in Children: Differential Pathways of Parental Education and Mental Health*. *Economic Record*, 86(273), 210-226.
- Ye, J. L., & Shim, R. (2010). Perceptions of Health Care Communication: Examining the Role of Patients' Psychological Distress. *Journal of the National Medical Association*, 102(12), 1237-1242.
- Zwiebach, L., Rhodes, J., & Roemer, L. (2010). Resource Loss, Resource Gain, and Mental Health Among Survivors of Hurricane Katrina. *Journal of Traumatic Stress*, 23(6), 751-758.

2009

- Alexandre, P. K., Martins, S. S., & Richard, P. (2009). Disparities in Adequate Mental Health Care for Past-Year Major Depressive Episodes Among Caucasian and Hispanic Youths. *Psychiatric Services*, 60(10), 1365-1371.
- Alexandre, P. K., Patrick, R., Beauliere, A., & Martins, S. S. (2009). Race differentials in employment effects of psychological distress: A study of non-Hispanic Whites and African-Americans in the United States. *Social Science Journal*, 46(1), 201-210.
- Almeida, D. M., McGonagle, K., & King, H. (2009). Assessing Daily Stress Processes in Social Surveys by Combining Stressor Exposure and Salivary Cortisol. *Biodemography and Social Biology*, 55(2), 219-237.
- Blazer, D. G., & Wu, L. T. (2009). The Epidemiology of At-Risk and Binge Drinking Among Middle-Aged and Elderly Community Adults: National Survey on Drug Use and Health. *American Journal of Psychiatry*, 166(10), 1162-1169.
- Carter, K. N., Blakely, T., Collings, S., Gunasekara, F. I., & Richardson, K. (2009). What is the association between wealth and mental health? *Journal of Epidemiology and Community Health*, 63(3), 221-226.
- Chen, L. Y., & Hardy, C. L. (2009). Alcohol Consumption and Health Status in Older Adults A Longitudinal Analysis. *Journal of Aging and Health*, 21(6), 824-847.
- Clarke, S. P., Oades, L. G., Crowe, T. P., Caputi, P., & Deane, F. P. (2009). The role of symptom distress and goal attainment in promoting aspects of psychological recovery for consumers with enduring mental illness. *Journal of Mental Health*, 18(5), 389-397.
- Clingingsmith, D., Khwaja, A. I., & Kremer, M. (2009). ESTIMATING THE IMPACT OF THE HAJJ: RELIGION AND TOLERANCE IN ISLAM'S GLOBAL GATHERING. *Quarterly Journal of Economics*, 124(3), 1133-1170.
- Colpe, L. J., Epstein, J. F., Barker, P. R., & Gfroerer, J. C. (2009). Screening for Serious Mental Illness in the National Survey on Drug Use and Health (NSDUH). *Annals of Epidemiology*, 19(3), 210-211.

- Congdon, E., Constable, R. T., Lesch, K. P., & Canli, T. (2009). Influence of SLC6A3 and COMT variation on neural activation during response inhibition. *Biological Psychology*, *81*(3), 144-152.
- Coups, E. J., Dhingra, L. K., Heckman, C. J., & Manne, S. L. (2009). Receipt of Provider Advice for Smoking Cessation and Use of Smoking Cessation Treatments Among Cancer Survivors. *Journal of General Internal Medicine*, *24*, 480-486.
- Croft, J. B., Mokdad, A. H., Power, A. K., Greenlund, K. J., & Giles, W. H. (2009). Public health surveillance of serious psychological distress in the United States. *International Journal of Public Health*, *54*, 4-6.
- Dhingra, S. S., Strine, T. W., Holt, J. B., Berry, J. T., & Mokdad, A. H. (2009). Rural-urban variations in psychological distress: findings from the Behavioral Risk Factor Surveillance System, 2007. *International Journal of Public Health*, *54*, 16-22.
- Dube, S. R., Caraballo, R. S., Dhingra, S. S., Pearson, W. S., McClave, A. K., Strine, T. W., et al. (2009). The relationship between smoking status and serious psychological distress: findings from the 2007 Behavioral Risk Factor Surveillance System. *International Journal of Public Health*, *54*, 68-74.
- Edlund, M. J., Booth, B. M., & Feldman, Z. L. (2009). Perceived Need for Treatment for Alcohol Use Disorders: Results From Two National Surveys. *Psychiatric Services*, *60*(12), 1618-1628.
- Elliott, J. O., Charyton, C., Lu, B., & Moore, J. L. (2009). Serious psychological distress and health outcomes for persons with epilepsy in poverty. *Seizure-European Journal of Epilepsy*, *18*(5), 332-338.
- Emerson, E., Graham, H., McCulloch, A., Blacher, J., Hatton, C., & Llewellyn, G. (2009). The social context of parenting 3-year-old children with developmental delay in the UK. *Child Care Health and Development*, *35*(1), 63-70.
- Fagnano, M., van Wijngaarden, E., Connolly, H. V., Carno, M. A., Forbes-Jones, E., & Halterman, J. S. (2009). Sleep-Disordered Breathing and Behaviors of Inner-City Children With Asthma. *Pediatrics*, *124*(1), 218-225.
- Fan, A. Z., Strine, T. W., Jiles, R., Berry, J. T., & Mokdad, A. H. (2009). Psychological distress, use of rehabilitation services, and disability status among noninstitutionalized US adults aged 35 years and older, who have cardiovascular conditions, 2007. *International Journal of Public Health*, *54*, 100-105.
- Fan, A. Z., Strine, T. W., Muppidi, S. R., Greenlund, K. J., Croft, J. B., Berry, J. T., et al. (2009). Psychological distress associated with self-reported high blood pressure and high blood cholesterol in US adults, 2007. *International Journal of Public Health*, *54*, 94-99.
- Fassaert, T., de Wit, M. A. S., Tuinebreijer, W. C., Wouters, H., Verhoeff, A. P., Beekman, A. T. F., et al. (2009). Psychometric properties of an interviewer-administered version of the Kessler Psychological Distress scale (K10) among Dutch, Moroccan and Turkish respondents. *International Journal of Methods in Psychiatric Research*, *18*(3), 159-168.
- Feeny, D., Huguet, N., McFarland, B. H., & Kaplan, M. S. (2009). The construct validity of the Health Utilities Index Mark 3 in assessing mental health in population health surveys. *Quality of Life Research*, *18*(4), 519-526.
- Garasky, S., Stewart, S. D., Gundersen, C., Lohman, B. J., & Eisenmann, J. C. (2009). Family stressors and child obesity. *Social Science Research*, *38*(4), 755-766.
- Garrido, M. M., Kane, R. L., Kaas, M., & Kane, R. A. (2009). Perceived Need for Mental Health Care Among Community-Dwelling Older Adults. *Journals of Gerontology Series B-Psychological Sciences and Social Sciences*, *64*(6), 704-712.
- Heathcote, K. E., Kelly, B., Earnest, A., & Beard, J. R. (2009). Correlates of comorbid mental disorders in a regional community-based sample. *Australian Journal of Rural Health*, *17*(5), 257-262.
- Heflin, C. M., & Iceland, J. (2009). Poverty, Material Hardship, and Depression. *Social Science Quarterly*, *90*(5), 1051-1071.

- Hilton, M. F., Scuffham, P. A., Sheridan, J., Cleary, C. M., Vecchio, N., & Whiteford, H. A. (2009). The Association Between Mental Disorders and Productivity in Treated and Untreated Employees. *Journal of Occupational and Environmental Medicine, 51*(9), 996-1003.
- Hilton, M. F., Sheridan, J., Cleary, C. M., & Whiteford, H. A. (2009). Employee absenteeism measures reflecting current work practices may be instrumental in a re-evaluation of the relationship between psychological distress/mental health and absenteeism. *International Journal of Methods in Psychiatric Research, 18*(1), 37-47.
- Hoffman, K. E., McCarthy, E. P., Recklitis, C. J., & Ng, A. K. (2009). Psychological Distress in Long-term Survivors of Adult-Onset Cancer Results From a National Survey. *Archives of Internal Medicine, 169*(14), 1274-1281.
- Hozawa, A., Kuriyama, S., Nakaya, N., Ohmori-Matsuda, K., Kakizaki, M., Sone, T., et al. (2009). Green tea consumption is associated with lower psychological distress in a general population: the Ohsaki Cohort 2006 Study. *American Journal of Clinical Nutrition, 90*(5), 1390-1396.
- Huang, J. P., Xia, W., Sun, C. H., Zhang, H. Y., & Wu, L. J. (2009). Psychological distress and its correlates in Chinese adolescents. *Australian and New Zealand Journal of Psychiatry, 43*(7), 674-681.
- Hudson, C. G. (2009). Validation of a model for estimating state and local prevalence of serious mental illness. *International Journal of Methods in Psychiatric Research, 18*(4), 251-264.
- Ingersoll, K. S., Cropsey, K. L., & Heckman, C. J. (2009). A Test of Motivational Plus Nicotine Replacement Interventions for HIV Positive Smokers. *Aids and Behavior, 13*(3), 545-554.
- Jatrana, S., & Crampton, P. (2009). Affiliation with a primary care provider in New Zealand: Who is, who isn't. *Health Policy, 91*(3), 286-296.
- Jatrana, S., & Crampton, P. (2009). Primary health care in New Zealand: Who has access? *Health Policy, 93*(1), 1-10.
- Jorm, A. F. (2009). Australian young people's awareness of headspace, beyondblue and other mental health organizations. *Australasian Psychiatry, 17*(6), 472-474.
- Kavasery, R., Maru, D. S. R., Cornman-Homonoff, J., Sylla, L. N., Smith, D., & Altice, F. L. (2009). Routine Opt-Out HIV Testing Strategies in a Female Jail Setting: A Prospective Controlled Trial. *Plos One, 4*(11).
- Kuriyama, S., Nakaya, N., Ohmori-Matsuda, K., Shimazu, T., Kikuchi, N., Kakizaki, M., et al. (2009). Factors Associated With Psychological Distress in a Community-Dwelling Japanese Population: The Ohsaki Cohort 2006 Study. *Journal of Epidemiology, 19*(6), 294-302.
- Lahteenmaki, S., Aalto-Setälä, T., Suokas, J. T., Saarni, S. E., Perala, J., Saarni, S. I., et al. (2009). Validation of the Finnish version of the SCOFF questionnaire among young adults aged 20 to 35 years. *Bmc Psychiatry, 9*.
- Li, C. Y., Ford, E. S., Zhao, G. X., Strine, T. W., Dhingra, S., Barker, L., et al. (2009). Association between diagnosed diabetes and serious psychological distress among US adults: the Behavioral Risk Factor Surveillance System, 2007. *International Journal of Public Health, 54*, 43-51.
- Lipstein, E. A., Perrin, J. M., & Kuhlthau, K. A. (2009). School Absenteeism, Health Status, and Health Care Utilization Among Children With Asthma: Associations With Parental Chronic Disease. *Pediatrics, 123*(1), E60-E66.
- Lowe, S. R., Rhodes, J. E., Zwiebach, L., & Chan, C. S. (2009). The Impact of Pet Loss on the Perceived Social Support and Psychological Distress of Hurricane Survivors. *Journal of Traumatic Stress, 22*(3), 244-247.
- Mathers, M., Canterford, L., Olds, T., Hesketh, K., Ridley, K., & Wake, M. (2009). Electronic Media Use and Adolescent Health and Well-Being: Cross-Sectional Community Study. *Academic pediatrics, 9*(5), 307-314.
- McGuire, L. C., Strine, T. W., Vachirasudlekha, S., Anderson, L. A., Berry, J. T., & Mokdad, A. H. (2009). Modifiable characteristics of a healthy lifestyle and chronic health conditions in older adults with

- or without serious psychological distress, 2007 Behavioral Risk Factor Surveillance System. *International Journal of Public Health*, 54, 84-93.
- McKnight-Eily, L. R., Elam-Evans, L. D., Strine, T. W., Zack, M. M., Perry, G. S., Presley-Cantrell, L., et al. (2009). Activity limitation, chronic disease, and comorbid serious psychological distress in US adults - BRFSS 2007. *International Journal of Public Health*, 54, 111-119.
- Mojtabai, R. (2009). Unmet Need for Treatment of Major Depression in the United States. *Psychiatric Services*, 60(3), 297-305.
- Moore, J. L., Elliott, J. O., Lu, B., Klatte, E. T., & Charyton, C. (2009). Serious psychological distress among persons with epilepsy based on the 2005 California Health Interview Survey. *Epilepsia*, 50(5), 1077-1084.
- Mortensen, K., Wilson, R. K., & Ho, V. (2009). Physical and Mental Health Status of Hurricane Katrina Evacuees in Houston in 2005 and 2006. *Journal of Health Care for the Poor and Underserved*, 20(2), 524-538.
- Myer, L., Seedat, S., Stein, D. J., Moomal, H., & Williams, D. R. (2009). The mental health impact of AIDS-related mortality in South Africa: a national study. *Journal of Epidemiology and Community Health*, 63(4), 293-298.
- Okoro, C. A., Strine, T. W., Balluz, L. S., Crews, J. E., Dhingra, S., Berry, J. T., et al. (2009). Serious psychological distress among adults with and without disabilities. *International Journal of Public Health*, 54, 52-60.
- Orpana, H. M., Lemyre, L., & Gravel, R. (2009). Income and psychological distress: The role of the social environment. *Health Reports*, 20(1).
- Park, E. (2009). Gender as a Moderator in the Association of Body Weight to Smoking and Mental Health. *American Journal of Public Health*, 99(1), 146-151.
- Payton, A. R. (2009). Mental Health, Mental Illness, and Psychological Distress: Same Continuum or Distinct Phenomena? *Journal of Health and Social Behavior*, 50(2), 213-227.
- Pratt, L. A. (2009). Serious Psychological Distress, as Measured by the K6, and Mortality. *Annals of Epidemiology*, 19(3), 202-209.
- Prins, M. A., Verhaak, P. F. M., van der Meer, K., Penninx, B., & Bensing, J. M. (2009). Primary care patients with anxiety and depression: Need for care from the patient's perspective. *Journal of Affective Disorders*, 119(1-3), 163-171.
- Safran, M. A., Strine, T. W., Dhingra, S. S., Berry, J. T., Manderscheid, R., & Mokdad, A. H. (2009). Psychological distress and mental health treatment among persons with and without active duty military experience, Behavioral Risk Factor Surveillance System, United States, 2007. *International Journal of Public Health*, 54, 61-67.
- Sastry, N. (2009). Tracing the Effects of Hurricane Katrina on the Population of New Orleans The Displaced New Orleans Residents Pilot Study. *Sociological Methods & Research*, 38(1), 171-196.
- Schmitz, N., Lesage, A., & Wang, J. L. (2009). Should Psychological Distress Screening in the Community Account for Self-Perceived Health Status? *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie*, 54(8), 526-533.
- Shahmanesh, M., Wayal, S., Cowan, F., Mabey, D., Copas, A., & Patel, V. (2009). Suicidal Behavior Among Female Sex Workers in Goa, India: The Silent Epidemic. *American Journal of Public Health*, 99(7), 1239-1246.
- Silove, D., Brooks, R., Steel, C. R. B., Steel, Z., Hewage, K., Rodger, J., et al. (2009). Explosive anger as a response to human rights violations in post-conflict Timor-Leste. *Social Science & Medicine*, 69(5), 670-677.
- Slade, T., Johnston, A., Browne, M. A. O., Andrews, G., & Whiteford, H. (2009). 2007 National Survey of Mental Health and Wellbeing: methods and key findings. *Australian and New Zealand Journal of Psychiatry*, 43(7), 594-605.

- Smolders, M., Laurant, M., Verhaak, P., Prins, M., van Marwijk, H., Penninx, B., et al. (2009). Adherence to evidence-based guidelines for depression and anxiety disorders is associated with recording of the diagnosis. *General Hospital Psychiatry, 31*(5), 460-469.
- Sorkin, D. H., Pham, E., & Ngo-Metzger, Q. (2009). Racial and Ethnic Differences in the Mental Health Needs and Access to Care of Older Adults in California. *Journal of the American Geriatrics Society, 57*(12), 2311-2317.
- Stallman, H. M., & Shochet, I. (2009). Prevalence of mental health problems in Australian university health services. *Australian Psychologist, 44*(2), 122-127.
- Strine, T. W., Dhingra, S. S., Okoro, C. A., Zack, M. M., Balluz, L. S., Berry, J. T., et al. (2009). State-based differences in the prevalence and characteristics of untreated persons with serious psychological distress. *International Journal of Public Health, 54*, 9-15.
- Sullivan, P. F., de Geus, E. J. C., Willemsen, G., James, M. R., Smit, J. H., Zandbelt, T., et al. (2009). Genome-wide association for major depressive disorder: a possible role for the presynaptic protein piccolo. *Molecular Psychiatry, 14*(4), 359-375.
- Suvisaari, J., Aalto-Setälä, T., Tuulio-Henriksson, A., Harkanen, T., Saarni, S. I., Perala, J., et al. (2009). Mental disorders in young adulthood. *Psychological Medicine, 39*(2), 287-299.
- Tsai, J., Floyd, R. L., O'Connor, M. J., & Velasquez, M. M. (2009). Alcohol use and serious psychological distress among women of childbearing age. *Addictive behaviors, 34*(2), 146-153.
- Van der Veen, W. J., Van der Meer, K., & Penninx, B. W. (2009). Screening for depression and anxiety: Correlates of non-response and cohort attrition in the Netherlands Study of Depression and Anxiety (NESDA). *International Journal of Methods in Psychiatric Research, 18*(4), 229-239.
- Verhaak, P. F. M., Phins, M. A., Spreeuwenberg, P., Draisma, S., van Balkom, T., Bensing, J. M., et al. (2009). Receiving treatment for common mental disorders. *General Hospital Psychiatry, 31*(1), 46-55.
- Violato, M., Petrou, S., & Gray, R. (2009). The relationship between household income and childhood respiratory health in the United Kingdom. *Social Science & Medicine, 69*(6), 955-963.
- Witt, W. P., Kahn, R., Fortuna, L., Winickoff, J., Kuhlthau, K., Pirraglia, P. A., et al. (2009). Psychological Distress as a Barrier to Preventive Healthcare Among US Women. *Journal of Primary Prevention, 30*(5), 531-547.
- Zhao, G. X., Ford, E. S., Li, C. Y., Strine, T. W., Dhingra, S., Berry, J. T., et al. (2009). Serious psychological distress and its associations with body mass index: findings from the 2007 Behavioral Risk Factor Surveillance System. *International Journal of Public Health, 54*, 30-36.

2008

- Bantjes, J., & van Ommen, C. (2008). The development and utilisation of a suicide risk assessment interview schedule. *South African Journal of Psychology, 38*(2), 391-411.
- Baron, M., Schieir, O., Hudson, M., Steele, R., Kolahi, S., Berkson, L., et al. (2008). The clinimetric properties of the World Health Organization Disability Assessment Schedule II in early inflammatory arthritis. *Arthritis & Rheumatism-Arthritis Care & Research, 59*(3), 382-390.
- Beard, J. R., Galea, S., & Vlahov, D. (2008). Longitudinal population-based studies of affective disorders: Where to from here? *Bmc Psychiatry, 8*.
- Becker, W. C., Sullivan, L. E., Tetrault, J. M., Desai, R. A., & Fiellin, D. A. (2008). Non-medical use, abuse and dependence on prescription opioids among US adults: Psychiatric, medical and substance use correlates. *Drug and Alcohol Dependence, 94*(1-3), 38-47.
- Boardman, J. D., Downey, L., Jackson, J. S., Merrill, J. B., Saint Onge, J. M., & Williams, D. R. (2008). Proximate industrial activity and psychological distress. *Population and Environment, 30*(1-2), 3-25.

- Borrell, L. N., & Dallo, F. J. (2008). Self-Rated Health and Race Among Hispanic and Non-Hispanic Adults. *Journal of Immigrant and Minority Health, 10*(3), 229-238.
- Braden, J. B., & Sullivan, M. D. (2008). Suicidal Thoughts and Behavior Among Adults With Self-Reported Pain Conditions in the National Comorbidity Survey Replication. *Journal of Pain, 9*(12), 1106-1115.
- Cairney, J., Corna, L. M., Veldhuizen, S., Herrmann, N., & Streiner, D. L. (2008). Comorbid depression and anxiety in later life: Patterns of association, subjective well-being, and impairment. *American Journal of Geriatric Psychiatry, 16*(3), 201-208.
- Carra, G., Lusignani, G. S., Sciarini, P., Bertorello, A., Stramesi, F., Martinelli, V., et al. (2008). Neurological comorbidity and psychological distress among depressed inpatients. *Rivista Di Psichiatria, 43*(1), 25-30.
- Castaneda, A. E., Suvisaari, J., Marttunen, M., Perala, J., Saarni, S. I., Aalto-Setala, T., et al. (2008). Cognitive functioning in a population-based sample of young adults with a history of non-psychotic unipolar depressive disorders without psychiatric comorbidity. *Journal of Affective Disorders, 110*(1-2), 36-45.
- Chae, D. H., Takeuchi, D. T., Barbeau, E. M., Bennett, G. G., Lindsey, J., & Krieger, N. (2008). Unfair treatment, racial/ethnic discrimination, ethnic identification, and smoking among Asian Americans in the National Latino and Asian American study. *American Journal of Public Health, 98*(3), 485-492.
- Chae, D. H., Takeuchi, D. T., Barbeau, E. M., Bennett, G. G., Lindsey, J. C., Stoddard, A. M., et al. (2008). Alcohol disorders among Asian Americans: associations with unfair treatment, racial/ethnic discrimination, and ethnic identification (the national Latino and Asian Americans study, 2002-2003). *Journal of Epidemiology and Community Health, 62*(11), 973-979.
- Charles, K. K., & DeCicca, P. (2008). Local labor market fluctuations and health: Is there a connection and for whom? *Journal of Health Economics, 27*(6), 1532-1550.
- Emerson, E., & Llewellyn, G. (2008). The mental health of Australian mothers and fathers of young children at risk of disability. *Australian and New Zealand Journal of Public Health, 32*(1), 53-59.
- Fagnano, M., Conn, K. M., & Halterman, J. S. (2008). Environmental tobacco smoke and behaviors of inner-city children with asthma. *Ambulatory Pediatrics, 8*(5), 288-293.
- Farfel, M., DiGrande, L., Brackbill, R., Prann, A., Cone, J., Friedman, S., et al. (2008). An Overview of 9/11 Experiences and Respiratory and Mental Health Conditions among World Trade Center Health Registry Enrollees. *Journal of Urban Health-Bulletin of the New York Academy of Medicine, 85*(6), 880-909.
- Furukawa, T. A., Kawakami, N., Saitoh, M., Ono, Y., Nakane, Y., Nakamura, Y., et al. (2008). The performance of the Japanese version of the K6 and K10 in the World Mental Health Survey Japan. *International Journal of Methods in Psychiatric Research, 17*(3), 152-158.
- Ghandour, L. A., Martins, S. S., & Chilcoat, H. D. (2008). Understanding the patterns and distribution of opioid analgesic dependence symptoms using a latent empirical approach. *International Journal of Methods in Psychiatric Research, 17*(2), 89-103.
- Hagman, B. T., Delnevo, C. D., Hrywna, M., & Williams, J. M. (2008). Tobacco use among those with serious psychological distress: Results from the national survey of drug use and health, 2002. *Addictive behaviors, 33*(4), 582-592.
- Halterman, J. S., Borrelli, B., Fisher, S., Szilagyi, P., & Yoos, L. (2008). Improving care for urban children with asthma: Design and methods of the School-Based Asthma Therapy (SBAT) trial. *Journal of Asthma, 45*(4), 279-286.
- Halterman, J. S., Borrelli, B., Tremblay, P., Conn, K. M., Fagnano, M., Montes, G., et al. (2008). Screening for Environmental Tobacco Smoke Exposure Among Inner-City Children With Asthma. *Pediatrics, 122*(6), 1277-1283.

- Heflin, C. M., & Ziliak, J. P. (2008). Food insufficiency, food stamp participation, and mental health. *Social Science Quarterly*, 89(3), 706-727.
- Herman-Stahl, M. A., Ashley, O. S., Penne, M. A., Bauman, K. E., Williams, J., Sanchez, R. P., et al. (2008). Moderation and mediation in the relationship between mothers' or fathers' serious psychological distress and adolescent substance use: Findings from a national sample. *Journal of Adolescent Health*, 43(2), 141-150.
- Hesse, M., & Pedersen, M. K. (2008). Protocol: Personality assessment as a support for referral and case-work in treatment for substance use disorders (PASRC-study). *Bmc Psychiatry*, 8.
- Hilton, M. F., Scuffham, P. A., Sheridan, J., Cleary, C. M., & Whiteford, H. A. (2008). Mental Ill-Health and the Differential Effect of Employee Type on Absenteeism and Presenteeism. *Journal of Occupational and Environmental Medicine*, 50(11), 1228-1243.
- Hilton, M. F., Whiteford, H. A., Sheridan, J. S., Cleary, C. M., Chant, D. C., Wang, P. S., et al. (2008). The prevalence of psychological distress in employees and associated occupational risk factors. *Journal of Occupational and Environmental Medicine*, 50(7), 746-757.
- Kessler, R. C., Galea, S., Gruber, M. J., Sampson, N. A., Ursano, R. J., & Wessely, S. (2008). Trends in mental illness and suicidality after Hurricane Katrina. *Molecular Psychiatry*, 13(4), 374-384.
- Kessler, R. C., Keane, T. M., Ursano, R. J., Mokdad, A., & Zaslavsky, A. M. (2008). Sample and design considerations in post-disaster mental health needs assessment tracking surveys. *International Journal of Methods in Psychiatric Research*, 17, S6-S20.
- Knowles, S. R., Nelson, E. A., & Palombo, E. A. (2008). Investigating the role of perceived stress on bacterial flora activity and salivary cortisol secretion: A possible mechanism underlying susceptibility to illness. *Biological Psychology*, 77(2), 132-137.
- Licht, C. M. M., de Geus, E. J. C., Zitman, F. G., Hoogendijk, W. J. G., van Dyck, R., & Penninx, B. (2008). Association Between Major Depressive Disorder and Heart Rate Variability in the Netherlands Study of Depression and Anxiety (NESDA). *Archives of General Psychiatry*, 65(12), 1358-1367.
- Lincoln, K. D. (2008). Personality, negative interactions, and mental health. *Social Service Review*, 82(2), 223-252.
- Lipsky, S., & Caetano, R. (2008). Is intimate partner violence associated with the use of alcohol treatment services? Results from the national survey on drug use and health. *Journal of Studies on Alcohol and Drugs*, 69(1), 30-38.
- McQueen, A., Vernon, S. W., Meissner, H. I., & Rakowski, W. (2008). Risk perceptions and worry about cancer: Does gender make a difference? *Journal of Health Communication*, 13(1), 56-79.
- Mojtabai, R. (2008). Increase in antidepressant medication in the US adult population between 1990 and 2003. *Psychotherapy and Psychosomatics*, 77(2), 83-92.
- Mojtabai, R. (2008). Social comparison of distress and mental health help-seeking in the US general population. *Social Science & Medicine*, 67(12), 1944-1950.
- Mojtabai, R., & Olfson, M. (2008). National patterns in antidepressant treatment by psychiatrists and general medical providers: Results from the National Comorbidity Survey Replication. *Journal of Clinical Psychiatry*, 69(7), 1064-1074.
- Myer, L., Stein, D. J., Grimsrud, A., Seedat, S., & Williams, D. R. (2008). Social determinants of psychological distress in a nationally-representative sample of South African adults. *Social Science & Medicine*, 66(8), 1828-1840.
- Natl Abandoned Infants, A. (2008). Women with co-occurring mental illness and substance abuse (Reprinted). *Journal of Addictions Nursing*, 19(2), 93-100.
- Ojeda, V. D., & Bergstresser, S. M. (2008). Gender, race-ethnicity, and psychosocial barriers to mental health care: An examination of perceptions and attitudes among adults reporting unmet need. *Journal of Health and Social Behavior*, 49(3), 317-334.

- Penninx, B., Beekman, A. T. F., Smit, J. H., Zitman, F. G., Nolen, W. A., Spinhoven, P., et al. (2008). The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. *International Journal of Methods in Psychiatric Research*, *17*(3), 121-140.
- Quine, S., Morrell, S., & Kendig, H. (2008). Outlooks for the future in independently living older Australians. *Aging & Mental Health*, *12*(3), 400-409.
- Sachs-Ericsson, N., Joiner, T., & Blazer, D. G. (2008). The influence of lifetime depression on self-reported memory and cognitive problems: Results from the National Comorbidity Survey - Replication. *Aging & Mental Health*, *12*(2), 183-192.
- Shih, M., & Simon, P. A. (2008). Health-related quality of life among adults with serious psychological distress and chronic medical conditions. *Quality of Life Research*, *17*(4), 521-528.
- Silove, D., Bateman, C. R., Brooks, R. T., Fonseca, C. A. Z., Steel, Z., Rodger, J., et al. (2008). Estimating clinically relevant mental disorders in a rural and an urban setting in postconflict Timor Leste. *Archives of General Psychiatry*, *65*(10), 1205-1212.
- Taylor, M. R., Agho, K. E., Stevens, G. J., & Raphael, B. (2008). Factors influencing psychological distress during a disease epidemic: Data from Australia's first outbreak of equine influenza. *Bmc Public Health*, *8*.
- Tetrault, J. M., Desai, R. A., Becker, W. C., Fiellin, D. A., Concato, J., & Sullivan, L. E. (2008). Gender and non-medical use of prescription opioids: results from a national US survey. *Addiction*, *103*(2), 258-268.
- Vladutiu, C. J., Casteel, C., & Runyan, C. W. (2008). Disability and risk of non-fatal residential injuries among adults. *Injury Prevention*, *14*(5), 302-305.
- Wang, P. S., Gruber, M. J., Powers, R. E., Schoenbaurn, M., Speier, A. H., Wells, K. B., et al. (2008). Disruption of existing mental health treatments and failure to initiate new treatment after Hurricane Katrina. *American Journal of Psychiatry*, *165*(1), 34-41.
- Wang, P. S., Simon, G. E., & Kessler, R. C. (2008). Making the business case for enhanced depression care: The National Institute of Mental Health-Harvard Work Outcomes Research and Cost-Effectiveness Study. *Journal of Occupational and Environmental Medicine*, *50*(4), 468-475.
- Younes, N., Hardy-Bayle, M. C., Falissard, B., Kovess, V., & Gasquet, I. (2008). Impact of shared mental health care in the general population on subjects' perceptions of mental health care and on mental health status. *Social Psychiatry and Psychiatric Epidemiology*, *43*(2), 113-120.
- Zuvekas, S. H., & Fleishman, J. A. (2008). Self-rated mental health and racial/ethnic disparities in mental health service use. *Medical Care*, *46*(9), 915-923.

2007

- Adam, E. K., Snell, E. K., & Pendry, P. (2007). Sleep timing and quantity in ecological and family context: A nationally representative time-diary study. *Journal of Family Psychology*, *21*(1), 4-19.
- Annunziato, R. A., Rakotomihamina, V., & Rubacka, J. (2007). Examining the effects of maternal chronic illness on child well-being in single parent families. *Journal of Developmental and Behavioral Pediatrics*, *28*(5), 386-391.
- Beard, J. R., Heathcote, K., Brooks, R., Earnest, A., & Kelly, B. (2007). Predictors of mental disorders and their outcome in a community based cohort. *Social Psychiatry and Psychiatric Epidemiology*, *42*(8), 623-630.
- Becker, W. C., Fiellin, D. A., & Desai, R. A. (2007). Non-medical use, abuse and dependence on sedatives and tranquilizers among US adults: Psychiatric and socio-demographic correlates. *Drug and Alcohol Dependence*, *90*(2-3), 280-287.

- Beebe, T. J., Davern, M. E., McAlpine, D. D., & Ziegenfuss, J. K. (2007). Comparison of two within-household selection methods in a telephone survey of substance abuse and dependence. *Annals of Epidemiology, 17*(6), 458-463.
- D'Costa, G., Nazareth, I., Naik, D., Vaidya, R., Levy, G., Patel, V., et al. (2007). Harmful alcohol use in Goa, India, and its associations with violence: A study in primary care. *Alcohol and Alcoholism, 42*(2), 131-137.
- Di Lorenzo, R., Amoretti, A., Forghieri, M., Fiorini, F., Genedani, S., & Rigatelli, M. (2007). Aripiprazole: Effectiveness and safety under naturalistic conditions. *Experimental and Clinical Psychopharmacology, 15*(6), 569-575.
- Fleishman, J. A., & Zuvekas, S. H. (2007). Global self-rated mental health: Associations with other mental health measures and with role functioning. *Medical Care, 45*(7), 602-609.
- Galea, S., Brewin, C. R., Gruber, M., Jones, R. T., King, D. W., King, L. A., et al. (2007). Exposure to hurricane-related stressors and mental illness after Hurricane Katrina. *Archives of General Psychiatry, 64*(12), 1427-1434.
- Herman-Stahl, M., Ashley, O. S., Penne, M. A., Bauman, K. E., Weitzenkamp, D., Aldridge, M., et al. (2007). Serious psychological distress among parenting and nonparenting adults. *American Journal of Public Health, 97*(12), 2222-2229.
- Hides, L., Lubman, D. I., Devlin, H., Cotton, S., Aitken, C., Gibbie, T., et al. (2007). Reliability and validity of the Kessler 10 and Patient Health Questionnaire among injecting drug users. *Australian and New Zealand Journal of Psychiatry, 41*(2), 166-168.
- Hides, L., Lubman, D. I., Elkins, A., Catania, L. S., & Rogers, N. (2007). Feasibility and acceptability of a mental health screening tool and training programme in the youth alcohol and other drug (AOD) sector. *Drug and Alcohol Review, 26*(5), 509-515.
- Janzen, B. L., Muhajarine, N., & Kelly, I. W. (2007). Work-family conflict, and psychological distress in men and women among Canadian police officers. *Psychological Reports, 100*(2), 556-562.
- Janzen, B. L., Muhajarine, N., Zhu, T., & Kelly, I. W. (2007). Effort-reward imbalance, overcommitment, and psychological distress in Canadian police officers'. *Psychological Reports, 100*(2), 525-530.
- Kessler, R. C. (2007). Psychiatric epidemiology: Challenges and opportunities. *International Review of Psychiatry, 19*(5), 509-521.
- Kling, J. R., Liebman, J. B., & Katz, L. F. (2007). Experimental analysis of neighborhood effects. *Econometrica, 75*(1), 83-119.
- Kobau, R., Zahran, H., Grant, D., Thurman, D. J., Price, P. H., & Zack, M. M. (2007). Prevalence of active epilepsy and health-related quality of life among adults with self-reported epilepsy in California: California Health Interview Survey, 2003. *Epilepsia, 48*(10), 1904-1913.
- Martinez-Aran, A., Vieta, E., Torrent, C., Sanchez-Moreno, J., Goikolea, J. M., Salamero, M., et al. (2007). Functional outcome in bipolar disorder: the role of clinical and cognitive factors. *Bipolar Disorders, 9*(1-2), 103-113.
- Martins, S. S., Ghandour, L. A., & Chilcoat, H. D. (2007). Profile of dependence symptoms among extramedical opioid analgesic users. *Addictive behaviors, 32*(10), 2003-2019.
- Mojtabai, R., & Singh, P. (2007). Implications of co-occurring alcohol abuse for role impairment, health problems, treatment seeking, and early course of alcohol dependence. *American Journal on Addictions, 16*(4), 300-309.
- Murugesan, G., Amey, C. G., Deane, F. P., Jeffrey, R., Kelly, B., & Stain, H. (2007). Inpatient psychosocial rehabilitation in rural NSW: assessment of clinically significant change for people with severe mental illness. *Australian and New Zealand Journal of Psychiatry, 41*(4), 343-350.
- Rabin, C., Rogers, M. L., Pinto, B. M., Nash, J. M., Frierson, G. M., & Trask, P. C. (2007). Effect of personal cancer history and family cancer history on levels of psychological distress. *Social Science & Medicine, 64*(2), 411-416.

- Rodgers, B., Parslow, R., & Degenhardt, L. (2007). Affective disorders, anxiety disorders and psychological distress in non-drinkers. *Journal of Affective Disorders, 99*(1-3), 165-172.
- Sacks, S., Melnick, G., Coen, C., Banks, S., Friedmann, P. D., Grella, C., et al. (2007). CJDATS Co-occurring Disorders Screening Instrument for Mental Disorders (CODSI-MD) - A pilot study. *Prison Journal, 87*(1), 86-110.
- Sacks, S., Melnick, G., Coen, C., Banks, S., Friedmann, P. D., Grella, C., et al. (2007). CJDATS co-occurring disorders screening instrument for mental disorders - A validation study. *Criminal Justice and Behavior, 34*(9), 1198-1215.
- Sareen, J., Cox, B. J., Stein, M. B., Afifi, T. O., Fleet, C., & Asmundson, G. J. G. (2007). Physical and mental comorbidity, disability, and suicidal behavior associated with posttraumatic stress disorder in a large community sample. *Psychosomatic Medicine, 69*(3), 242-248.
- Scheffler, R. M., Brown, T. T., & Rice, J. K. (2007). The role of social capital in reducing non-specific psychological distress: The importance of controlling for omitted variable bias. *Social Science & Medicine, 65*(4), 842-854.
- Steele, L., Dewa, C., & Lee, K. (2007). Socioeconomic status and self-reported barriers to mental health service use. *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie, 52*(3), 201-206.
- Strine, T. W., Chapman, D. P., & Flowers, N. (2007). Psychological distress and impaired quality of life common among community-dwelling adults with lower gastrointestinal disorders. *Digestive Diseases and Sciences, 52*(1), 70-77.
- Strine, T. W., & Hootman, J. M. (2007). US national prevalence and correlates of low back and neck pain among adults. *Arthritis & Rheumatism-Arthritis Care & Research, 57*(4), 656-665.
- Swartz, J. A., & Lurigio, A. J. (2007). Serious mental illness and arrest - The generalized mediating effect of substance use. *Crime & Delinquency, 53*(4), 581-604.
- Veldhuizen, S., Cairney, J., Kurdyak, P., & Streiner, D. L. (2007). The sensitivity of the K6 as a screen for any disorder in community mental health surveys: A cautionary note. *Canadian Journal of Psychiatry-Revue Canadienne De Psychiatrie, 52*(4), 256-259.
- Wang, J. L. (2007). Mental health treatment dropout and its correlates in a general population sample. *Medical Care, 45*(3), 224-229.
- Wang, J. L., & Patten, S. B. (2007). Perceived effectiveness of mental health care provided by primary-care physicians and mental health specialists. *Psychosomatics, 48*(2), 123-127.
- Wang, P. S., Gruber, M. J., Powers, R. E., Schoenbaum, M., Speier, A. H., Wells, K. B., et al. (2007). Mental health service use among Hurricane Katrina survivors in the eight months after the disaster. *Psychiatric Services, 58*(11), 1403-1411.
- Wang, P. S., Simon, G. E., Avorn, J., Azocar, F., Ludman, E. J., McCulloch, J., et al. (2007). Telephone screening, outreach, and care management for depressed workers and impact on clinical and work productivity outcomes - A randomized controlled trial. *Jama-Journal of the American Medical Association, 298*(12), 1401-1411.
- Whitlock, J., & Knox, K. L. (2007). The relationship between self-injurious behavior and suicide in a young adult population. *Archives of Pediatrics & Adolescent Medicine, 161*(7), 634-640.
- Wright, K. M., Bliese, P. D., Thomas, J. L., Adler, A. B., Eckford, R. D., & Hoge, C. W. (2007). Contrasting approaches to psychological screening with US combat soldiers. *Journal of Traumatic Stress, 20*(6), 965-975.
- Yamada, A., Suzuki, M., Kato, M., Tanaka, S., Shindo, T., Taketani, K., et al. (2007). Emotional distress and its correlates among parents of children with pervasive developmental disorders. *Psychiatry and Clinical Neurosciences, 61*(6), 651-657.
- Zubrick, S. R. (2007). Commentary: Area social cohesion, deprivation and mental health - Does misery love company? *International Journal of Epidemiology, 36*(2), 345-347.

2006

- Beard, J. R., Dietrich, U. C., Brooks, L. O., Brooks, R. T., Heathcote, K., & Kelly, B. (2006). Incidence and outcomes of mental disorders in a regional population: the Northern Rivers Mental Health Study. *Australian and New Zealand Journal of Psychiatry, 40*(8), 674-682.
- Bratter, J. L., & Eschbach, K. (2006). 'What about the couple?' Interracial marriage and psychological distress. *Social Science Research, 35*(4), 1025-1047.
- Brooks, R. T., Beard, J., & Steel, Z. (2006). Factor structure and interpretation of the K10. *Psychological Assessment, 18*(1), 62-70.
- Dao, T. K., Kerbs, J. J., Rollin, S. A., Potts, I., Gutierrez, R., Choi, K., et al. (2006). The association between bullying dynamics and psychological distress. *Journal of Adolescent Health, 39*(2), 277-282.
- Dowling, K., Storr, C. L., & Chilcoat, H. D. (2006). Potential influences on initiation and persistence of extramedical prescription pain reliever use in the US population. *Clinical Journal of Pain, 22*(9), 776-783.
- Edlund, M. J., & Harris, K. M. (2006). Perceived effectiveness of medications among mental health service users with and without alcohol dependence. *Psychiatric Services, 57*(5), 692-699.
- Flick, L. H., Cook, C. A., Homan, S. M., McSweeney, M., Campbell, C., & Parnell, L. (2006). Persistent tobacco use during pregnancy and the likelihood of psychiatric disorders. *American Journal of Public Health, 96*(10), 1799-1807.
- Grzywacz, J. G., Suerken, C. K., Quandt, S. A., Bell, R. A., Lang, W., & Arcury, T. A. (2006). Older adults' use of complementary and alternative medicine for mental health: Findings from the 2002 National Health Interview Survey. *Journal of Alternative and Complementary Medicine, 12*(5), 467-473.
- Harris, K. M., Carpenter, C., & Bao, Y. H. (2006). The effects of state parity laws on the use of mental health care. *Medical Care, 44*(6), 499-505.
- Harris, K. M., Edlund, M. J., & Larson, S. L. (2006). Religious involvement and the use of mental health care. *Health Services Research, 41*(2), 395-410.
- Jatoi, I., Zhu, K. M., Shah, M., & Lawrence, W. (2006). Psychological distress in US Women who have experienced false-positive mammograms. *Breast Cancer Research and Treatment, 100*(2), 191-200.
- Kessler, R. C., Galea, S., Jones, R. T., Parker, H. A., & Hurricane Katrina, C. (2006). Mental illness and suicidality after Hurricane Katrina. *Bulletin of the World Health Organization, 84*(12), 930-939.
- Kubiak, S. P., Arfken, C. L., Swartz, J. A., & Koch, A. L. (2006). Treatment at the front end of the criminal justice continuum: the association between arrest and admission into specialty substance abuse treatment. *Substance Abuse Treatment Prevention and Policy, 1*.
- Lincoln, A. K., Liebschutz, J. M., Chernoff, M., Nguyen, D., & Amaro, H. (2006). Brief screening for co-occurring disorders among women entering substance abuse treatment. *Substance Abuse Treatment Prevention and Policy, 1*.
- McQueen, A., Vernon, S. W., Meissner, H. I., Klabunde, C. N., & Rakowski, W. (2006). Are there gender differences in colorectal cancer test use prevalence and correlates? *Cancer Epidemiology Biomarkers & Prevention, 15*(4), 782-791.
- McVeigh, K. H., Galea, S., Thorpe, L. E., Maulsby, C., Henning, K., & Sederer, L. I. (2006). The epidemiology of nonspecific psychological distress in New York City, 2002 and 2003. *Journal of Urban Health-Bulletin of the New York Academy of Medicine, 83*(3), 394-405.
- Mojtabai, R. (2006). Psychotic-like experiences and interpersonal violence in the general population. *Social Psychiatry and Psychiatric Epidemiology, 41*(3), 183-190.

- Schensul, J. J., Robison, J., Reyes, C., Radda, K., Gaztambide, S., & Disch, W. (2006). Building interdisciplinary/intersectoral research partnerships for community-based mental health research with older minority adults. *American Journal of Community Psychology, 38*(1-2), 79-93.
- Shih, M., Hootman, J. M., Strine, T. W., Chapman, D. P., & Brady, T. J. (2006). Serious psychological distress in US adults with arthritis. *Journal of General Internal Medicine, 21*(11), 1160-1166.
- Smith, R. C., & Gardiner, J. C. (2006). Administrative database screening to identify somatizing patients. *Medical Care, 44*(9), 799-802.
- Strine, T. W., Chapman, D. P., & Balluz, L. S. (2006). Population-based U.S. study of severe headaches in adults: Psychological distress and comorbidities. *Headache, 46*(2), 223-232.
- Swartz, J. A., & Lurigio, A. J. (2006). Screening for serious mental illness in populations with co-occurring substance use disorders: Performance of the K6 scale. *Journal of Substance Abuse Treatment, 31*(3), 287-296.
- Tiwari, S. K., & Wang, J. L. (2006). The epidemiology of mental and substance use-related disorders among white, Chinese, and other Asian populations in Canada. *Canadian Journal of Psychiatry- Revue Canadienne De Psychiatrie, 51*(14), 904-912.
- Williams, R. E., Black, C. L., Kim, H. Y., Andrews, E. B., Mangel, A. W., Buda, J. J., et al. (2006). Determinants of healthcare-seeking behaviour among subjects with irritable bowel syndrome. *Alimentary Pharmacology & Therapeutics, 23*(11), 1667-1675.
- Williams, R. E., Black, C. L., Kim, H. Y., Andrews, E. B., Mangel, A. W., Buda, J. J., et al. (2006). Stability of irritable bowel syndrome using a Rome II-based classification. *Alimentary Pharmacology & Therapeutics, 23*(1), 197-205.
- Witt, W. P., Fortuna, L., Wu, E. J., Kahn, R. S., Winickoff, J. P., Pirraglia, P. A., et al. (2006). Children's use of motor vehicle restraints: Maternal psychological distress, maternal motor vehicle restraint practices, and sociodemographics. *Ambulatory Pediatrics, 6*(3), 145-151.
- Wu, L. T., & Ringwalt, C. L. (2006). Inhalant use and disorders among adults in the United States. *Drug and Alcohol Dependence, 85*(1), 1-11.

2005

- Baillie, A. J. (2005). Predictive gender and education bias in Kessler's psychological distress Scale (K10). *Social Psychiatry and Psychiatric Epidemiology, 40*(9), 743-748.
- Bott, K., Meyer, C., Rumpf, H. J., Hapke, U., & John, U. (2005). Psychiatric disorders among at-risk consumers of alcohol in the general population. *Journal of Studies on Alcohol, 66*(2), 246-253.
- Dewa, C. S., Hoch, J. S., & Steele, L. (2005). Prescription drug benefits and Canada's uninsured. *International Journal of Law and Psychiatry, 28*(5), 496-513.
- Ferketich, A. K., & Binkley, P. F. (2005). Psychological distress and cardiovascular disease: results from the 2002 National Health Interview Survey. *European Heart Journal, 26*(18), 1923-1929.
- Harris, K. M., & Edlund, M. J. (2005). Self-medication of mental health problems: New evidence from a national survey. *Health Services Research, 40*(1), 117-134.
- Harris, K. M., & Edlund, M. J. (2005). Use of mental health care and substance abuse treatment among adults with co-occurring disorders. *Psychiatric Services, 56*(8), 954-959.
- Harris, K. M., Edlund, M. J., & Larson, S. (2005). Racial and ethnic differences in the mental health problems and use of mental health care. *Medical Care, 43*(8), 775-784.
- Iyer, S. N., Rothmann, T. L., Vogler, J. E., & Spaulding, W. D. (2005). Evaluating outcomes of rehabilitation for severe mental illness. *Rehabilitation Psychology, 50*(1), 43-55.
- Mojtabai, R. (2005). Trends in contacts with mental health professionals and cost barriers to mental health care among adults with significant psychological distress in the United States: 1997-2002. *American Journal of Public Health, 95*(11), 2009-2014.

- Mojtabai, R. (2005). Use of specialty substance abuse and mental health services in adults with substance use disorders in the community. *Drug and Alcohol Dependence*, 78(3), 345-354.
- Narud, K., Mykletun, A., & Dahl, A. A. (2005). Quality of life in patients with personality disorders seen at an ordinary psychiatric outpatient clinic. *Bmc Psychiatry*, 5.
- Poulin, C., Lemoine, O., Poirier, L. R., & Lambert, J. (2005). Validation study of a nonspecific psychological distress scale. *Social Psychiatry and Psychiatric Epidemiology*, 40(12), 1019-1024.
- Rieker, P. P., & Bird, C. E. (2005). Rethinking gender differences in health: Why we need to integrate social and biological perspectives. *Journals of Gerontology Series B-Psychological Sciences and Social Sciences*, 60, 40-47.
- Sabourin, S., Valois, P., & Lussier, Y. (2005). Development and validation of a brief version of the Dyadic Adjustment Scale with a nonparametric item analysis model. *Psychological Assessment*, 17(1), 15-27.
- Strine, T. W., Chapman, D. P., & Ahluwalia, I. B. (2005). Menstrual-related problems and psychological distress among women in the United States. *Journal of Womens Health*, 14(4), 316-323.
- Strine, T. W., Kobau, R., Chapman, D. P., Thurman, D. J., Price, P., & Balluz, L. S. (2005). Psychological distress, comorbidities, and health behaviors among US adults with seizures: Results from the 2002 National Health Interview Survey. *Epilepsia*, 46(7), 1133-1139.
- Vander Stoep, A., McCauley, E., Thompson, K. A., Herting, J. R., Kuo, E. S., Stewart, D. G., et al. (2005). Universal emotional health screening at the middle school transition. *Journal of Emotional and Behavioral Disorders*, 13(4), 213-223.
- Waghorn, G., Chant, D., & King, R. (2005). Work-related subjective experiences among community residents with schizophrenia or schizoaffective disorder. *Australian and New Zealand Journal of Psychiatry*, 39(4), 288-299.

2004

- Kahn, R. S., Brandt, D., & Whitaker, R. C. (2004). Combined effect of mothers' and fathers' mental health symptoms on children's behavioral and emotional well-being. *Archives of Pediatrics & Adolescent Medicine*, 158(8), 721-729.
- Kessler, R. C., Ames, M., Hymel, P. A., Loeppke, R., McKeenas, D. K., Richling, D. E., et al. (2004). Using the World Health Organization Health and Work Performance Questionnaire (HPQ) to evaluate the indirect workplace costs of illness. *Journal of Occupational and Environmental Medicine*, 46(6), S23-S37.
- Saunders, S. M., & Wojcik, J. V. (2004). The reliability and validity of a brief self-report questionnaire to screen for mental health problems: The Health Dynamics Inventory. *Journal of Clinical Psychology in Medical Settings*, 11(3), 233-241.
- Wang, J. L. (2004). A longitudinal population-based study of treated and untreated major depression. *Medical Care*, 42(6), 543-550.