

**INTERMITTENT EXPLOSIVE DISORDER (IED)**

**\*IED1. INTERVIEWER CHECKPOINT: (SEE \*SC20.1, \*SC20.2, \*SC20.3)**

- \*SC20.1 IS CHECKED ..... 1    **GO TO \*IED2**
- \*SC20.2 IS CHECKED ..... 2    **GO TO \*IED3 INTRO 4**
- \*SC20.3 IS CHECKED ..... 3    **GO TO \*IED3 INTRO 5**
- ALL OTHERS ..... 4    **GO TO \*SD1, NEXT SECTION**

**\*IED2. INTERVIEWER CHECKPOINT: (SEE \*SC20.2, \*SC20.3)**

- \*SC20.2 IS CHECKED ..... 1    **GO TO \*IED3 INTRO 1**
- \*SC20.3 IS CHECKED ..... 2    **GO TO \*IED3 INTRO 2**
- ALL OTHERS ..... 3    **GO TO \*IED3 INTRO 3**

<b>IED3. INTRO 1.</b>	<b>*IED3. INTRO 2.</b>	<b>*IED3. INTRO 3.</b>	<b>*IED3. INTRO 4.</b>	<b>*IED3. INTRO 5.</b>
Earlier in the interview you mentioned having attacks of anger when all of a sudden you lost control and either broke or smashed something of value or you hit or hurt someone. The next few questions are about those attacks. Approximately how many times in your life have you had an attack of this sort, (READ SLOWLY) when you lost control and either broke something, hurt someone, or threatened to hurt someone?	Earlier in the interview you mentioned having attacks of anger when all of a sudden you lost control and either broke or smashed something of value or you threatened to hit or hurt someone. The next few questions are about those attacks. Approximately how many times in your life have you had an attack of this sort, (READ SLOWLY) when you lost control and either broke something or threatened to hurt someone?	Earlier in the interview you mentioned having attacks of anger when all of a sudden you lost control and broke or smashed something of value. The next few questions are about those attacks. Approximately how many times in your life have you had an attack of this sort, (READ SLOWLY) when you lost control and either broke or smashed something?	Earlier in the interview you mentioned having attacks of anger when all of a sudden you lost control and hit or hurt someone. The next few questions are about those attacks. Approximately how many times in your life have you had an attack of this sort, (READ SLOWLY) when you lost control and either hurt someone or threatened to hurt someone?	Earlier in the interview you mentioned having attacks of anger when all of a sudden you lost control and threatened to hit or hurt someone. The next few questions are about those attacks. Approximately how many times in your life have you had an attack of this sort, (READ SLOWLY) when you lost control and threatened to hurt someone?
<p>CODE RESPONSES GREATER THAN 9997 AS 9997</p> <p>_____ ATTACKS</p> <p>DON'T KNOW ..... 998</p> <p>REFUSED ..... 999</p>				

**\*IED4. INTERVIEWER CHECKPOINT: (SEE \*IED3)**

- \*IED3 EQUALS '0'-'2' ..... 1    **GO TO \*SD1, NEXT SECTION**
- ALL OTHERS ..... 2

\*IED5. Did these anger attacks sometimes occur without a good reason?

- YES ..... 1    **GO TO \*IED6**
- NO ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED5a. Did the attacks sometimes occur in situations where most people would not have had an anger attack?

- YES ..... 1    **GO TO \*IED6**
- NO ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED5b. During those attacks, did you sometimes get a lot more angry than most people would have been in the same situation.

- YES ..... 1
- NO ..... 5    **GO TO \*SD1, NEXT SECTION**
- DON'T KNOW ..... 8    **GO TO \*SD1, NEXT SECTION**
- REFUSED ..... 9    **GO TO \*SD1, NEXT SECTION**

\*IED6. Did you have times before these attacks when you felt such a strong impulse to let loose or blow-up that you couldn't resist it no matter how hard you tried?

- YES ..... 1
- NO ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED7. How often was your anger out of control during your typical attacks -- all of the time, most of the time, sometimes, rarely, or never?

- ALL OF THE TIME ..... 1
- MOST OF THE TIME ..... 2
- SOMETIMES ..... 3
- RARELY ..... 4
- NEVER ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED8. INTERVIEWER CHECKPOINT: (SEE \*IED6, \*IED7)

- \*IED6 EQUALS '1' ..... 1
- \*IED7 EQUALS '1'-'4' ..... 2
- ALL OTHERS ..... 3    **GO TO \*SD1, NEXT SECTION**

\*IED9. Some people only have anger attacks when they drink alcohol or use drugs. Did your anger attacks usually occur when you had been drinking or using drugs?

- YES ..... 1
- NO ..... 5 **GO TO \*IED10**
- DON'T KNOW ..... 8 **GO TO \*IED10**
- REFUSED ..... 9 **GO TO \*IED10**

\*IED9a. Did you ever have anger attacks when you had not been drinking or using drugs?

- YES ..... 1
- NO ..... 5 **GO TO \*SD1, NEXT SECTION**
- DON'T KNOW ..... 8 **GO TO \*SD1, NEXT SECTION**
- REFUSED ..... 9 **GO TO \*SD1, NEXT SECTION**

---

\*IED10. Anger attacks can sometimes be caused by physical illnesses such as epilepsy or head injury or by the use of medications. Were your anger attacks ever caused by physical illness or the use of medications?

- YES..... 1
- NO ..... 5 **GO TO \*IED11**
- DON'T KNOW ..... 8 **GO TO \*IED11**
- REFUSED ..... 9 **GO TO \*IED11**

\*IED10a. What was the cause? \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\*IED10b. Did you ever have anger attacks that were not caused by physical causes such as (CAUSE DESCRIBED IN \*IED10a) or by the use of medications?

- YES ..... 1
- NO ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

---

\*IED11. Some people only have anger attacks when they are sad or depressed. Did your anger attacks usually occur during periods of time when you were sad or depressed?

- YES ..... 1
- NO ..... 5 **GO TO \*IED12**
- DON'T KNOW ..... 8 **GO TO \*IED12**
- REFUSED ..... 9 **GO TO \*IED12**

\*IED11a. Did you ever have anger attacks at times you were not sad or depressed?

- YES ..... 1
- NO ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED12. INTERVIEWER CHECKPOINT: (SEE \*SC20.1, \*SC20.2)

- \*SC 20.1 IS CHECKED ..... 1
  - \*SC 20.2 IS CHECKED ..... 2   **GO TO \*IED15**
  - ALL OTHERS ..... 3   **GO TO \*IED16**
- 

\*IED13. Think about all the things you ever damaged or broke during your anger attacks. What is the approximate combined repair cost or replacement value of all these things?

CODE RESPONSES GREATER THAN \$9,997 AS \$9,997

\$ \_\_\_\_\_

- DON'T KNOW ..... 998
  - REFUSED ..... 999
- 

\*IED14. INTERVIEWER CHECKPOINT: (SEE \*SC20.2)

- \*SC 20.2 EQUALS '1' ..... 1
  - ALL OTHERS ..... 2   **GO TO \*IED16**
- 

\*IED15. About how many times during your anger attacks did you ever hurt someone badly enough that they needed medical attention?

CODE RESPONSES GREATER THAN 997 AS 997

\_\_\_\_\_ TIMES

- DON'T KNOW ..... 998
  - REFUSED ..... 999
- 

\*IED16. How much did your anger attacks ever interfere with either your work, your social life, or your personal relationships -- not at all, a little, some, a lot, or extremely?

- NOT AT ALL ..... 1   **GO TO \*IED17**
- A LITTLE ..... 2
- SOME ..... 3
- A LOT ..... 4
- EXTREMELY ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED16a. How often were you unable to carry out your daily activities because of your attacks -- often, sometimes, rarely, or never?

- OFTEN ..... 1
- SOMETIMES ..... 2
- RARELY ..... 3
- NEVER ..... 4
- DON'T KNOW ..... 8
- REFUSED ..... 9

\*IED17. How often did you feel guilty or embarrassed or regretful in the days or weeks after your attacks -- all of the time, most of the time, sometimes, rarely, or never?

- ALL OF THE TIME..... 1
- MOST OF THE TIME ..... 2
- SOMETIMES ..... 3
- RARELY ..... 4
- NEVER ..... 5
- DON'T KNOW ..... 8
- REFUSED ..... 9

---

\*IED18. Think of the very first time in your life you had an anger attack. Can you remember your exact age when that attack occurred?

- YES ..... 1
- NO ..... 5 **GO TO \*IED18b**
- DON'T KNOW ..... 8 **GO TO \*IED18b**
- REFUSED ..... 9 **GO TO \*IED18b**

\*IED18a. (IF NEC: How old were you)?

\_\_\_\_\_ YEARS OLD **GO TO \*IED19**

- DON'T KNOW ..... 998 **GO TO \*IED19**
- REFUSED ..... 999 **GO TO \*IED19**

\*IED18b. About how old were you?

\_\_\_\_\_ YEARS OLD

IF "ALL MY LIFE" OR "AS LONG AS I CAN REMEMBER,"

PROBE: Was it before you first started school?

IF NO, PROBE: Was it before you were a teenager?

- BEFORE STARTED SCHOOL..... 4
- BEFORE TEENAGER..... 12
- NOT BEFORE TEENAGER ..... 13
- WHOLE LIFE OR DON'T KNOW ..... 998
- REFUSED ..... 999

---

\*IED19. About how many different years in your life did you have at least one attack?

\_\_\_\_\_ YEARS OLD

- DON'T KNOW ..... 998
- REFUSED ..... 999

---

\*IED20. What is the largest number of anger attacks you ever had during a single month?

CODE RESPONSES GREATER THAN 97 AS 97

\_\_\_\_\_ ATTACKS

DON'T KNOW ..... 998  
REFUSED ..... 999

\*IED21. What is the largest number of anger attacks you ever had during a single year?

CODE RESPONSES GREATER THAN 997 AS 997

\_\_\_\_\_ ATTACKS

DON'T KNOW ..... 998  
REFUSED ..... 999

---

\*IED22. How recently did you have an anger attack -- in the past month, two to six months ago, seven to twelve months ago, or more than twelve months ago?

PAST MONTH..... 1   **GO TO \*IED23**  
2-6 MONTHS AGO ..... 2   **GO TO \*IED23**  
7-12 MONTHS AGO ..... 3   **GO TO \*IED23**  
MORE THAN 12 MONTHS AGO ..... 4  
DON'T KNOW ..... 8  
REFUSED ..... 9

\*IED22a. How old were you the last time (you had an attack)?

\_\_\_\_\_ YEARS OLD   **GO TO \*IED29**

DON'T KNOW ..... 998   **GO TO \*IED29**  
REFUSED ..... 999   **GO TO \*IED29**

---

\*IED23. How many weeks out of 52 in the past twelve months did you have at least one attack?

\_\_\_\_\_ WEEKS

DON'T KNOW ..... 998  
REFUSED ..... 999

---

\*IED24. And how many attacks in total did you have during the past twelve months?


CODE RESPONSES GREATER THAN 997 AS 997

\_\_\_\_\_ ATTACKS

DON'T KNOW ..... 998  
REFUSED ..... 999

\*IED25. In answering the next few questions, think about the week during the past twelve months when you (had the attack/had the most violent attack). During that one week, how many times did you do each of the following things:

	<b>NUMBER OF TIMES</b>	<b>DON'T KNOW (998)</b>	<b>REFUSED (999)</b>
*IED25a. slam a door, kick a chair, or throw clothes in anger?	_____ TIMES	998	999
*IED25b. break something in anger?	_____ TIMES	998	999
*IED25c. break several things in anger?	_____ TIMES	998	999
*IED25d. purposefully set a fire or destroy someone else's property?	_____ TIMES	998	999
*IED25e. purposefully injure or torture an animal?	_____ TIMES	998	999
*IED25f. threaten someone?	_____ TIMES	998	999
*IED25g. hurt someone so badly that they needed medical attention?	_____ TIMES	998	999
*IED25h. hurt someone badly, but not enough to need medical attention?	_____ TIMES	998	999



\*IED26. (RB, PG 64) Think about the month or longer in the past 12 when you had (your attack/ your most severe attack). Using the 0 to 10 scale on page 64 of your booklet, where 0 means no interference and 10 means very severe interference, what number describes how much (your attack/ your most severe attack) interfered with each of the following activities during that time?

[IF NEC: How much did (your attack/ your most severe attack) interfere with (ACTIVITY) during that time?]

(IF NEC: You can use any number between 0 and 10 to answer.)

**NUMBER (0-10)**

\*IED26a. Your home management, like cleaning, shopping, and taking care of the (house/ apartment)?

\_\_\_\_\_

DOES NOT APPLY .....97  
 DON'T KNOW .....98  
 REFUSED.....99

\*IED26b. Your ability to work?

\_\_\_\_\_

DOES NOT APPLY .....97  
 DON'T KNOW .....98  
 REFUSED.....99

\*IED26c. Your ability to form and maintain close relationships with other people?

\_\_\_\_\_

DOES NOT APPLY .....97  
 DON'T KNOW .....98  
 REFUSED.....99

\*IED26d. Your social life?

\_\_\_\_\_

DOES NOT APPLY .....97  
 DON'T KNOW .....98  
 REFUSED.....99

\*IED27. INTERVIEWER CHECKPOINT: (SEE \*IED26a - \*IED26d)

ALL RESPONSES EQUAL '0' OR '97' .....1      **GO TO \*IED29**  
ALL OTHERS .....2

---

\*IED28. About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your anger attacks?

(IF NEC: You can use any number between 0 and 365 to answer.)

\_\_\_\_\_ NUMBER OF DAYS

DON'T KNOW ..... 998  
REFUSED ..... 999

\*IED29. Did you ever in your life talk to a medical doctor or other professional about your anger attacks? (By professional we mean psychologists, counselors, spiritual advisors, herbalists, acupuncturists, and other healing professionals.)

YES ..... 1  
NO ..... 5      **GO TO \*IED33.1**  
DON'T KNOW ..... 8      **GO TO \*IED33.1**  
REFUSED ..... 9      **GO TO \*IED33.1**

\*IED29a. How old were you the first time [you talked to a professional about your anger attacks]?

\_\_\_\_\_ YEARS OLD

DON'T KNOW .....998  
REFUSED .....999

---

\*IED30. Did you ever get treatment for your anger attacks that you considered helpful or effective?

YES ..... 1  
NO ..... 5      **GO TO \*IED30c**  
DON'T KNOW ..... 8      **GO TO \*IED30c**  
REFUSED ..... 9      **GO TO \*IED30c**

\*IED30a. How old were you the first time [you got helpful treatment for your anger attacks]?

\_\_\_\_\_ YEARS OLD

DON'T KNOW ..... 998  
REFUSED ..... 999

\*IED30b. How many professionals did you ever talk to about your anger attacks, up to and including the first time you got helpful treatment?

\_\_\_\_\_ NUMBER OF PROFESSIONALS      **GO TO \*IED32**

DON'T KNOW ..... 998      **GO TO \*IED32**  
REFUSED ..... 999      **GO TO \*IED32**

**\*IED30c.** How many professionals did you ever talk to about your anger attacks?

\_\_\_\_\_ NUMBER OF PROFESSIONALS

DON'T KNOW ..... 998  
REFUSED..... 999

---

**\*IED32.** Did you receive professional treatment for your anger attacks at any time in the past 12 months?

YES .....1  
NO .....5  
DON'T KNOW .....8  
REFUSED .....9

---

**\*IED33.** Were you ever hospitalized overnight for your anger attacks?

YES ..... 1  
NO ..... 5     **GO TO \*IED33.1**  
DON'T KNOW ..... 8     **GO TO \*IED33.1**  
REFUSED ..... 9     **GO TO \*IED33.1**

**\*IED33a.** How old were you the first time [you were hospitalized overnight because of your anger attacks]?

\_\_\_\_\_ YEARS OLD

DON'T KNOW ..... 998  
REFUSED ..... 999

---

**\*IED33.1.** How many of your close relatives -- including your biological parents, brothers and sisters, and children -- ever had repeated attacks of anger?

\_\_\_\_\_ NUMBER

DON'T KNOW ..... 998  
REFUSED..... 999

**GO TO \*SD1, NEXT SECTION**