

12/1/00

INTERVIEWER'S OBSERVATION (IO)

*IO0.1. INTERVIEWER: THANK THE RESPONDENT FOR THEIR TIME AND (LEAVE THE DOORSTEP/
HANG-UP THE PHONE). COMPLETE THIS SECTION BEFORE GOING TO NEXT HOUSEHOLD.

*IO1a. Was anyone else present during any portion of the interview?

YES1
NO5 **GO TO *IO5**

*IO2. Who was present?

CIRCLE ALL THAT APPLY

PARENT(S)1
SPOUSE/PARTNER.....2
CHILD(REN) UNDER AGE 63
PERSON(S) AGE 6 - 174
OTHER ADULT(S)5

*IO3. During how much of the interview was one of these persons present?

ALL1
MOST.....2
ABOUT HALF.....3
ABOUT ONE QUARTER.....4
LESS THAN ONE QUARTER.....5

*IO4. How much was R distracted by (this person/ these persons)?

A LOT1
SOME.....2
A LITTLE3
NONE.....4

*IO5. How well did R understand the questions?

VERY WELL1
PRETTY WELL.....2
NOT WELL3
NOT AT ALL.....4

*IO6. How was R's cooperation during the interview?

EXCELLENT1
GOOD2
FAIR.....3
POOR4

*IO7. How much effort did R put into answering the questions?

- A LOT1
 - SOME.....2
 - VERY LITTLE3
 - NONE.....4
-

*IO8. Did R behave as if (he/she) was hallucinating? (e.g., as if hearing voices or seeing visions, lips move soundlessly, giggles to self – not just from embarrassment or shyness, glances over shoulder, as if distracted by a voice.)

- YES1
 - NO5
-

*IO9. Do you believe R was under the influence of alcohol or drugs at the time of the interview?

- YES1
 - NO5
-

*IO10. Does R's house/apartment have any of the following?

CIRCLE ALL THAT APPLY

- DECORATIONS (PAINTINGS, POSTERS, FRAMED PHOTOGRAPHS, PLANTS, FIGURINES ETC.).....1
- ROOMS ARE RELATIVELY CLEAR WITH EXITS FREELY ACCESSIBLE2
- ROOMS ARE OVERCROWDED WITH FURNITURE OR OBJECTS, LEAVING VERY LITTLE FREE FLOOR SPACE3
- ALL VISIBLE ROOMS ARE CLEAN AND MINIMALLY CLUTTERED.....4
- THE HOUSE /APARTMENT IS FREE OF POTENTIALLY DANGEROUS STRUCTURAL/HEALTH DEFECTS (FALLING PLASTER, RODENTS, COCKROACHES, BOARD MISSING ON STAIRS OR ON FLOOR, PRESENCE OF CLEANING FLUIDS WITHIN CHILD'S EASY REACH)5
- A SHELF FULL OF BOOKS.....6

*IO11. INTERVIEWER QUERY: DOES R HAVE ANY OF THE FOLLOWING PHYSICAL IMPAIRMENTS?

CIRCLE ALL THAT APPLY

R IS BLIND.....	1
R IS DEAF	2
R IS SPEECH IMPAIRED.....	3
R IS HEARING IMPAIRED.....	4
R IS VISION IMPAIRED.....	5
PARALYSIS OF LEGS, R IS IN WHEELCHAIR.....	6
PARALYSIS OF LEGS, R USES A WALKER.....	7
PARALYSIS OF LEGS, R CAN WALK WITHOUT A WALKER.....	8
PARALYSIS OF ONE ARM.....	9
PARALYSIS OF ONE SIDE OF BODY.....	10
ONE MISSING FOOT.....	11
TWO MISSING FEET.....	12
ONE MISSING LEG.....	13
TWO MISSING LEGS.....	14
ONE MISSING HAND.....	15
TWO MISSING HANDS.....	16
ONE MISSING ARM.....	17
TWO MISSING ARMS.....	18
FACIAL DISFIGUREMENT.....	19
EXTREMELY SMALL HEIGHT.....	20
EXTREMELY LARGE HEIGHT.....	21
EXTREME OBESITY.....	22
OTHER BODY DISFIGUREMENT.....	23
STUTTERING.....	24

*IO12. Taking into consideration all you have learned about R during the interview, rate R's psychological, social and occupational functioning in the worst months of the past 12 months on the following scale. Consider psychological, social, and occupational functioning on a hypothetical continuum of mental health-illness. Do not include impairment in functioning due to physical or environmental limitations.

USE ANY NUMBER BETWEEN 0 AND 100

- 91 - 100 Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his or her many positive qualities. No symptoms.
- 81 - 90 Absent or minimal symptoms of mental problems (e.g., mild anxiety before an exam), good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members).
- 71 - 80 If symptoms of mental disorder are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in schoolwork).
- 61 - 70 Some mild symptoms (e.g., depressed mood or mild insomnia) **OR** some difficulty in social, occupational, or school functioning (e.g., occasional truancy, or theft within the household) but generally functioning pretty well, has some meaningful interpersonal relationships
- 51 - 60 Moderate symptoms (e.g., occasional panic attacks) **OR** moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or co-workers)
- 41 - 50 Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) **OR** any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).
- 31 - 40 Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) **OR** major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, or mood and is unable to work; child frequently beats up younger children, is defiant at home, and is failing at school).
- 21 - 30 Behavior is considerably influenced by delusions or hallucinations **OR** serious impairment in communication or judgement (e.g., sometimes incoherent, acts grossly inappropriately, suicidal preoccupation) **OR** inability to function in almost all areas (e.g., stays in bed all day; no job, home, or friends).
- 11 - 20 Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death; frequently violent) **OR** occasionally fails to maintain minimal personal hygiene (e.g., smears feces) **OR** gross impairment in communication (e.g., largely incoherent or mute).
- 1 - 10 Persistent danger of severely hurting self or others (e.g., recurrent violence) **OR** persistent inability to maintain minimal personal hygiene **OR** serious suicidal act with clear expectation of death.
- 0 Unconscious

_____ NUMBER (0 – 100)

