The (name of your survey) is carried out in conjunction with the World
Health Organization World Mental Health (WMH) Survey Initiative which
is supported by the National Institute of Mental Health (NIMH; R01
MH070884), the John D. and Catherine T. MacArthur Foundation, the
Pfizer Foundation, the US Public Health Service (R13-MH066849, R01-
MH069864, and R01 DA016558), the Fogarty International Center
(FIRCA R03-TW006481), the Pan American Health Organization, Eli
Lilly and Company, Ortho-McNeil Pharmaceutical, Inc.,
GlaxoSmithKline, and Bristol-Myers Squibb. We thank the staff of the
WMH Data Collection and Data Analysis Coordination Centres for
assistance with instrumentation, fieldwork, and consultation on data
analysis. None of the funders had any role in the design, analysis,
interpretation of results, or preparation of this paper. A complete list of all
within-country and cross-national WMH publications can be found at
http://www.hcp.med.harvard.edu/wmh/
The (name of your survey) is carried out in conjunction with the World
Health Organization World Mental Health (WMH) Survey Initiative. We
thank the WMH staff for assistance with instrumentation, fieldwork, and
data analysis. These activities were supported by the United States
National Institute of Mental Health (R01MH070884), the John D. and
Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public
Health Service (R13-MH066849, R01-MH069864, and R01 DA016558),
the Fogarty International Center (FIRCA R03-TW006481), the Pan
American Health Organization, the Eli Lilly & Company Foundation,
Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Sanofi Aventis and
Bristol-Myers Squibb. A complete list of WMH publications can be found
at http://www.hcp.med.harvard.edu/wmh/.
The (name of your survey) is carried out in conjunction with the World
Health Organization World Mental Health (WMH) Survey Initiative. We
thank the WMH staff for assistance with instrumentation, fieldwork, and
data analysis. These activities were supported by the United States
National Institute of Mental Health (R01MH070884, MH077883), the
John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation,
the US Public Health Service (R13-MH066849, R01-MH069864, and R01
DA016558), the Fogarty International Center (FIRCA R03-TW006481),
the Pan American Health Organization, the Eli Lilly & Company
Foundation, Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, and
Bristol-Myers Squibb. A complete list of WMH publications can be found
at http://www.hcp.med.harvard.edu/wmh/

Conint diagdays where a set 1	The (none of your owner) is comind and in a single first in the second state of the se
Social disadvantages and Global burden specific	The (name of your survey) is carried out in conjunction with the World Health Organization World Mental Health (WMH) Survey Initiative. We thank the WMH staff for assistance with instrumentation, fieldwork, and data analysis. These activities were supported by the United States National Institute of Mental Health (R01MH070884), NIMH - Mental Health Burden Study: Contract number HHSN271200700030C, the John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public Health Service (R13-MH066849, R01-MH069864, and R01 DA016558), the Fogarty International Center (FIRCA R03-TW006481), the Pan American Health Organization, the Eli Lilly & Company Foundation, Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Bristol-Myers Squibb, and Shire. A complete list of WMH publications can be found at <u>http://www.hcp.med.harvard.edu/wmh/</u> .
Drug dependence specific	The (name of your survey) is carried out in conjunction with the World Health Organization World Mental Health (WMH) Survey Initiative. We thank the WMH staff for assistance with instrumentation, fieldwork, and data analysis. These activities were supported by the United States National Institute of Mental Health (R01MH070884), the John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public Health Service (R13-MH066849, R01-MH069864, and R01 DA016558), the Fogarty International Center (FIRCA R03-TW006481), the Pan American Health Organization, the Eli Lilly & Company Foundation, Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Bristol-Myers Squibb, and Shire. This manuscript has been supported by a National Institutes of Health (NIH) National Institute on Drug Abuse R01 research grant award (DA016558), NIH/NIDA K05 Senior Scientist Award (DA015799), T32 fellowship award (DA021129). A complete list of WMH publications can be found at <u>http://www.hcp.med.harvard.edu/wmh/</u> .
Substance use specific	The (name of your survey) is carried out in conjunction with the World Health Organization World Mental Health (WMH) Survey Initiative. We thank the WMH staff for assistance with instrumentation, fieldwork, and data analysis. These activities were supported by the United States National Institute of Mental Health (R01MH070884), the John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the US Public Health Service (R13-MH066849, R01-MH069864, and R01 DA016558), the Fogarty International Center (FIRCA R03-TW006481), the Pan American Health Organization, the Eli Lilly & Company Foundation, Ortho-McNeil Pharmaceutical, Inc., GlaxoSmithKline, Bristol-Myers Squibb, and Shire. This work was supported by an Australian National Health and Medical Research Council (NHMRC) project grant (#1081984). LD is supported by an NHMRC Principal Research Fellowship (#1041472). The National Drug and Alcohol Research Centre at UNSW Australia is supported by funding from the Australian Government under the Substance Misuse Prevention and Service Improvements Grant Fund. A complete list of WMH publications can be found at <u>http://www.hcp.med.harvard.edu/wmh/</u> .
Trauma & PTSD	The (name of your survey) is carried out in conjunction with the World Health Organization World Mental Health (WMH) Survey Initiative which is supported by the National Institute of Mental Health (NIMH; R01

	MH070884 and R01 MH093612-01), the John D. and Catherine T.
	MacArthur Foundation, the Pfizer Foundation, the US Public Health
	Service (R13-MH066849, R01-MH069864, and R01 DA016558), the
	Fogarty International Center (FIRCA R03-TW006481), the Pan American
	Health Organization, Eli Lilly and Company, Ortho-McNeil
	Pharmaceutical, Inc., GlaxoSmithKline, and Bristol-Myers Squibb. We
	thank the staff of the WMH Data Collection and Data Analysis
	Coordination Centres for assistance with instrumentation, fieldwork, and
	consultation on data analysis. None of the funders had any role in the
	design, analysis, interpretation of results, or preparation of this paper. A
	complete list of all within-country and cross-national WMH publications
	can be found at http://www.hcp.med.harvard.edu/wmh/.
Australia	The 2007 Australian National Survey of Mental Health and Wellbeing was
	funded by the Australian Government Department of Health and Ageing.
Argentina	The Argentina survey Estudio Argentino de Epidemiología en Salud
C	Mental (EASM) was supported by a grant from the Argentinian Ministry
	of Health (Ministerio de Salud de la Nación).
Brazil	The São Paulo Megacity Mental Health Survey is supported by the State of
	São Paulo Research Foundation (FAPESP) Thematic Project Grant
	03/00204-3.
Bulgaria	The Bulgarian Epidemiological Study of common mental disorders
2	EPIBUL is supported by the Ministry of Health and the National Center
	for Public Health Protection.
Colombia	The Colombian National Study of Mental Health (NSMH) is supported by
Coloniblu	the Ministry of Social Protection.
Colombia – Medellin	The Mental Health Study Medellín – Colombia was carried out and
Colombia Wedenin	supported jointly by the Center for Excellence on Research in Mental
	Health (CES University) and the Secretary of Health of Medellín.
ESEMeD	The ESEMeD surveys were funded by the European Commission
LSLMED	(Contracts QLG5-1999-01042; SANCO 2004123, and EAHC 20081308),
	the Piedmont Region (Italy)), Fondo de Investigación Sanitaria, Instituto
	de Salud Carlos III, Spain (FIS 00/0028), Ministerio de Ciencia y
	Tecnología, Spain (SAF 2000-158-CE), Departament de Salut, Generalitat
	de Catalunya, Spain, Instituto de Salud Carlos III (CIBER CB06/02/0046,
	RETICS RD06/0011 REM-TAP), and other local agencies and by an
	unrestricted educational grant from GlaxoSmithKline.
Iroa	
Iraq	Implementation of the Iraq Mental Health Survey (IMHS) and data entry
	were carried out by the staff of the Iraqi MOH and MOP with direct
	support from the Iraqi IMHS team with funding from both the Japanese
	and European Funds through United Nations Development Group Iraq
Y 1	Trust Fund (UNDG ITF).
Israel	The Israel National Health Survey is funded by the Ministry of Health with
	support from the Israel National Institute for Health Policy and Health
¥	Services Research and the National Insurance Institute of Israel.
Japan	The World Mental Health Japan (WMHJ) Survey is supported by the Grant
	for Research on Psychiatric and Neurological Diseases and Mental Health
	(H13-SHOGAI-023, H14-TOKUBETSU-026, H16-KOKORO-013, H25-
	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
	SEISHIN-IPPAN-006) from the Japan Ministry of Health, Labour and
Lebanon	SEISHIN-IPPAN-006) from the Japan Ministry of Health, Labour and Welfare. The Lebanese Evaluation of the Burden of Ailments and Needs Of the

	Nation (L.E.B.A.N.O.N.) is supported by the Lebanese Ministry of Public Health, the WHO (Lebanon), National Institute of Health / Fogarty International Center (R03 TW006481-01), anonymous private donations to IDRAAC, Lebanon, and unrestricted grants from, Algorithm, AstraZeneca, Benta, Bella Pharma, Eli Lilly, Glaxo Smith Kline, Lundbeck, Novartis, OmniPharma, Pfizer, Phenicia, Servier, UPO.
Mexico	The Mexican National Comorbidity Survey (MNCS) is supported by The National Institute of Psychiatry Ramon de la Fuente (INPRFMDIES 4280) and by the National Council on Science and Technology (CONACyT- G30544- H), with supplemental support from the PanAmerican Health Organization (PAHO). (Include for C.Benjet if 1) paper reports on adolescent follow-up study and or 2) journal requires reporting of funding in previous 5 years.) Corina Benjet has received funding from the (Mexican) National Council of Science and Technology (grant CB-2010-01-155221) (date: Jan. 2012 to July 2015)
New Zealand	Te Rau Hinengaro: The New Zealand Mental Health Survey (NZMHS) is supported by the New Zealand Ministry of Health, Alcohol Advisory Council, and the Health Research Council.
Nigeria	The Nigerian Survey of Mental Health and Wellbeing (NSMHW) is supported by the WHO (Geneva), the WHO (Nigeria), and the Federal Ministry of Health, Abuja, Nigeria.
Northern Ireland	The Northern Ireland Study of Mental Health was funded by the Health & Social Care Research & Development Division of the Public Health Agency.
People's Republic of China	The Chinese World Mental Health Survey Initiative is supported by the Pfizer Foundation. The Shenzhen Mental Health Survey is supported by the Shenzhen Bureau of Health and the Shenzhen Bureau of Science, Technology, and Information.
Peru	The Peruvian World Mental Health Study was funded by the National Institute of Health of the Ministry of Health of Peru.
Poland	The Polish project Epidemiology of Mental Health and Access to Care – EZOP Project (PL 0256) was supported by Iceland, Liechtenstein and Norway through funding from the EEA Financial Mechanism and the Norwegian Financial Mechanism. EZOP project was co-financed by the Polish Ministry of Health.
Portugal	The Portuguese Mental Health Study was carried out by the Department of Mental Health, Faculty of Medical Sciences, NOVA University of Lisbon, with collaboration of the Portuguese Catholic University, and was funded by Champalimaud Foundation, Gulbenkian Foundation, Foundation for Science and Technology (FCT) and Ministry of Health.
Romania	The Romania WMH study projects "Policies in Mental Health Area" and "National Study regarding Mental Health and Services Use" were carried out by National School of Public Health & Health Services Management (former National Institute for Research & Development in Health, present National School of Public Health Management & Professional Development, Bucharest), with technical support of Metro Media Transilvania, the National Institute of Statistics – National Centre for Training in Statistics, SC, Cheyenne Services SRL, Statistics Netherlands

	and were funded by Ministry of Public Health (former Ministry of Health)
	with supplemental support of Eli Lilly Romania SRL.
South Africa	The South Africa Stress and Health Study (SASH) is supported by the US
	National Institute of Mental Health (R01-MH059575) and National
	Institute of Drug Abuse with supplemental funding from the South African
	Department of Health and the University of Michigan. IF DAN STEIN IS
	A COAUTHOR, ADD THE FOLLOWING TO THE
	ACKNOWLEDGEMENTS SECTION: "Dr. Stein is supported by the
	Medical Research Council of South Africa (MRC)"
Spain – Murcia	The Psychiatric Enquiry to General Population in Southeast Spain –
_	Murcia (PEGASUS-Murcia) Project has been financed by the Regional
	Health Authorities of Murcia (Servicio Murciano de Salud and Consejería
	de Sanidad y Política Social) and Fundación para la Formación e
	Investigación Sanitarias (FFIS) of Murcia.
Ukraine	The Ukraine Comorbid Mental Disorders during Periods of Social
	Disruption (CMDPSD) study is funded by the US National Institute of
	Mental Health (RO1-MH61905).
United States	The US National Comorbidity Survey Replication (NCS-R) is supported
	by the National Institute of Mental Health (NIMH; U01-MH60220) with
	supplemental support from the National Institute of Drug Abuse (NIDA),
	the Substance Abuse and Mental Health Services Administration
	(SAMHSA), the Robert Wood Johnson Foundation (RWJF; Grant
	044708), and the John W. Alden Trust.

The World Health Organization World Mental Health (WMH) Survey Initiative is supported by the United States National Institute of Mental Health (NIMH; R01 MH070884), the John D. and Catherine T. MacArthur Foundation, the Pfizer Foundation, the United States Public Health Service (R13-MH066849, R01-MH069864, and R01 DA016558), the Fogarty International Center (FIRCA R03-TW006481), the Pan American Health Organization, Eli Lilly and Company, Ortho-McNeil Pharmaceutical Inc., GlaxoSmithKline, and Bristol-Myers Squibb. We thank the staff of the WMH Data Collection and Data Analysis Coordination Centres for assistance with instrumentation, fieldwork, and consultation on data analysis. None of the funders had any role in the design, analysis, interpretation of results, or preparation of this paper. The views and opinions expressed in this report are those of the authors and should not be construed to represent the views of the World Health Organization, other sponsoring organizations, agencies, or governments.

The 2007 Australian National Survey of Mental Health and Wellbeing is funded by the Australian Government Department of Health and Ageing. The Argentina survey -- Estudio Argentino de Epidemiología en Salud Mental (EASM) -- was supported by a grant from the Argentinian Ministry of Health (Ministerio de Salud de la Nación). The São Paulo Megacity Mental Health Survey is supported by the State of São Paulo Research Foundation (FAPESP) Thematic Project Grant 03/00204-3. The Bulgarian Epidemiological Study of common mental disorders EPIBUL is supported by the Ministry of Health and the National Center for Public Health Protection. The Chinese World Mental Health Survey Initiative is supported by the Pfizer Foundation. The Shenzhen Mental Health Survey is supported by the Shenzhen Bureau of Health and the Shenzhen Bureau of Science, Technology, and Information. The Colombian National Study of Mental Health (NSMH) is supported by the Ministry of Social Protection.

The Mental Health Study Medellín – Colombia was carried out and supported jointly by the Center for Excellence on Research in Mental Health (CES University) and the Secretary of Health of Medellín. The ESEMeD project is funded by the European Commission (Contracts QLG5-1999-01042; SANCO 2004123, and EAHC 20081308), (the Piedmont Region (Italy)), Fondo de Investigación Sanitaria, Instituto de Salud Carlos III, Spain (FIS 00/0028), Ministerio de Ciencia y Tecnología, Spain (SAF 2000-158-CE), Departament de Salut, Generalitat de Catalunya, Spain, Instituto de Salud Carlos III (CIBER CB06/02/0046, RETICS RD06/0011 REM-TAP), and other local agencies and by an unrestricted educational grant from GlaxoSmithKline. Implementation of the Iraq Mental Health Survey (IMHS) and data entry were carried out by the staff of the Iraqi MOH and MOP with direct support from the Iraqi IMHS team with funding from both the Japanese and European Funds through United Nations Development Group Iraq Trust Fund (UNDG ITF). The Israel National Health Survey is funded by the Ministry of Health with support from the Israel National Institute for Health Policy and Health Services Research and the National Insurance Institute of Israel. The World Mental Health Japan (WMHJ) Survey is supported by the Grant for Research on Psychiatric and Neurological Diseases and Mental Health (H13-SHOGAI-023, H14-TOKUBETSU-026, H16-KOKORO-013, H25-SEISHIN-IPPAN-006) from the Japan Ministry of Health, Labour and Welfare. The Lebanese Evaluation of the Burden of Ailments and Needs Of the Nation (L.E.B.A.N.O.N.) is supported by the Lebanese Ministry of Public Health, the WHO (Lebanon), National Institute of Health / Fogarty International Center (R03 TW006481-01), anonymous private donations to IDRAAC, Lebanon, and unrestricted grants from, Algorithm, AstraZeneca, Benta, Bella Pharma, Eli Lilly, Glaxo Smith Kline, Lundbeck, Novartis, OmniPharma, Pfizer, Phenicia, Servier, UPO. The Mexican National Comorbidity Survey (MNCS) is supported by The National Institute of Psychiatry Ramon de la Fuente (INPRFMDIES 4280) and by the National Council on Science and Technology (CONACyT-G30544- H), with supplemental support from the Pan American Health Organization (PAHO) (Include for C.Benjet if 1) paper reports on adolescent follow-up study and or 2) journal requires reporting of funding in previous 5 years.) Corina Benjet has received funding from the (Mexican) National Council of Science and Technology (grant CB-2010-01-155221) (date: Jan. 2012 to July 2015). Te Rau Hinengaro: The New Zealand Mental Health Survey (NZMHS) is supported by the New Zealand Ministry of Health, Alcohol Advisory Council, and the Health Research Council. The Nigerian Survey of Mental Health and Wellbeing (NSMHW) is supported by the WHO (Geneva), the WHO (Nigeria), and the Federal Ministry of Health, Abuja, Nigeria. The Northern Ireland Study of Mental Health was funded by the Health & Social Care Research & Development Division of the Public Health Agency. The Peruvian World Mental Health Study was funded by the National Institute of Health of the Ministry of Health of Peru. The Polish project Epidemiology of Mental Health and Access to Care -EZOP Project (PL 0256) was supported by Iceland, Liechtenstein and Norway through funding from the EEA Financial Mechanism and the Norwegian Financial Mechanism. EZOP project was co-financed by the Polish Ministry of Health. The Portuguese Mental Health Study was carried out by the Department of Mental Health, Faculty of Medical Sciences, NOVA University of Lisbon, with collaboration of the Portuguese Catholic University, and was funded by Champalimaud Foundation, Gulbenkian Foundation, Foundation for Science and Technology (FCT) and Ministry of Health. The Romania WMH study projects "Policies in Mental Health Area" and "National Study regarding Mental Health and Services Use" were carried out by National School of Public Health & Health Services Management (former National Institute for Research & Development in Health), with technical support of Metro Media Transilvania, the National Institute of Statistics-National Centre for Training in Statistics, SC, Chevenne Services SRL, Statistics Netherlands and were funded by Ministry of Public Health (former Ministry of Health) with supplemental support of Eli Lilly Romania SRL. The South Africa Stress and Health Study (SASH) is supported by the US National Institute of Mental Health (R01-MH059575) and National Institute of Drug Abuse with supplemental funding from the South African Department of Health and the University of Michigan. IF DAN STEIN IS A COAUTHOR, ADD THE FOLLOWING TO THE ACKNOWLEDGEMENTS SECTION: "Dr. Stein is supported by the Medical Research Council of South Africa (MRC)"The Psychiatric Enquiry to General Population in Southeast Spain – Murcia (PEGASUS-Murcia) Project has been financed by the Regional Health Authorities of Murcia (Servicio Murciano de Salud and Consejería de Sanidad y Política Social) and Fundación para la Formación e Investigación Sanitarias (FFIS) of Murcia. The Ukraine Comorbid Mental Disorders during Periods of Social Disruption (CMDPSD) study is funded by the US National Institute of Mental Health (R01-MH61905). The US National Comorbidity Survey Replication (NCS-R) is supported by the National Institute of Drug Abuse (NIDA), the Substance Abuse and Mental Health Services Administration (SAMHSA), the Robert Wood Johnson Foundation (RWJF; Grant 044708), and the John W. Alden Trust.

A complete list of all within-country and cross-national WMH publications can be found at http://www.hcp.med.harvard.edu/wmh/.